Performer:	in "2024 GRAFTON"
Performer:	IN 2024 GRAFION

Perfo	rmer:	Symbol: Q Label: 2	ID:5671939985279	00 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2		FRONT-BACK
1	0	SIDE 1: 2.0 steps ins	ide 45 yd In	6.0 steps in front of BACK HASH (HS)
2	8	SIDE 1: 2.0 steps ins	ide 45 yd In	6.0 steps in front of BACK HASH (HS)
3	8	SIDE 1: 3.0 steps ins	ide 45 yd In	8.0 steps in front of BACK HASH (HS)
4	8	SIDE 1: 3.0 steps ins	ide 45 yd In	8.0 steps in front of BACK HASH (HS)
5	8	SIDE 1: 3.0 steps ins	ide 45 yd In	8.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 0.5 steps out	side 45 yd In	1.25 steps in front of BACK HASH (HS)
7	8	SIDE 2: 0.5 steps out	side 40 yd In	9.25 steps in front of BACK HASH (HS)
8	40	SIDE 2: 0.5 steps out	side 40 yd In	9.25 steps in front of BACK HASH (HS)
9	16	SIDE 2: 3.0 steps out	side 45 yd In	10.0 steps behind FRONT HASH (HS)
10	16	SIDE 2: 3.0 steps out	side 45 yd In	6.0 steps behind FRONT HASH (HS)
11	16	SIDE 2: 3.0 steps out	side 50 yd In	14.0 steps in front of BACK HASH (HS)
12	8	SIDE 1: 1.0 steps out	side 50 yd In	12.0 steps behind FRONT HASH (HS)
13	8	SIDE 1: 3.0 steps ins	ide 45 yd In	10.0 steps behind FRONT HASH (HS)
14	12	SIDE 1: 2.5 steps out	side 45 yd In	10.25 steps behind FRONT HASH (HS)
15	12	SIDE 1: 2.5 steps out	side 45 yd In	10.25 steps behind FRONT HASH (HS)
16	24	SIDE 2: 2.75 steps or	utside 45 yd In	12.0 steps behind FRONT HASH (HS)
17	8	SIDE 2: 2.75 steps or	utside 45 yd In	12.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: 2.75 steps in	side 45 yd In	12.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: 2.75 steps in	side 40 yd In	8.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 3.75 steps or	utside 35 yd In	10.0 steps behind FRONT HASH (HS)

#### Performer: Symbol: Q Label: 2 ID:567193998527900 Drill: 2024 GRAFTON PT2 Counts SIDE 1-SIDE 2 FRONT-BACK SIDE 1: 3.75 steps outside 35 yd In 10.0 steps behind FRONT HASH (HS) 20 0 16 SIDE 1: On 40 yd In 21 12.0 steps in front of BACK HASH (HS) 8 SIDE 1: 4.0 steps inside 45 yd In 22 10.0 steps in front of BACK HASH (HS) 23 8 SIDE 2: On 45 yd In 10.0 steps in front of BACK HASH (HS) SIDE 2: On 40 yd In 24 8.0 steps in front of BACK HASH (HS) 25 SIDE 2: 4.0 steps outside 50 yd In 13.5 steps behind FRONT HASH (HS) 26 SIDE 2: 4.0 steps outside 50 yd In 13.5 steps behind FRONT HASH (HS) 27 On 50 yd In 12.0 steps behind FRONT HASH (HS) 12 SIDE 1: 3.0 steps outside 50 yd In 2.0 steps in front of BACK HASH (HS) 28 29 SIDE 2: 1.0 steps outside 50 yd In 2.0 steps in front of BACK HASH (HS) 30 SIDE 2: 3.0 steps inside 45 yd In 2.0 steps in front of BACK HASH (HS) 31 4 SIDE 2: 1.0 steps outside 45 yd In 2.0 steps in front of BACK HASH (HS) 32 SIDE 2: 3.0 steps inside 40 yd In 2.0 steps in front of BACK HASH (HS) 33 SIDE 2: 3.0 steps inside 40 yd In 2.0 steps in front of BACK HASH (HS) 34 SIDE 2: 3.0 steps inside 40 yd In 2.0 steps in front of BACK HASH (HS)

Performer: Symbol: Q Label: 2 ID:567193998527900 Drill: 2024 GRAFTON PT3

8.0 steps in front of BACK HASH (HS)

Printed: Sun. Jul 7, 2024 at 12:18 PM

12 SIDE 1: 2.0 steps outside 50 yd In

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 2.0 steps outside 50 yd In	8.0 steps in front of BACK HASH (HS)
36	8	SIDE 1: 2.0 steps outside 50 yd In	14.0 steps in front of BACK HASH (HS)
37	16	SIDE 2: On 45 yd In	8.0 steps behind FRONT HASH (HS)
38	16	SIDE 2: 4.0 steps outside 50 yd In	On FRONT HASH (HS)
39	16	SIDE 2: 4.0 steps outside 50 yd In	On FRONT HASH (HS)
40	20	SIDE 2: 4.0 steps outside 50 yd In	On FRONT HASH (HS)
41	16	SIDE 2: 4.0 steps outside 45 yd In	On FRONT HASH (HS)
42	16	SIDE 2: 4.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
43	12	SIDE 1: 1.0 steps outside 50 yd In	On FRONT HASH (HS)
44	16	SIDE 1: 2.0 steps inside 45 yd In	7.0 steps in front of FRONT HASH (HS)
45	16	SIDE 1: 2.0 steps inside 45 yd In	7.0 steps in front of FRONT HASH (HS)
46	8	On 50 yd In	6.0 steps in front of FRONT HASH (HS)
Perfo	rmer:	Symbol: Q Label: 2 ID:56719399852	7900 Drill: 2024 Grafton Pt4

Perfo	rmer:	Symbol: Q Label: 2 ID:5671939985279	Drill: 2024 Grafton Pt4
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
46	0	On 50 yd In	6.0 steps in front of FRONT HASH (HS)
47	17	SIDE 2: 2.0 steps inside 45 yd In	7.0 steps in front of BACK HASH (HS)
48	8	SIDE 2: 2.0 steps inside 45 yd In	7.0 steps in front of BACK HASH (HS)
49	9	SIDE 2: 2.0 steps inside 45 yd In	7.0 steps in front of BACK HASH (HS)
50	8	SIDE 2: 2.0 steps inside 40 yd In	13.0 steps behind FRONT HASH (HS)
51	8	SIDE 1: 2.0 steps outside 50 yd In	13.0 steps behind FRONT HASH (HS)
52	20	SIDE 1: 2.0 steps outside 45 yd In	6.0 steps behind FRONT HASH (HS)
53	16	SIDE 1: 2.0 steps outside 45 yd In	6.0 steps behind FRONT HASH (HS)
54	8	SIDE 1: 2.0 steps outside 45 yd In	6.0 steps behind FRONT HASH (HS)
55	16	SIDE 1: 2.0 steps outside 45 yd In	6.0 steps behind FRONT HASH (HS)
56	16	SIDE 1: 2.0 steps outside 45 yd In	6.0 steps behind FRONT HASH (HS)
57	8	SIDE 1: 3.0 steps outside 45 yd In	8.0 steps behind FRONT HASH (HS)
58	8	SIDE 1: 4.0 steps inside 45 yd In	11.0 steps behind FRONT HASH (HS)
59	8	SIDE 1: 1.0 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
60	8	SIDE 2: 3.0 steps inside 45 yd In	8.0 steps behind FRONT HASH (HS)
61	8	SIDE 2: 3.0 steps inside 40 yd In	8.0 steps behind FRONT HASH (HS)
62	8	SIDE 2: 3.0 steps inside 40 yd In	4.0 steps behind FRONT HASH (HS)
63	8	SIDE 2: 3.0 steps inside 40 yd In	4.0 steps behind FRONT HASH (HS)
64	16	SIDE 2: 1.5 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
65	18	SIDE 2: 1.5 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: Q Label: 1 ID:56719	93998527600 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 1.0 steps inside 40 yd Ir	5.0 steps in front of BACK HASH (HS)
2	8	SIDE 1: 1.0 steps inside 40 yd Ir	5.0 steps in front of BACK HASH (HS)
3	8	SIDE 1: On 45 yd In	8.0 steps in front of BACK HASH (HS)
4	8	SIDE 1: On 45 yd In	8.0 steps in front of BACK HASH (HS)
5	8	SIDE 1: On 45 yd In	8.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 2.0 steps inside 45 yd Ir	1.0 steps in front of BACK HASH (HS)
7	8	SIDE 2: 2.0 steps inside 40 yd Ir	9.0 steps in front of BACK HASH (HS)
8	40	SIDE 2: 2.0 steps inside 40 yd Ir	9.0 steps in front of BACK HASH (HS)
9	16	SIDE 2: On 45 yd In	10.0 steps behind FRONT HASH (HS)
10	16	SIDE 2: On 45 yd In	6.0 steps behind FRONT HASH (HS)
11	16	On 50 yd In	14.0 steps in front of BACK HASH (HS)
12	8	SIDE 1: 4.0 steps inside 45 yd Ir	n 12.0 steps behind FRONT HASH (HS)
13	8	SIDE 1: On 45 yd In	10.0 steps behind FRONT HASH (HS)
14	12	SIDE 1: 3.0 steps inside 40 yd Ir	9.0 steps behind FRONT HASH (HS)
15	12	SIDE 1: 3.0 steps inside 40 yd Ir	9.0 steps behind FRONT HASH (HS)
16	24	SIDE 2: On 45 yd In	12.0 steps behind FRONT HASH (HS)
17	8	SIDE 2: On 45 yd In	12.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: On 45 yd In	12.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: On 40 yd In	8.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 2.0 steps inside 30 yd Ir	8.0 steps behind FRONT HASH (HS)

#### Counts SIDE 1-SIDE 2 FRONT-BACK Set 20 0 SIDE 1: 2.0 steps inside 30 yd In 8.0 steps behind FRONT HASH (HS) 21 16 SIDE 1: 4.0 steps inside 35 yd In 12.0 steps in front of BACK HASH (HS) 22 8 SIDE 1: On 45 yd In 10.0 steps in front of BACK HASH (HS) 23 8 SIDE 2: 4.0 steps outside 50 yd In 10.0 steps in front of BACK HASH (HS) 24 SIDE 2: 2.75 steps inside 40 yd In 8.0 steps in front of BACK HASH (HS) 25 SIDE 2: 1.25 steps outside 50 yd In 13.75 steps behind FRONT HASH (HS) 26 SIDE 2: 1.25 steps outside 50 yd In 13.75 steps behind FRONT HASH (HS) 27 SIDE 1: 3.0 steps outside 50 yd In 12.0 steps behind FRONT HASH (HS) SIDE 1: 2.0 steps inside 45 yd In 2.0 steps in front of BACK HASH (HS) 28 29 SIDE 1: 2.0 steps outside 50 yd In 2.0 steps in front of BACK HASH (HS) 30 SIDE 2: 2.0 steps outside 50 yd In 2.0 steps in front of BACK HASH (HS) 31 4 SIDE 2: 2.0 steps inside 45 yd In 2.0 steps in front of BACK HASH (HS) 32 SIDE 2: 2.0 steps outside 45 yd In 2.0 steps in front of BACK HASH (HS) 33 SIDE 2: 2.0 steps outside 45 yd In 2.0 steps in front of BACK HASH (HS)

Drill: 2024 GRAFTON PT2

2.0 steps in front of BACK HASH (HS)

8.0 steps in front of BACK HASH (HS)

Performer: Symbol: Q Label: 1 ID:567193998527600

SIDE 2: 2.0 steps outside 45 yd In

12 SIDE 1: 3.0 steps inside 45 yd In

Performer: Symbol: Q Label: 1 ID:567193998527600 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

14

34

Performer: in "2024 GRAFTON"

Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK	
35	0	SIDE 1: 3.0 steps inside 45 yd In	8.0 steps in front of BACK HASH (HS)	
36	8	SIDE 1: 3.0 steps inside 45 yd In	14.0 steps in front of BACK HASH (HS)	
37	16	SIDE 2: 3.0 steps inside 45 yd In	8.0 steps behind FRONT HASH (HS)	
38	16	SIDE 2: 1.0 steps outside 50 yd In	On FRONT HASH (HS)	
39	16	SIDE 2: 1.0 steps outside 50 yd In	On FRONT HASH (HS)	
40	20	SIDE 2: 1.0 steps outside 50 yd In	On FRONT HASH (HS)	
41	16	SIDE 2: 1.0 steps outside 45 yd In	On FRONT HASH (HS)	
42	16	SIDE 2: 4.0 steps outside 50 yd In	2.0 steps in front of FRONT HASH (HS)	
43	12	SIDE 2: 2.0 steps outside 50 yd In	On FRONT HASH (HS)	
44	16	SIDE 1: 3.0 steps outside 50 yd In	7.0 steps in front of FRONT HASH (HS)	
45	16	SIDE 1: 3.0 steps outside 50 yd In	7.0 steps in front of FRONT HASH (HS)	
46	8	SIDE 2: 2.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)	
Perfo				

Perfo	rmer:	Symbol: Q Label: 1 ID:5671939985276	Drill: 2024 Grafton Pt4
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 2.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
47	17	SIDE 2: 2.0 steps outside 45 yd In	7.0 steps in front of BACK HASH (HS)
48	8	SIDE 2: 2.0 steps outside 45 yd In	7.0 steps in front of BACK HASH (HS)
49	9	SIDE 2: 2.0 steps outside 45 yd In	7.0 steps in front of BACK HASH (HS)
50	8	SIDE 2: 2.0 steps outside 40 yd In	13.0 steps behind FRONT HASH (HS)
51	8	SIDE 2: 2.0 steps outside 50 yd In	13.0 steps behind FRONT HASH (HS)
52	20	SIDE 1: On 45 yd In	8.0 steps behind FRONT HASH (HS)
53	16	SIDE 1: On 45 yd In	8.0 steps behind FRONT HASH (HS)
54	8	SIDE 1: On 45 yd In	8.0 steps behind FRONT HASH (HS)
55	16	SIDE 1: On 45 yd In	8.0 steps behind FRONT HASH (HS)
56	16	SIDE 1: On 45 yd In	8.0 steps behind FRONT HASH (HS)
57	8	SIDE 1: On 45 yd In	8.0 steps behind FRONT HASH (HS)
58	8	SIDE 1: 4.0 steps inside 45 yd In	8.5 steps behind FRONT HASH (HS)
59	8	SIDE 1: 3.5 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
60	8	SIDE 2: 2.5 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
61	8	SIDE 2: 2.5 steps outside 45 yd In	8.0 steps behind FRONT HASH (HS)
62	8	SIDE 2: 2.5 steps outside 45 yd In	4.0 steps behind FRONT HASH (HS)
63	8	SIDE 2: 2.5 steps outside 45 yd In	4.0 steps behind FRONT HASH (HS)
64	16	SIDE 1: 1.5 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
65	18	SIDE 1: 1.5 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: S Label: 3 ID:5671939985283	300 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 1.0 steps inside 45 yd In	14.0 steps in front of BACK HASH (HS)
2	8	SIDE 2: 1.0 steps inside 45 yd In	14.0 steps in front of BACK HASH (HS)
3	8	SIDE 2: 4.0 steps outside 50 yd In	8.0 steps in front of BACK HASH (HS)
4	8	SIDE 2: 4.0 steps outside 50 yd In	8.0 steps in front of BACK HASH (HS)
5	8	SIDE 2: 4.0 steps outside 50 yd In	8.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 0.25 steps inside 40 yd In	3.25 steps in front of BACK HASH (HS)
7	8	SIDE 2: 0.25 steps inside 35 yd In	11.25 steps in front of BACK HASH (HS)
8	40	SIDE 2: 0.25 steps inside 35 yd In	11.25 steps in front of BACK HASH (HS)
9	16	SIDE 2: 2.0 steps outside 40 yd In	10.0 steps behind FRONT HASH (HS)
10	16	SIDE 2: 2.0 steps outside 40 yd In	6.0 steps behind FRONT HASH (HS)
11	16	SIDE 2: 2.0 steps outside 45 yd In	14.0 steps in front of BACK HASH (HS)
12	8	SIDE 2: 2.0 steps inside 45 yd In	12.0 steps behind FRONT HASH (HS)
13	8	SIDE 2: 2.0 steps outside 50 yd In	10.0 steps behind FRONT HASH (HS)
14	12	SIDE 1: 2.0 steps outside 50 yd In	12.75 steps behind FRONT HASH (HS)
15	12	SIDE 1: 2.0 steps outside 50 yd In	12.75 steps behind FRONT HASH (HS)
16	24	SIDE 2: 2.75 steps outside 40 yd In	12.0 steps behind FRONT HASH (HS)
17	8	SIDE 2: 2.75 steps outside 40 yd In	12.0 steps behind FRONT HASH (HS)
18	16	SIDE 2: 2.75 steps outside 50 yd In	12.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: 2.75 steps inside 45 yd In	8.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 3.5 steps outside 40 yd In	13.25 steps behind FRONT HASH (HS)

## Performer: Symbol: S Label: 3 ID:567193998528300 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 1: 3.5 steps outside 40 yd In	13.25 steps behind FRONT HASH (HS)
21	16	SIDE 1: 2.0 steps inside 40 yd In	10.0 steps in front of BACK HASH (HS)
22	8	SIDE 1: 2.0 steps outside 50 yd In	8.0 steps in front of BACK HASH (HS)
23	8	SIDE 2: 2.0 steps outside 45 yd In	8.0 steps in front of BACK HASH (HS)
24	8	SIDE 2: 2.75 steps outside 45 yd In	8.0 steps in front of BACK HASH (HS)
25	12	SIDE 1: 1.75 steps outside 50 yd In	13.75 steps behind FRONT HASH (HS)
26	10	SIDE 1: 1.75 steps outside 50 yd In	13.75 steps behind FRONT HASH (HS)
27	8	SIDE 1: 2.0 steps inside 45 yd In	12.0 steps behind FRONT HASH (HS)
28	12	SIDE 1: 1.0 steps outside 45 yd In	2.0 steps in front of BACK HASH (HS)
29	4	SIDE 1: 3.0 steps inside 45 yd In	2.0 steps in front of BACK HASH (HS)
30	4	SIDE 1: 1.0 steps outside 50 yd In	2.0 steps in front of BACK HASH (HS)
31	4	SIDE 2: 3.0 steps outside 50 yd In	2.0 steps in front of BACK HASH (HS)
32	4	SIDE 2: 1.0 steps inside 45 yd In	2.0 steps in front of BACK HASH (HS)
33	4	SIDE 2: 1.0 steps inside 45 yd In	2.0 steps in front of BACK HASH (HS)
34	14	SIDE 2: 1.0 steps inside 45 yd In	2.0 steps in front of BACK HASH (HS)
35	12	SIDE 1: On 45 vd In	8.0 steps in front of BACK HASH (HS)

Performer: Symbol: S Label: 3 ID:567193998528300 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: On 45 yd In	8.0 steps in front of BACK HASH (HS)
36	8	SIDE 1: On 45 yd In	14.0 steps in front of BACK HASH (HS)
37	16	SIDE 2: 2.0 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps outside 50 yd In	On FRONT HASH (HS)
39	16	SIDE 1: 2.0 steps outside 50 yd In	On FRONT HASH (HS)
40	20	SIDE 1: 2.0 steps outside 50 yd In	On FRONT HASH (HS)
41	16	SIDE 2: 2.0 steps inside 45 yd In	On FRONT HASH (HS)
42	16	SIDE 2: 4.0 steps outside 50 yd In	On FRONT HASH (HS)
43	12	SIDE 2: 3.0 steps inside 45 yd In	On FRONT HASH (HS)
44	16	On 50 yd In	7.0 steps in front of FRONT HASH (HS)
45	16	On 50 yd In	7.0 steps in front of FRONT HASH (HS)
46	8	SIDE 2: 4.0 steps outside 50 yd In	10.0 steps in front of FRONT HASH (HS)

Perfo	rmer:	Symbol: S Label: 3 ID:5671939985	28300 Drill: 2024 Grafton Pt4
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 4.0 steps outside 50 yd In	10.0 steps in front of FRONT HASH (HS)
47	17	SIDE 2: 4.0 steps outside 50 yd In	10.0 steps in front of BACK HASH (HS)
48	8	SIDE 2: 4.0 steps outside 50 yd In	10.0 steps in front of BACK HASH (HS)
49	9	SIDE 2: 4.0 steps outside 50 yd In	10.0 steps in front of BACK HASH (HS)
50	8	SIDE 2: 4.0 steps outside 45 yd In	10.0 steps behind FRONT HASH (HS)
51	8	SIDE 1: 4.0 steps inside 45 yd In	10.0 steps behind FRONT HASH (HS)
52	20	SIDE 1: 2.0 steps inside 45 yd In	10.0 steps behind FRONT HASH (HS)
53	16	SIDE 1: 2.0 steps inside 45 yd In	10.0 steps behind FRONT HASH (HS)
54	8	SIDE 1: 2.0 steps inside 45 yd In	10.0 steps behind FRONT HASH (HS)
55	16	SIDE 1: 2.0 steps inside 45 yd In	10.0 steps behind FRONT HASH (HS)
56	16	SIDE 1: 2.0 steps inside 45 yd In	10.0 steps behind FRONT HASH (HS)
57	8	SIDE 1: 3.0 steps inside 45 yd In	8.0 steps behind FRONT HASH (HS)
58	8	SIDE 1: 4.0 steps inside 45 yd In	6.0 steps behind FRONT HASH (HS)
59	8	SIDE 1: 2.0 steps inside 45 yd In	8.0 steps behind FRONT HASH (HS)
60	8	On 50 yd In	8.0 steps behind FRONT HASH (HS)
61	8	SIDE 2: On 45 yd In	8.0 steps behind FRONT HASH (HS)
62	8	SIDE 2: On 45 yd In	4.0 steps behind FRONT HASH (HS)
63	8	SIDE 2: On 45 yd In	4.0 steps behind FRONT HASH (HS)
64	16	SIDE 2: 2.5 steps outside 50 yd In	10.0 steps behind FRONT HASH (HS)
65	18	SIDE 2: 2.5 steps outside 50 yd In	10.0 steps behind FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: S Label: 2	ID:56719399852820	Do Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2		FRONT-BACK
1	0	SIDE 2: 2.0 steps ou	tside 50 yd In	12.0 steps in front of BACK HASH (HS)
2	8	SIDE 2: 2.0 steps ou	tside 50 yd In	12.0 steps in front of BACK HASH (HS)
3	8	SIDE 2: 1.0 steps ou	tside 50 yd In	8.0 steps in front of BACK HASH (HS)
4	8	SIDE 2: 1.0 steps ou	tside 50 yd In	8.0 steps in front of BACK HASH (HS)
5	8	SIDE 2: 1.0 steps ou	tside 50 yd In	8.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 2.5 steps ins	side 40 yd In	2.25 steps in front of BACK HASH (HS)
7	8	SIDE 2: 2.5 steps ins	side 35 yd In	10.25 steps in front of BACK HASH (HS)
8	40	SIDE 2: 2.5 steps ins	side 35 yd In	10.25 steps in front of BACK HASH (HS)
9	16	SIDE 2: On 40 yd In		10.0 steps behind FRONT HASH (HS)
10	16	SIDE 2: On 40 yd In		6.0 steps behind FRONT HASH (HS)
11	16	SIDE 2: On 45 yd In		14.0 steps in front of BACK HASH (HS)
12	8	SIDE 2: 4.0 steps ou	tside 50 yd In	12.0 steps behind FRONT HASH (HS)
13	8	On 50 yd In		10.0 steps behind FRONT HASH (HS)
14	12	SIDE 1: 3.0 steps ins	side 45 yd In	12.25 steps behind FRONT HASH (HS)
15	12	SIDE 1: 3.0 steps ins	side 45 yd In	12.25 steps behind FRONT HASH (HS)
16	24	SIDE 2: On 40 yd In		12.0 steps behind FRONT HASH (HS)
17	8	SIDE 2: On 40 yd In		12.0 steps behind FRONT HASH (HS)
18	16	On 50 yd In		12.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: On 45 yd In		8.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 1.5 steps ins	side 35 yd In	12.5 steps behind FRONT HASH (HS)

# SetCountsSIDE 1-SIDE 2FRONT-BACK200SIDE 1: 1.5 steps inside 35 yd In12.5 steps behind FRONT HASH (HS)2116SIDE 1: 2.0 steps outside 40 yd In10.0 steps in front of BACK HASH (HS)228SIDE 1: 2.0 steps inside 45 yd In8.0 steps in front of BACK HASH (HS)238SIDE 2: 2.0 steps inside 45 yd In8.0 steps in front of BACK HASH (HS)

Performer: Symbol: S Label: 2 ID:567193998528200 Drill: 2024 GRAFTON PT2

8.0 steps in front of BACK HASH (HS) 23 8 SIDE 2: 2.0 steps inside 45 yd In 8.0 steps in front of BACK HASH (HS) 24 SIDE 2: On 45 yd In 8.0 steps in front of BACK HASH (HS) 25 12 SIDE 1: 3.5 steps inside 45 yd In 13.25 steps behind FRONT HASH (HS) 26 SIDE 1: 3.5 steps inside 45 yd In 13.25 steps behind FRONT HASH (HS) 27 8 SIDE 1: On 45 yd In 12.0 steps behind FRONT HASH (HS) 12 SIDE 1: 3.0 steps outside 45 yd In 2.0 steps in front of BACK HASH (HS) 28 29 SIDE 1: 1.0 steps inside 45 yd In 2.0 steps in front of BACK HASH (HS) 30 SIDE 1: 3.0 steps outside 50 yd In 2.0 steps in front of BACK HASH (HS) 31 4 SIDE 2: 1.0 steps outside 50 yd In 2.0 steps in front of BACK HASH (HS) 32 4 SIDE 2: 3.0 steps inside 45 yd In 2.0 steps in front of BACK HASH (HS) 33 SIDE 2: 3.0 steps inside 45 yd In 2.0 steps in front of BACK HASH (HS) 34 SIDE 2: 3.0 steps inside 45 yd In 2.0 steps in front of BACK HASH (HS) 12 SIDE 1: 2.0 steps outside 45 yd In 8.0 steps in front of BACK HASH (HS)

Performer: Symbol: S Label: 2 ID:567193998528200 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 2.0 steps outside 45 yd In	8.0 steps in front of BACK HASH (HS)
36	8	SIDE 1: 2.0 steps outside 45 yd In	14.0 steps in front of BACK HASH (HS)
37	16	On 50 yd In	8.0 steps behind FRONT HASH (HS)
38	16	SIDE 1: 4.0 steps inside 45 yd In	On FRONT HASH (HS)
39	16	SIDE 1: 4.0 steps inside 45 yd In	On FRONT HASH (HS)
40	20	SIDE 1: 4.0 steps inside 45 yd In	On FRONT HASH (HS)
41	16	SIDE 2: 4.0 steps outside 50 yd In	On FRONT HASH (HS)
42	16	SIDE 2: 4.0 steps outside 50 yd In	2.0 steps behind FRONT HASH (HS)
43	12	SIDE 2: On 45 yd In	On FRONT HASH (HS)
44	16	SIDE 2: 3.0 steps outside 50 yd In	7.0 steps in front of FRONT HASH (HS)
45	16	SIDE 2: 3.0 steps outside 50 yd In	7.0 steps in front of FRONT HASH (HS)
46	8	SIDE 2: 2.0 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)

Performer:		Symbol: S Label: 2 ID:567193998528	B200 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 2.0 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
47	17	SIDE 2: On 45 yd In	10.0 steps in front of BACK HASH (HS)
48	8	SIDE 2: On 45 yd In	10.0 steps in front of BACK HASH (HS)
49	9	SIDE 2: On 45 yd In	10.0 steps in front of BACK HASH (HS)
50	8	SIDE 2: On 40 yd In	10.0 steps behind FRONT HASH (HS)
51	8	On 50 yd In	10.0 steps behind FRONT HASH (HS)
52	20	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT HASH (HS)
53	16	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT HASH (HS)
54	8	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT HASH (HS)
55	16	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT HASH (HS)
56	16	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT HASH (HS)
57	8	SIDE 1: 3.0 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
58	8	SIDE 1: 4.0 steps inside 45 yd In	3.5 steps behind FRONT HASH (HS)
59	8	SIDE 1: 0.5 steps outside 45 yd In	8.0 steps behind FRONT HASH (HS)
60	8	SIDE 1: 2.5 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
61	8	SIDE 2: 2.5 steps inside 45 yd In	8.0 steps behind FRONT HASH (HS)
62	8	SIDE 2: 2.5 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
63	8	SIDE 2: 2.5 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
64	16	On 50 yd In	10.0 steps behind FRONT HASH (HS)
65	18	On 50 yd In	10.0 steps behind FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
Performer:	III 2024 GRAFION

Perfo	rmer:	Symbol: S Label: 1 ID:567193998528	B000 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	On 50 yd In	10.0 steps behind FRONT HASH (HS)
2	8	On 50 yd In	10.0 steps behind FRONT HASH (HS)
3	8	SIDE 1: 2.0 steps outside 50 yd In	8.0 steps in front of BACK HASH (HS)
4	8	SIDE 1: 2.0 steps outside 50 yd In	8.0 steps in front of BACK HASH (HS)
5	8	SIDE 1: 2.0 steps outside 50 yd In	8.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 3.0 steps outside 45 yd In	1.5 steps in front of BACK HASH (HS)
7	8	SIDE 2: 3.0 steps outside 40 yd In	9.5 steps in front of BACK HASH (HS)
8	40	SIDE 2: 3.0 steps outside 40 yd In	9.5 steps in front of BACK HASH (HS)
9	16	SIDE 2: 2.0 steps inside 40 yd In	10.0 steps behind FRONT HASH (HS)
10	16	SIDE 2: 2.0 steps inside 40 yd In	6.0 steps behind FRONT HASH (HS)
11	16	SIDE 2: 2.0 steps inside 45 yd In	14.0 steps in front of BACK HASH (HS)
12	8	SIDE 2: 2.0 steps outside 50 yd In	12.0 steps behind FRONT HASH (HS)
13	8	SIDE 1: 2.0 steps outside 50 yd In	10.0 steps behind FRONT HASH (HS)
14	12	SIDE 1: 0.25 steps inside 45 yd In	11.25 steps behind FRONT HASH (HS)
15	12	SIDE 1: 0.25 steps inside 45 yd In	11.25 steps behind FRONT HASH (HS)
16	24	SIDE 2: 2.75 steps inside 40 yd In	12.0 steps behind FRONT HASH (HS)
17	8	SIDE 2: 2.75 steps inside 40 yd In	12.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: 2.75 steps outside 50 yd In	12.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: 2.75 steps outside 45 yd In	8.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 1.25 steps outside 35 yd In	11.5 steps behind FRONT HASH (HS)

#### Performer: Symbol: S Label: 1 ID:567193998528000 Drill: 2024 GRAFTON PT2 Counts SIDE 1-SIDE 2 FRONT-BACK Set 11.5 steps behind FRONT HASH (HS) 20 0 SIDE 1: 1.25 steps outside 35 yd In 21 16 SIDE 1: 2.0 steps inside 35 yd In 10.0 steps in front of BACK HASH (HS) 22 8 SIDE 1: 2.0 steps outside 45 yd In 8.0 steps in front of BACK HASH (HS) 23 8 SIDE 2: 2.0 steps outside 50 yd In 8.0 steps in front of BACK HASH (HS) 24 SIDE 2: 2.75 steps inside 45 yd In 8.0 steps in front of BACK HASH (HS) 25 12 SIDE 1: 0.75 steps inside 45 yd In 12.75 steps behind FRONT HASH (HS) 26 SIDE 1: 0.75 steps inside 45 yd In 12.75 steps behind FRONT HASH (HS) 27 12.0 steps behind FRONT HASH (HS) SIDE 1: 2.0 steps outside 45 yd In SIDE 1: 3.0 steps inside 40 yd In 2.0 steps in front of BACK HASH (HS) 28 29 SIDE 1: 1.0 steps outside 45 yd In 2.0 steps in front of BACK HASH (HS) 30 SIDE 1: 3.0 steps inside 45 yd In 2.0 steps in front of BACK HASH (HS) 31 SIDE 1: 1.0 steps outside 50 yd In 2.0 steps in front of BACK HASH (HS) 32 SIDE 2: 3.0 steps outside 50 yd In 2.0 steps in front of BACK HASH (HS) 33 SIDE 2: 3.0 steps outside 50 yd In 2.0 steps in front of BACK HASH (HS) 34 SIDE 2: 3.0 steps outside 50 yd In 2.0 steps in front of BACK HASH (HS) 14 12 SIDE 1: 4.0 steps inside 40 yd In 8.0 steps in front of BACK HASH (HS)

Performer: Symbol: S Label: 1 ID:567193998528000 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 4.0 steps inside 40 yd In	8.0 steps in front of BACK HASH (HS)
36	8	SIDE 1: 4.0 steps inside 40 yd In	14.0 steps in front of BACK HASH (HS)
37	16	SIDE 1: 2.0 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps inside 45 yd In	On FRONT HASH (HS)
39	16	SIDE 1: 2.0 steps inside 45 yd In	On FRONT HASH (HS)
40	20	SIDE 1: 2.0 steps inside 45 yd In	On FRONT HASH (HS)
41	16	SIDE 2: 2.0 steps outside 50 yd In	On FRONT HASH (HS)
42	16	SIDE 2: 4.0 steps outside 50 yd In	4.0 steps behind FRONT HASH (HS)
43	12	SIDE 2: 3.0 steps outside 45 yd In	On FRONT HASH (HS)
44	16	SIDE 2: 2.0 steps inside 45 yd In	7.0 steps in front of FRONT HASH (HS)
45	16	SIDE 2: 2.0 steps inside 45 yd In	7.0 steps in front of FRONT HASH (HS)
46	8	SIDE 2: On 45 yd In	6.0 steps in front of FRONT HASH (HS)

Performer:	Symbol: S Label: 1 ID:56719399852	8000 Drill: 2024 Grafton Pt4
Set Cou	nts SIDE 1-SIDE 2	FRONT-BACK
46 0	SIDE 2: On 45 yd In	6.0 steps in front of FRONT HASH (HS)
47 17	SIDE 2: 4.0 steps outside 45 yd In	10.0 steps in front of BACK HASH (HS)
48 8	SIDE 2: 4.0 steps outside 45 yd In	10.0 steps in front of BACK HASH (HS)
49 9	SIDE 2: 4.0 steps outside 45 yd In	10.0 steps in front of BACK HASH (HS)
50 8	SIDE 2: 4.0 steps outside 40 yd In	10.0 steps behind FRONT HASH (HS)
51 8	SIDE 2: 4.0 steps outside 50 yd In	10.0 steps behind FRONT HASH (HS)
52 20	SIDE 1: 2.0 steps outside 50 yd In	14.0 steps in front of BACK HASH (HS)
53 16	SIDE 1: 2.0 steps outside 50 yd In	14.0 steps in front of BACK HASH (HS)
54 8	SIDE 1: 2.0 steps outside 50 yd In	14.0 steps in front of BACK HASH (HS)
55 16	SIDE 1: 2.0 steps outside 50 yd In	14.0 steps in front of BACK HASH (HS)
56 16	SIDE 1: 2.0 steps outside 50 yd In	14.0 steps in front of BACK HASH (HS)
57 8	SIDE 1: 1.0 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
58 8	SIDE 1: 4.0 steps inside 45 yd In	1.0 steps behind FRONT HASH (HS)
59 8	SIDE 1: 3.0 steps outside 45 yd In	8.0 steps behind FRONT HASH (HS)
60 8	SIDE 1: 3.0 steps inside 45 yd In	8.0 steps behind FRONT HASH (HS)
61 8	SIDE 2: 3.0 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
62 8	SIDE 2: 3.0 steps outside 50 yd In	4.0 steps behind FRONT HASH (HS)
63 8	SIDE 2: 3.0 steps outside 50 yd In	4.0 steps behind FRONT HASH (HS)
64 16	SIDE 1: 2.5 steps outside 50 yd In	10.0 steps behind FRONT HASH (HS)
65 18	SIDE 1: 2.5 steps outside 50 yd In	10.0 steps behind FRONT HASH (HS)

Performer: ii	n "2024 GRAFTON"
---------------	------------------

rmer:	Symbol: 1 Label: 1 ID:5671939985284	00 Drill: 2024 GRAFTON PT1.3dj
Count	ts SIDE 1-SIDE 2	FRONT-BACK
0	SIDE 1: 2.0 steps outside 45 yd In	2.0 steps in front of BACK HASH (HS)
8	SIDE 1: 2.0 steps outside 45 yd In	2.0 steps in front of BACK HASH (HS)
8	SIDE 1: On 45 yd In	4.0 steps in front of BACK HASH (HS)
8	SIDE 1: On 45 yd In	4.0 steps in front of BACK HASH (HS)
8	SIDE 1: On 45 yd In	4.0 steps in front of BACK HASH (HS)
16	SIDE 2: 2.0 steps outside 40 yd In	4.75 steps in front of BACK HASH (HS)
8	SIDE 2: 2.0 steps outside 35 yd In	12.75 steps in front of BACK HASH (HS)
40	SIDE 2: 2.0 steps outside 35 yd In	12.75 steps in front of BACK HASH (HS)
16	SIDE 2: 3.0 steps inside 35 yd In	10.0 steps behind FRONT HASH (HS)
16	SIDE 2: 1.0 steps inside 45 yd In	10.0 steps behind FRONT HASH (HS)
16	SIDE 1: 1.0 steps outside 50 yd In	10.0 steps in front of BACK HASH (HS)
8	SIDE 1: 3.0 steps inside 45 yd In	12.0 steps in front of BACK HASH (HS)
8	SIDE 1: 1.0 steps outside 45 yd In	14.0 steps in front of BACK HASH (HS)
12	SIDE 2: 1.0 steps outside 50 yd In	13.0 steps behind FRONT HASH (HS)
12	SIDE 2: 1.0 steps outside 50 yd In	13.0 steps behind FRONT HASH (HS)
24	SIDE 2: 2.75 steps inside 35 yd In	12.0 steps behind FRONT HASH (HS)
8	SIDE 2: 2.75 steps inside 35 yd In	12.0 steps behind FRONT HASH (HS)
16	SIDE 2: 2.75 steps inside 45 yd In	12.0 steps behind FRONT HASH (HS)
16	SIDE 1: 2.75 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
16	SIDE 1: 0.5 steps outside 40 yd In	13.75 steps behind FRONT HASH (HS)
	Count 0 8 8 8 8 16 8 40 16 16 16 18 8 12 12 24 8 16 16	Counts SIDE 1-SIDE 2  0 SIDE 1: 2.0 steps outside 45 yd In  8 SIDE 1: 2.0 steps outside 45 yd In  8 SIDE 1: On 45 yd In  8 SIDE 1: On 45 yd In  8 SIDE 1: On 45 yd In  8 SIDE 2: 2.0 steps outside 40 yd In  8 SIDE 2: 2.0 steps outside 40 yd In  8 SIDE 2: 2.0 steps outside 35 yd In  40 SIDE 2: 2.0 steps outside 35 yd In  16 SIDE 2: 3.0 steps inside 35 yd In  16 SIDE 2: 1.0 steps inside 45 yd In  16 SIDE 2: 1.0 steps inside 45 yd In  8 SIDE 1: 1.0 steps outside 50 yd In  8 SIDE 1: 3.0 steps inside 45 yd In  12 SIDE 2: 1.0 steps outside 50 yd In  12 SIDE 2: 1.0 steps outside 50 yd In  13 SIDE 2: 1.0 steps outside 50 yd In  14 SIDE 2: 2.75 steps inside 35 yd In  15 SIDE 2: 2.75 steps inside 35 yd In  16 SIDE 2: 2.75 steps inside 45 yd In  17 SIDE 2: 2.75 steps inside 45 yd In  18 SIDE 2: 2.75 steps inside 45 yd In  19 SIDE 2: 2.75 steps inside 45 yd In  10 SIDE 2: 2.75 steps inside 45 yd In  11 SIDE 2: 2.75 steps inside 45 yd In

#### Performer: Symbol: 1 Label: 1 ID:567193998528400 Drill: 2024 GRAFTON PT2 Counts SIDE 1-SIDE 2 FRONT-BACK SIDE 1: 0.5 steps outside 40 yd In 13.75 steps behind FRONT HASH (HS) 20 0 16 SIDE 1: 2.0 steps inside 35 yd In 6.0 steps in front of BACK HASH (HS) 21 22 8 SIDE 1: 2.0 steps outside 45 yd In 4.0 steps in front of BACK HASH (HS) 23 8 SIDE 2: 2.0 steps outside 50 yd In 4.0 steps in front of BACK HASH (HS) SIDE 1: On 45 yd In 24 8.0 steps in front of BACK HASH (HS) 25 12 SIDE 1: 3.5 steps inside 35 yd In 8.5 steps behind FRONT HASH (HS) 26 SIDE 1: 3.5 steps inside 35 yd In 8.5 steps behind FRONT HASH (HS) 27 8 SIDE 1: On 40 yd In 12.0 steps behind FRONT HASH (HS) 12 SIDE 1: On 40 yd In 2.0 steps in front of BACK HASH (HS) 28 29 SIDE 1: 4.0 steps inside 40 yd In 2.0 steps in front of BACK HASH (HS) 30 SIDE 1: On 45 yd In 2.0 steps in front of BACK HASH (HS) 31 4 SIDE 1: 4.0 steps inside 45 yd In 2.0 steps in front of BACK HASH (HS) 32 On 50 yd In 2.0 steps in front of BACK HASH (HS) 33 On 50 yd In 2.0 steps in front of BACK HASH (HS) 34 On 50 yd In 2.0 steps in front of BACK HASH (HS) 14 12 SIDE 1: 1.0 steps outside 50 yd In 4.0 steps in front of BACK HASH (HS)

Performer: Symbol: 1 Label: 1 ID:567193998528400 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 1.0 steps outside 50 yd In	4.0 steps in front of BACK HASH (HS)
36	8	SIDE 1: 1.0 steps outside 50 yd In	10.0 steps in front of BACK HASH (HS)
37	16	SIDE 2: 1.0 steps outside 45 yd In	12.0 steps behind FRONT HASH (HS)
38	16	SIDE 2: 3.0 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
39	16	SIDE 2: 3.0 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
40	20	SIDE 2: 3.0 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 1.0 steps outside 50 yd In	On FRONT HASH (HS)
42	16	SIDE 1: 2.0 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
43	12	SIDE 1: On 40 yd In	On FRONT HASH (HS)
44	16	SIDE 1: 2.0 steps inside 45 yd In	3.0 steps in front of FRONT HASH (HS)
45	16	SIDE 1: 2.0 steps inside 45 yd In	3.0 steps in front of FRONT HASH (HS)
46	8	SIDE 1: 2.0 steps outside 50 yd In	3.0 steps in front of FRONT HASH (HS)

Perfo	rmer:	Symbol: 1 Label: 1 ID:5671939985284	00 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 2.0 steps outside 50 yd In	3.0 steps in front of FRONT HASH (HS)
47	17	SIDE 2: 2.0 steps outside 50 yd In	4.0 steps in front of BACK HASH (HS)
48	8	SIDE 2: 2.0 steps outside 50 yd In	4.0 steps in front of BACK HASH (HS)
49	9	SIDE 2: 2.0 steps outside 50 yd In	4.0 steps in front of BACK HASH (HS)
50	8	SIDE 2: 2.0 steps outside 45 yd In	12.0 steps in front of BACK HASH (HS)
51	8	SIDE 1: 2.0 steps inside 45 yd In	12.0 steps in front of BACK HASH (HS)
52	20	SIDE 2: 2.0 steps outside 50 yd In	14.0 steps in front of BACK HASH (HS)
53	16	SIDE 2: 2.0 steps outside 50 yd In	14.0 steps in front of BACK HASH (HS)
54	8	SIDE 2: 2.0 steps outside 50 yd In	14.0 steps in front of BACK HASH (HS)
55	16	SIDE 2: 2.0 steps outside 50 yd In	14.0 steps in front of BACK HASH (HS)
56	16	SIDE 2: 2.0 steps outside 50 yd In	14.0 steps in front of BACK HASH (HS)
57	8	SIDE 2: 2.0 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
58	8	SIDE 2: 3.0 steps inside 45 yd In	1.0 steps behind FRONT HASH (HS)
59	8	SIDE 2: 4.0 steps outside 45 yd In	8.0 steps behind FRONT HASH (HS)
60	8	SIDE 2: 3.0 steps inside 45 yd In	12.0 steps behind FRONT HASH (HS)
61	8	On 50 yd In	8.0 steps behind FRONT HASH (HS)
62	8	On 50 yd In	4.0 steps behind FRONT HASH (HS)
63	8	On 50 yd In	4.0 steps behind FRONT HASH (HS)
64	16	SIDE 2: 3.0 steps outside 50 yd In	14.0 steps in front of BACK HASH (HS)
65	18	SIDE 2: 3.0 steps outside 50 yd In	14.0 steps in front of BACK HASH (HS)

Performer:	: #0004 OD A ETON#
Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: 2 Label: 2 ID:567193998528	3500 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 2.0 steps outside 50 yd In	1.0 steps in front of BACK HASH (HS)
2	8	SIDE 1: 2.0 steps outside 50 yd In	1.0 steps in front of BACK HASH (HS)
3	8	SIDE 1: 3.0 steps inside 45 yd In	4.0 steps in front of BACK HASH (HS)
4	8	SIDE 1: 3.0 steps inside 45 yd In	4.0 steps in front of BACK HASH (HS)
5	8	SIDE 1: 3.0 steps inside 45 yd In	4.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 4.0 steps inside 35 yd In	6.25 steps in front of BACK HASH (HS)
7	8	SIDE 2: 4.0 steps inside 30 yd In	13.75 steps behind FRONT HASH (HS)
8	40	SIDE 2: 4.0 steps inside 30 yd In	13.75 steps behind FRONT HASH (HS)
9	16	SIDE 2: On 35 yd In	10.0 steps behind FRONT HASH (HS)
10	16	SIDE 2: 2.0 steps outside 45 yd In	10.0 steps behind FRONT HASH (HS)
11	16	SIDE 2: 2.0 steps outside 50 yd In	10.0 steps in front of BACK HASH (HS)
12	8	SIDE 1: 2.0 steps outside 50 yd In	12.0 steps in front of BACK HASH (HS)
13	8	SIDE 1: 2.0 steps inside 45 yd In	14.0 steps in front of BACK HASH (HS)
14	12	SIDE 2: 3.75 steps outside 50 yd In	12.25 steps behind FRONT HASH (HS)
15	12	SIDE 2: 3.75 steps outside 50 yd In	12.25 steps behind FRONT HASH (HS)
16	24	SIDE 2: On 35 yd In	12.0 steps behind FRONT HASH (HS)
17	8	SIDE 2: On 35 yd In	12.0 steps behind FRONT HASH (HS)
18	16	SIDE 2: On 45 yd In	12.0 steps behind FRONT HASH (HS)
19	16	On 50 yd In	8.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 2.25 steps inside 40 yd In	14.0 steps behind FRONT HASH (HS)

#### Performer: Symbol: 2 Label: 2 ID:567193998528500 Drill: 2024 GRAFTON PT2 Counts SIDE 1-SIDE 2 FRONT-BACK Set 14.0 steps behind FRONT HASH (HS) 20 0 SIDE 1: 2.25 steps inside 40 yd In 16 SIDE 1: 4.0 steps inside 35 yd In 8.0 steps in front of BACK HASH (HS) 21 22 8 SIDE 1: On 45 yd In 6.0 steps in front of BACK HASH (HS) 23 8 SIDE 2: 4.0 steps outside 50 yd In 6.0 steps in front of BACK HASH (HS) 24 SIDE 1: 2.75 steps inside 45 yd In 8.0 steps in front of BACK HASH (HS) 25 SIDE 1: 1.75 steps outside 40 yd In 9.5 steps behind FRONT HASH (HS) 26 SIDE 1: 1.75 steps outside 40 yd In 9.5 steps behind FRONT HASH (HS) 27 SIDE 1: On 40 yd In 13.0 steps in front of BACK HASH (HS) SIDE 1: 3.0 steps outside 40 yd In 2.0 steps in front of BACK HASH (HS) 28 29 SIDE 1: 1.0 steps inside 40 yd In 2.0 steps in front of BACK HASH (HS) 30 SIDE 1: 3.0 steps outside 45 yd In 2.0 steps in front of BACK HASH (HS) 31 SIDE 1: 1.0 steps inside 45 yd In 2.0 steps in front of BACK HASH (HS) 32 SIDE 1: 3.0 steps outside 50 yd In 2.0 steps in front of BACK HASH (HS) 33 SIDE 1: 3.0 steps outside 50 yd In 2.0 steps in front of BACK HASH (HS) 34 SIDE 1: 3.0 steps outside 50 yd In 2.0 steps in front of BACK HASH (HS) 14 12 SIDE 1: 4.0 steps inside 45 yd In 4.0 steps in front of BACK HASH (HS)

Performer: Symbol: 2 Label: 2 ID:567193998528500 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 4.0 steps inside 45 yd In	4.0 steps in front of BACK HASH (HS)
36	8	SIDE 1: 4.0 steps inside 45 yd In	10.0 steps in front of BACK HASH (HS)
37	16	SIDE 2: 2.0 steps inside 45 yd In	12.0 steps behind FRONT HASH (HS)
38	16	SIDE 2: 2.0 steps outside 50 yd In	4.0 steps behind FRONT HASH (HS)
39	16	SIDE 2: 2.0 steps outside 50 yd In	4.0 steps behind FRONT HASH (HS)
40	20	SIDE 2: 2.0 steps outside 50 yd In	4.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 4.0 steps inside 45 yd In	On FRONT HASH (HS)
42	16	SIDE 1: 2.0 steps inside 45 yd In	2.0 steps behind FRONT HASH (HS)
43	12	SIDE 1: 3.0 steps inside 40 yd In	On FRONT HASH (HS)
44	16	SIDE 1: 3.0 steps outside 50 yd In	3.0 steps in front of FRONT HASH (HS)
45	16	SIDE 1: 3.0 steps outside 50 yd In	3.0 steps in front of FRONT HASH (HS)
46	8	SIDE 2: 1.0 steps outside 50 yd In	3.0 steps in front of FRONT HASH (HS)
		Complete 0   Labelt 0   ID-507400000500	5500 Prills 0004 Orafters B44

Performer:		Symbol: 2 Label: 2 ID:5671939985285	00 Drill: 2024 Grafton Pt4
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 1.0 steps outside 50 yd In	3.0 steps in front of FRONT HASH (HS)
47	17	SIDE 2: 3.0 steps inside 45 yd In	4.0 steps in front of BACK HASH (HS)
48	8	SIDE 2: 3.0 steps inside 45 yd In	4.0 steps in front of BACK HASH (HS)
49	9	SIDE 2: 3.0 steps inside 45 yd In	4.0 steps in front of BACK HASH (HS)
50	8	SIDE 2: 3.0 steps inside 40 yd In	12.0 steps in front of BACK HASH (HS)
51	8	SIDE 1: 3.0 steps outside 50 yd In	12.0 steps in front of BACK HASH (HS)
52	20	SIDE 2: 4.0 steps outside 50 yd In	12.0 steps behind FRONT HASH (HS)
53	16	SIDE 2: 4.0 steps outside 50 yd In	12.0 steps behind FRONT HASH (HS)
54	8	SIDE 2: 4.0 steps outside 50 yd In	12.0 steps behind FRONT HASH (HS)
55	16	SIDE 2: 4.0 steps outside 50 yd In	12.0 steps behind FRONT HASH (HS)
56	16	SIDE 2: 4.0 steps outside 50 yd In	12.0 steps behind FRONT HASH (HS)
57	8	SIDE 2: 3.0 steps inside 45 yd In	8.0 steps behind FRONT HASH (HS)
58	8	SIDE 2: 3.0 steps inside 45 yd In	3.5 steps behind FRONT HASH (HS)
59	8	SIDE 2: 1.5 steps outside 45 yd In	8.0 steps behind FRONT HASH (HS)
60	8	SIDE 2: 2.5 steps outside 50 yd In	12.0 steps behind FRONT HASH (HS)
61	8	SIDE 1: 2.5 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
62	8	SIDE 1: 2.5 steps outside 50 yd In	4.0 steps behind FRONT HASH (HS)
63	8	SIDE 1: 2.5 steps outside 50 yd In	4.0 steps behind FRONT HASH (HS)
64	16	SIDE 2: 1.5 steps outside 50 yd In	12.0 steps behind FRONT HASH (HS)
65	18	SIDE 2: 1.5 steps outside 50 yd In	12.0 steps behind FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: 3 Label: 3 ID:567193998528	3600 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 1.0 steps outside 50 yd In	9.0 steps in front of BACK HASH (HS)
2	8	SIDE 1: 1.0 steps outside 50 yd In	9.0 steps in front of BACK HASH (HS)
3	8	SIDE 1: 2.0 steps outside 50 yd In	4.0 steps in front of BACK HASH (HS)
4	8	SIDE 1: 2.0 steps outside 50 yd In	4.0 steps in front of BACK HASH (HS)
5	8	SIDE 1: 2.0 steps outside 50 yd In	4.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 2.0 steps inside 35 yd In	8.0 steps in front of BACK HASH (HS)
7	8	SIDE 2: 2.0 steps inside 30 yd In	12.0 steps behind FRONT HASH (HS)
8	40	SIDE 2: 2.0 steps inside 30 yd In	12.0 steps behind FRONT HASH (HS)
9	16	SIDE 2: 3.0 steps outside 35 yd In	10.0 steps behind FRONT HASH (HS)
10	16	SIDE 2: 3.0 steps inside 40 yd In	10.0 steps behind FRONT HASH (HS)
11	16	SIDE 2: 3.0 steps inside 45 yd In	10.0 steps in front of BACK HASH (HS)
12	8	SIDE 2: 1.0 steps outside 50 yd In	12.0 steps in front of BACK HASH (HS)
13	8	SIDE 1: 3.0 steps outside 50 yd In	14.0 steps in front of BACK HASH (HS)
14	12	SIDE 2: 1.5 steps inside 45 yd In	11.0 steps behind FRONT HASH (HS)
15	12	SIDE 2: 1.5 steps inside 45 yd In	11.0 steps behind FRONT HASH (HS)
16	24	SIDE 2: 2.75 steps outside 35 yd In	12.0 steps behind FRONT HASH (HS)
17	8	SIDE 2: 2.75 steps outside 35 yd In	12.0 steps behind FRONT HASH (HS)
18	16	SIDE 2: 2.75 steps outside 45 yd In	12.0 steps behind FRONT HASH (HS)
19	16	SIDE 2: 2.75 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 2.75 steps outside 45 yd In	13.75 steps behind FRONT HASH (HS)

#### Performer: Symbol: 3 Label: 3 ID:567193998528600 Drill: 2024 GRAFTON PT2 Counts SIDE 1-SIDE 2 FRONT-BACK Set 13.75 steps behind FRONT HASH (HS) 20 0 SIDE 1: 2.75 steps outside 45 yd In 16 SIDE 1: 2.0 steps outside 40 yd In 21 6.0 steps in front of BACK HASH (HS) 22 8 SIDE 1: 2.0 steps inside 45 yd In 4.0 steps in front of BACK HASH (HS) 23 8 SIDE 2: 2.0 steps inside 45 yd In 4.0 steps in front of BACK HASH (HS) 24 SIDE 1: 2.75 steps outside 50 yd In 8.0 steps in front of BACK HASH (HS) 25 SIDE 1: 0.75 steps inside 40 yd In 10.5 steps behind FRONT HASH (HS) 26 SIDE 1: 0.75 steps inside 40 yd In 10.5 steps behind FRONT HASH (HS) 27 SIDE 1: On 40 yd In 10.0 steps in front of BACK HASH (HS) SIDE 1: 2.0 steps inside 35 yd In 2.0 steps in front of BACK HASH (HS) 28 29 SIDE 1: 2.0 steps outside 40 yd In 2.0 steps in front of BACK HASH (HS) 30 SIDE 1: 2.0 steps inside 40 yd In 2.0 steps in front of BACK HASH (HS) 31 SIDE 1: 2.0 steps outside 45 yd In 2.0 steps in front of BACK HASH (HS) 32 SIDE 1: 2.0 steps inside 45 yd In 2.0 steps in front of BACK HASH (HS) 33 SIDE 1: 2.0 steps inside 45 yd In 2.0 steps in front of BACK HASH (HS) 34 SIDE 1: 2.0 steps inside 45 yd In 2.0 steps in front of BACK HASH (HS) 14 12 SIDE 1: 1.0 steps inside 45 yd In 4.0 steps in front of BACK HASH (HS)

Performer: Symbol: 3 Label: 3 ID:567193998528600 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 1.0 steps inside 45 yd In	4.0 steps in front of BACK HASH (HS)
36	8	SIDE 1: 1.0 steps inside 45 yd In	10.0 steps in front of BACK HASH (HS)
37	16	SIDE 2: 3.0 steps outside 50 yd In	12.0 steps behind FRONT HASH (HS)
38	16	SIDE 1: 1.0 steps outside 50 yd In	4.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 1.0 steps outside 50 yd In	4.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 1.0 steps outside 50 yd In	4.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 1.0 steps inside 45 yd In	On FRONT HASH (HS)
42	16	SIDE 1: 2.0 steps inside 45 yd In	On FRONT HASH (HS)
43	12	SIDE 1: 2.0 steps outside 45 yd In	On FRONT HASH (HS)
44	16	On 50 yd In	3.0 steps in front of FRONT HASH (HS)
45	16	On 50 yd In	3.0 steps in front of FRONT HASH (HS)
46	8	SIDE 2: 4.0 steps outside 50 yd In	3.0 steps in front of FRONT HASH (HS)

Perfo	rmer:	Symbol: 3 Label: 3 ID:5671939985286	00 Drill: 2024 Grafton Pt4
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 4.0 steps outside 50 yd In	3.0 steps in front of FRONT HASH (HS)
47	17	SIDE 2: On 45 yd In	4.0 steps in front of BACK HASH (HS)
48	8	SIDE 2: On 45 yd In	4.0 steps in front of BACK HASH (HS)
49	9	SIDE 2: On 45 yd In	4.0 steps in front of BACK HASH (HS)
50	8	SIDE 2: On 40 yd In	12.0 steps in front of BACK HASH (HS)
51	8	On 50 yd In	12.0 steps in front of BACK HASH (HS)
52	20	SIDE 2: 2.0 steps inside 45 yd In	10.0 steps behind FRONT HASH (HS)
53	16	SIDE 2: 2.0 steps inside 45 yd In	10.0 steps behind FRONT HASH (HS)
54	8	SIDE 2: 2.0 steps inside 45 yd In	10.0 steps behind FRONT HASH (HS)
55	16	SIDE 2: 2.0 steps inside 45 yd In	10.0 steps behind FRONT HASH (HS)
56	16	SIDE 2: 2.0 steps inside 45 yd In	10.0 steps behind FRONT HASH (HS)
57	8	SIDE 2: On 45 yd In	8.0 steps behind FRONT HASH (HS)
58	8	SIDE 2: 3.0 steps inside 45 yd In	6.0 steps behind FRONT HASH (HS)
59	8	SIDE 2: 1.0 steps inside 45 yd In	8.0 steps behind FRONT HASH (HS)
60	8	On 50 yd In	12.0 steps behind FRONT HASH (HS)
61	8	SIDE 1: 3.0 steps inside 45 yd In	8.0 steps behind FRONT HASH (HS)
62	8	SIDE 1: 3.0 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
63	8	SIDE 1: 3.0 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
64	16	On 50 yd In	14.0 steps in front of BACK HASH (HS)
65	18	On 50 yd In	14.0 steps in front of BACK HASH (HS)

Performer: ii	n "2024 GRAFTON"
---------------	------------------

Perfo	rmer:	Symbol: 4 Label: 4 ID:567193998528	700 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 1.0 steps inside 45 yd In	1.0 steps in front of BACK HASH (HS)
2	8	SIDE 2: 1.0 steps inside 45 yd In	1.0 steps in front of BACK HASH (HS)
3	8	SIDE 2: 1.0 steps outside 50 yd In	4.0 steps in front of BACK HASH (HS)
4	8	SIDE 2: 1.0 steps outside 50 yd In	4.0 steps in front of BACK HASH (HS)
5	8	SIDE 2: 1.0 steps outside 50 yd In	4.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 0.5 steps inside 35 yd In	9.75 steps in front of BACK HASH (HS)
7	8	SIDE 2: 0.5 steps inside 30 yd In	10.25 steps behind FRONT HASH (HS)
8	40	SIDE 2: 0.5 steps inside 30 yd In	10.25 steps behind FRONT HASH (HS)
9	16	SIDE 2: 2.0 steps inside 30 yd In	10.0 steps behind FRONT HASH (HS)
10	16	SIDE 2: On 40 yd In	10.0 steps behind FRONT HASH (HS)
11	16	SIDE 2: On 45 yd In	10.0 steps in front of BACK HASH (HS)
12	8	SIDE 2: 4.0 steps outside 50 yd In	12.0 steps in front of BACK HASH (HS)
13	8	On 50 yd In	14.0 steps in front of BACK HASH (HS)
14	12	SIDE 2: 0.75 steps outside 45 yd In	9.0 steps behind FRONT HASH (HS)
15	12	SIDE 2: 0.75 steps outside 45 yd In	9.0 steps behind FRONT HASH (HS)
16	24	SIDE 2: 2.75 steps inside 30 yd In	12.0 steps behind FRONT HASH (HS)
17	8	SIDE 2: 2.75 steps inside 30 yd In	12.0 steps behind FRONT HASH (HS)
18	16	SIDE 2: 2.75 steps inside 40 yd In	12.0 steps behind FRONT HASH (HS)
19	16	SIDE 2: 2.75 steps inside 45 yd In	8.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 0.25 steps inside 45 yd In	13.0 steps behind FRONT HASH (HS)

#### Performer: Symbol: 4 Label: 4 ID:567193998528700 Drill: 2024 GRAFTON PT2 Counts SIDE 1-SIDE 2 FRONT-BACK SIDE 1: 0.25 steps inside 45 yd In 13.0 steps behind FRONT HASH (HS) 20 0 16 SIDE 1: On 40 yd In 8.0 steps in front of BACK HASH (HS) 21 22 8 SIDE 1: 4.0 steps inside 45 yd In 6.0 steps in front of BACK HASH (HS) 23 8 SIDE 2: On 45 yd In 6.0 steps in front of BACK HASH (HS) 24 On 50 yd In 8.0 steps in front of BACK HASH (HS) 25 SIDE 1: 3.5 steps inside 40 yd In 11.25 steps behind FRONT HASH (HS) 26 SIDE 1: 3.5 steps inside 40 yd In 11.25 steps behind FRONT HASH (HS) 27 SIDE 1: On 40 yd In 7.0 steps in front of BACK HASH (HS) SIDE 1: 1.0 steps outside 35 yd In 2.0 steps in front of BACK HASH (HS) 28 29 SIDE 1: 3.0 steps inside 35 yd In 2.0 steps in front of BACK HASH (HS) 30 SIDE 1: 1.0 steps outside 40 yd In 2.0 steps in front of BACK HASH (HS) 31 4 SIDE 1: 3.0 steps inside 40 yd In 2.0 steps in front of BACK HASH (HS) 32 SIDE 1: 1.0 steps outside 45 yd In 2.0 steps in front of BACK HASH (HS) 33 SIDE 1: 1.0 steps outside 45 yd In 2.0 steps in front of BACK HASH (HS) 34 SIDE 1: 1.0 steps outside 45 yd In 2.0 steps in front of BACK HASH (HS) 14 12 SIDE 1: 2.0 steps outside 45 yd In 4.0 steps in front of BACK HASH (HS)

Performer: Symbol: 4 Label: 4 ID:567193998528700 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 2.0 steps outside 45 yd In	4.0 steps in front of BACK HASH (HS)
36	8	SIDE 1: 2.0 steps outside 45 yd In	10.0 steps in front of BACK HASH (HS)
37	16	On 50 yd In	12.0 steps behind FRONT HASH (HS)
38	16	SIDE 1: 4.0 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 4.0 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 4.0 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 2.0 steps outside 45 yd In	On FRONT HASH (HS)
42	16	SIDE 1: 2.0 steps inside 45 yd In	2.0 steps in front of FRONT HASH (HS)
43	12	SIDE 1: 1.0 steps inside 45 yd In	On FRONT HASH (HS)
44	16	SIDE 2: 3.0 steps outside 50 yd In	3.0 steps in front of FRONT HASH (HS)
45	16	SIDE 2: 3.0 steps outside 50 yd In	3.0 steps in front of FRONT HASH (HS)
46	8	SIDE 2: 1.0 steps inside 45 yd In	3.0 steps in front of FRONT HASH (HS)

Performer:	Symbol: 4 Label: 4 ID:5671939985287	00 Drill: 2024 Grafton Pt4
Set Cour	nts SIDE 1-SIDE 2	FRONT-BACK
46 0	SIDE 2: 1.0 steps inside 45 yd In	3.0 steps in front of FRONT HASH (HS)
47 17	SIDE 2: 3.0 steps outside 45 yd In	4.0 steps in front of BACK HASH (HS)
48 8	SIDE 2: 3.0 steps outside 45 yd In	4.0 steps in front of BACK HASH (HS)
49 9	SIDE 2: 3.0 steps outside 45 yd In	4.0 steps in front of BACK HASH (HS)
50 8	SIDE 2: 3.0 steps outside 40 yd In	12.0 steps in front of BACK HASH (HS)
51 8	SIDE 2: 3.0 steps outside 50 yd In	12.0 steps in front of BACK HASH (HS)
52 20	SIDE 2: On 45 yd In	8.0 steps behind FRONT HASH (HS)
53 16	SIDE 2: On 45 yd In	8.0 steps behind FRONT HASH (HS)
54 8	SIDE 2: On 45 yd In	8.0 steps behind FRONT HASH (HS)
55 16	SIDE 2: On 45 yd In	8.0 steps behind FRONT HASH (HS)
56 16	SIDE 2: On 45 yd In	8.0 steps behind FRONT HASH (HS)
57 8	SIDE 2: 3.0 steps outside 45 yd In	8.0 steps behind FRONT HASH (HS)
58 8	SIDE 2: 3.0 steps inside 45 yd In	8.5 steps behind FRONT HASH (HS)
59 8	SIDE 2: 3.5 steps inside 45 yd In	8.0 steps behind FRONT HASH (HS)
60 8	SIDE 1: 2.5 steps outside 50 yd In	12.0 steps behind FRONT HASH (HS)
61 8	SIDE 1: 0.5 steps inside 45 yd In	8.0 steps behind FRONT HASH (HS)
62 8	SIDE 1: 0.5 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
63 8	SIDE 1: 0.5 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
64 16	SIDE 1: 1.5 steps outside 50 yd In	12.0 steps behind FRONT HASH (HS)
65 18	SIDE 1: 1.5 steps outside 50 yd In	12.0 steps behind FRONT HASH (HS)

Performer:	in "2024 GRAFTON"

Performe	er:	Symbol: 5 Label: 5 ID:5671939985288	00 Drill: 2024 GRAFTON PT1.3dj
Set C	ounts	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 3.0 steps outside 45 yd In	4.0 steps in front of BACK HASH (HS)
2	8	SIDE 2: 3.0 steps outside 45 yd In	4.0 steps in front of BACK HASH (HS)
3	8	SIDE 2: 4.0 steps outside 50 yd In	4.0 steps in front of BACK HASH (HS)
4	8	SIDE 2: 4.0 steps outside 50 yd In	4.0 steps in front of BACK HASH (HS)
5	8	SIDE 2: 4.0 steps outside 50 yd In	4.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 1.0 steps outside 35 yd In	12.0 steps in front of BACK HASH (HS)
7	8	SIDE 2: 1.0 steps outside 30 yd In	8.0 steps behind FRONT HASH (HS)
8	40	SIDE 2: 1.0 steps outside 30 yd In	8.0 steps behind FRONT HASH (HS)
9	16	SIDE 2: 1.0 steps outside 30 yd In	10.0 steps behind FRONT HASH (HS)
10	16	SIDE 2: 3.0 steps outside 40 yd In	10.0 steps behind FRONT HASH (HS)
11	16	SIDE 2: 3.0 steps outside 45 yd In	10.0 steps in front of BACK HASH (HS)
12	8	SIDE 2: 1.0 steps inside 45 yd In	12.0 steps in front of BACK HASH (HS)
13	8	SIDE 2: 3.0 steps outside 50 yd In	14.0 steps in front of BACK HASH (HS)
14	12	SIDE 2: 3.0 steps outside 45 yd In	7.0 steps behind FRONT HASH (HS)
15	12	SIDE 2: 3.0 steps outside 45 yd In	7.0 steps behind FRONT HASH (HS)
16	24	SIDE 2: On 30 yd In	12.0 steps behind FRONT HASH (HS)
17	8	SIDE 2: On 30 yd In	12.0 steps behind FRONT HASH (HS)
18	16	SIDE 2: On 40 yd In	12.0 steps behind FRONT HASH (HS)
19	16	SIDE 2: On 45 yd In	8.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 3.0 steps inside 45 yd In	12.0 steps behind FRONT HASH (HS)

#### Performer: Symbol: 5 Label: 5 ID:567193998528800 Drill: 2024 GRAFTON PT2 Counts SIDE 1-SIDE 2 FRONT-BACK 12.0 steps behind FRONT HASH (HS) 20 0 SIDE 1: 3.0 steps inside 45 yd In 16 SIDE 1: 2.0 steps inside 40 yd In 21 6.0 steps in front of BACK HASH (HS) 22 8 SIDE 1: 2.0 steps outside 50 yd In 4.0 steps in front of BACK HASH (HS) 23 8 SIDE 2: 2.0 steps outside 45 yd In 4.0 steps in front of BACK HASH (HS) 24 SIDE 2: 2.75 steps outside 50 yd In 8.0 steps in front of BACK HASH (HS) 25 SIDE 1: 2.0 steps outside 45 yd In 12.0 steps behind FRONT HASH (HS) 26 SIDE 1: 2.0 steps outside 45 yd In 12.0 steps behind FRONT HASH (HS) 27 SIDE 1: On 40 yd In 4.0 steps in front of BACK HASH (HS) SIDE 1: 4.0 steps inside 30 yd In 2.0 steps in front of BACK HASH (HS) 28 29 SIDE 1: On 35 yd In 2.0 steps in front of BACK HASH (HS) 30 SIDE 1: 4.0 steps inside 35 yd In 2.0 steps in front of BACK HASH (HS) 31 SIDE 1: On 40 yd In 2.0 steps in front of BACK HASH (HS) 32 SIDE 1: 4.0 steps inside 40 yd In 2.0 steps in front of BACK HASH (HS) 33 SIDE 1: 4.0 steps inside 40 yd In 2.0 steps in front of BACK HASH (HS) 34 SIDE 1: 4.0 steps inside 40 yd In 2.0 steps in front of BACK HASH (HS) 14 12 SIDE 1: 3.0 steps inside 40 yd In 4.0 steps in front of BACK HASH (HS)

Performer: Symbol: 5 Label: 5 ID:567193998528800 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 3.0 steps inside 40 yd In	4.0 steps in front of BACK HASH (HS)
36	8	SIDE 1: 3.0 steps inside 40 yd In	10.0 steps in front of BACK HASH (HS)
37	16	SIDE 1: 3.0 steps outside 50 yd In	12.0 steps behind FRONT HASH (HS)
38	16	SIDE 1: 1.0 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 1.0 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 1.0 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 3.0 steps inside 40 yd In	On FRONT HASH (HS)
42	16	SIDE 1: 2.0 steps inside 45 yd In	4.0 steps in front of FRONT HASH (HS)
43	12	SIDE 1: 4.0 steps inside 45 yd In	On FRONT HASH (HS)
44	16	SIDE 2: 2.0 steps inside 45 yd In	3.0 steps in front of FRONT HASH (HS)
45	16	SIDE 2: 2.0 steps inside 45 yd In	3.0 steps in front of FRONT HASH (HS)
46	8	SIDE 2: 2.0 steps outside 45 yd In	3.0 steps in front of FRONT HASH (HS)
Perfo	rmer:	Symbol: 5 Label: 5 ID:5671939985288	300 Drill: 2024 Grafton Pt4
Set	Set Counts SIDE 1-SIDE 2 FRONT-BACK		

Perfo	rmer:	Symbol: 5 Label: 5 ID:5671939985288	Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 2.0 steps outside 45 yd In	3.0 steps in front of FRONT HASH (HS)
47	17	SIDE 2: 2.0 steps inside 40 yd In	4.0 steps in front of BACK HASH (HS)
48	8	SIDE 2: 2.0 steps inside 40 yd In	4.0 steps in front of BACK HASH (HS)
49	9	SIDE 2: 2.0 steps inside 40 yd In	4.0 steps in front of BACK HASH (HS)
50	8	SIDE 2: 2.0 steps inside 35 yd In	12.0 steps in front of BACK HASH (HS)
51	8	SIDE 2: 2.0 steps inside 45 yd In	12.0 steps in front of BACK HASH (HS)
52	20	SIDE 2: 2.0 steps outside 45 yd In	6.0 steps behind FRONT HASH (HS)
53	16	SIDE 2: 2.0 steps outside 45 yd In	6.0 steps behind FRONT HASH (HS)
54	8	SIDE 2: 2.0 steps outside 45 yd In	6.0 steps behind FRONT HASH (HS)
55	16	SIDE 2: 2.0 steps outside 45 yd In	6.0 steps behind FRONT HASH (HS)
56	16	SIDE 2: 2.0 steps outside 45 yd In	6.0 steps behind FRONT HASH (HS)
57	8	SIDE 2: 2.0 steps inside 40 yd In	8.0 steps behind FRONT HASH (HS)
58	8	SIDE 2: 3.0 steps inside 45 yd In	11.0 steps behind FRONT HASH (HS)
59	8	SIDE 2: 2.0 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
60	8	SIDE 1: 3.0 steps inside 45 yd In	12.0 steps behind FRONT HASH (HS)
61	8	SIDE 1: 2.0 steps outside 45 yd In	8.0 steps behind FRONT HASH (HS)
62	8	SIDE 1: 2.0 steps outside 45 yd In	4.0 steps behind FRONT HASH (HS)
63	8	SIDE 1: 2.0 steps outside 45 yd In	4.0 steps behind FRONT HASH (HS)
64	16	SIDE 1: 3.0 steps outside 50 yd In	14.0 steps in front of BACK HASH (HS)
65	18	SIDE 1: 3.0 steps outside 50 yd In	14.0 steps in front of BACK HASH (HS)

Performer:	in "2024 GRAFTON"

Performer:		Symbol: B Label: 10 ID:56323739508	5000 Drill: 2024 GRAFTON PT1.3dj
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 1.0 steps outside 35 yd In	10.0 steps in front of BACK HASH (HS)
2	8	SIDE 2: 1.0 steps outside 35 yd In	10.0 steps in front of BACK HASH (HS)
3	8	SIDE 2: 1.0 steps outside 35 yd In	10.0 steps in front of BACK HASH (HS)
4	8	SIDE 2: 2.0 steps outside 35 yd In	7.0 steps in front of BACK HASH (HS)
5	8	SIDE 2: 2.0 steps outside 35 yd In	7.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 2.0 steps inside 35 yd In	7.0 steps behind FRONT HASH (HS)
7	8	SIDE 2: 2.75 steps outside 35 yd In	6.75 steps behind FRONT HASH (HS)
8	40	SIDE 2: 2.75 steps outside 35 yd In	6.75 steps behind FRONT HASH (HS)
9	16	SIDE 2: 2.5 steps inside 25 yd In	4.25 steps in front of FRONT HASH (HS)
10	16	SIDE 2: 3.25 steps inside 30 yd In	5.25 steps in front of FRONT HASH (HS)
11	16	SIDE 2: 1.75 steps inside 30 yd In	2.25 steps in front of FRONT HASH (HS)
12	8	SIDE 2: 1.75 steps inside 30 yd In	2.25 steps in front of FRONT HASH (HS)
13	8	SIDE 2: 1.75 steps inside 30 yd In	2.25 steps in front of FRONT HASH (HS)
14	12	SIDE 2: 3.25 steps inside 35 yd In	10.5 steps in front of FRONT HASH (HS)
15	12	SIDE 2: 3.25 steps inside 35 yd In	10.5 steps in front of FRONT HASH (HS)
16	24	SIDE 2: 2.75 steps inside 35 yd In	8.0 steps behind FRONT HASH (HS)
17	8	SIDE 2: 2.75 steps inside 35 yd In	8.0 steps behind FRONT HASH (HS)
18	16	SIDE 2: 2.75 steps inside 45 yd In	8.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: 2.75 steps outside 50 yd In	4.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 1.75 steps inside 40 yd In	7.25 steps behind FRONT HASH (HS)

### Performer: Symbol: B Label: 10 ID:563237395085000 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

Count	S SIDE 1-SIDE Z	FRONT-BACK
0	SIDE 1: 1.75 steps inside 40 yd In	7.25 steps behind FRONT HASH (HS)
16	SIDE 1: 1.0 steps outside 50 yd In	5.0 steps behind FRONT HASH (HS)
8	SIDE 1: 1.0 steps outside 50 yd In	5.0 steps behind FRONT HASH (HS)
8	SIDE 1: 1.0 steps outside 50 yd In	5.0 steps behind FRONT HASH (HS)
8	SIDE 1: 1.0 steps outside 50 yd In	5.0 steps behind FRONT HASH (HS)
12	SIDE 1: 1.0 steps outside 50 yd In	5.0 steps behind FRONT HASH (HS)
10	SIDE 1: 1.0 steps outside 50 yd In	5.0 steps behind FRONT HASH (HS)
8	SIDE 1: 1.0 steps outside 50 yd In	5.0 steps behind FRONT HASH (HS)
12	SIDE 1: On 45 yd In	8.0 steps behind FRONT HASH (HS)
4	SIDE 1: On 45 yd In	8.0 steps behind FRONT HASH (HS)
4	SIDE 1: On 45 yd In	8.0 steps behind FRONT HASH (HS)
4	SIDE 1: On 45 yd In	8.0 steps behind FRONT HASH (HS)
4	SIDE 1: On 45 yd In	8.0 steps behind FRONT HASH (HS)
4	SIDE 1: On 45 yd In	4.0 steps behind FRONT HASH (HS)
14	SIDE 1: On 45 yd In	4.0 steps behind FRONT HASH (HS)
12	SIDE 2: 2.75 steps inside 45 yd In	1.25 steps behind FRONT HASH (HS)
	0 16 8 8 8 12 10 8 12 4 4 4 4 4	16 SIDE 1: 1.0 steps outside 50 yd In 8 SIDE 1: 1.0 steps outside 50 yd In 8 SIDE 1: 1.0 steps outside 50 yd In 8 SIDE 1: 1.0 steps outside 50 yd In 8 SIDE 1: 1.0 steps outside 50 yd In 12 SIDE 1: 1.0 steps outside 50 yd In 10 SIDE 1: 1.0 steps outside 50 yd In 10 SIDE 1: 1.0 steps outside 50 yd In 11 SIDE 1: 1.0 steps outside 50 yd In 12 SIDE 1: 0n 45 yd In 13 SIDE 1: 0n 45 yd In 14 SIDE 1: 0n 45 yd In 15 SIDE 1: 0n 45 yd In 16 SIDE 1: 0n 45 yd In 17 SIDE 1: 0n 45 yd In 18 SIDE 1: 0n 45 yd In 19 SIDE 1: 0n 45 yd In 10 SIDE 1: 0n 45 yd In 11 SIDE 1: 0n 45 yd In

Performer: Symbol: B Label: 10 ID:563237395085000 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 2.75 steps inside 45 yd In	1.25 steps behind FRONT HASH (HS)
36	8	SIDE 2: 2.75 steps inside 45 yd In	1.25 steps behind FRONT HASH (HS)
37	16	SIDE 2: 4.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
38	16	SIDE 2: 4.0 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
39	16	SIDE 2: 4.0 steps outside 40 yd In	On FRONT HASH (HS)
40	20	SIDE 2: 4.0 steps outside 40 yd In	On FRONT HASH (HS)
41	16	SIDE 2: On 35 yd In	5.0 steps in front of FRONT HASH (HS)
42	16	SIDE 2: On 40 yd In	On FRONT HASH (HS)
43	12	SIDE 2: 3.0 steps outside 40 yd In	10.0 steps behind FRONT HASH (HS)
44	16	SIDE 2: 4.0 steps inside 35 yd In	3.0 steps in front of FRONT HASH (HS)
45	16	SIDE 2: 3.0 steps outside 40 yd In	13.0 steps behind FRONT SIDELINE
46	8	SIDE 2: 1.0 steps inside 35 yd In	11.0 steps behind FRONT SIDELINE
Perfo	rmer:	Symbol: B Label: 10 ID:563237395085	000 Drill: 2024 Grafton Pt4

Perfo	rmer:	Symbol: B Label: 10	ID:5632373950850	00 Drill: 2024 Grafton Pt4
Set	Coun	ts SIDE 1-SIDE 2		FRONT-BACK
46	0	SIDE 2: 1.0 steps inside	35 yd In	11.0 steps behind FRONT SIDELINE
47	17	SIDE 2: On 35 yd In		6.0 steps in front of FRONT HASH (HS)
48	8	SIDE 2: On 35 yd In		6.0 steps in front of FRONT HASH (HS)
49	9	SIDE 2: On 35 yd In		6.0 steps in front of FRONT HASH (HS)
50	8	SIDE 2: On 35 yd In		6.0 steps in front of FRONT HASH (HS)
51	8	SIDE 2: On 35 yd In		6.0 steps in front of FRONT HASH (HS)
52	20	SIDE 2: On 35 yd In		12.0 steps in front of FRONT HASH (HS)
53	16	SIDE 2: On 35 yd In		12.0 steps in front of FRONT HASH (HS)
54	8	SIDE 2: On 35 yd In		12.0 steps in front of FRONT HASH (HS)
55	16	SIDE 2: On 35 yd In		12.0 steps in front of FRONT HASH (HS)
56	16	SIDE 2: On 35 yd In		12.0 steps in front of FRONT HASH (HS)
57	8	SIDE 2: On 35 yd In		8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: On 35 yd In		8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: On 35 yd In		8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: On 35 yd In		8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: On 35 yd In		8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: On 35 yd In		12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: On 35 yd In		12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: 3.75 steps insid	le 35 yd In	12.5 steps in front of FRONT HASH (HS)
65	18	SIDE 2: 3.75 steps insid	le 35 yd In	12.5 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
Performer:	III ZUZ4 GRAFIUN

Perfo	ormer:	Symbol: B Label: 1 ID:56323739508	5900 Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 1.0 steps outside 45 yd In	10.0 steps behind FRONT HASH (HS)
2	8	SIDE 2: 1.0 steps outside 45 yd In	10.0 steps behind FRONT HASH (HS)
3	8	SIDE 2: 1.0 steps outside 45 yd In	10.0 steps behind FRONT HASH (HS)
4	8	SIDE 2: 2.0 steps inside 40 yd In	7.0 steps in front of BACK HASH (HS)
5	8	SIDE 2: 2.0 steps inside 40 yd In	7.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 2.0 steps outside 45 yd In	7.0 steps behind FRONT HASH (HS)
7	8	SIDE 2: 3.75 steps inside 45 yd In	7.0 steps behind FRONT HASH (HS)
8	40	SIDE 2: 3.75 steps inside 45 yd In	7.0 steps behind FRONT HASH (HS)
9	16	SIDE 2: 1.25 steps outside 40 yd In	2.0 steps in front of FRONT HASH (HS)
10	16	SIDE 2: On 45 yd In	On FRONT HASH (HS)
11	16	SIDE 2: On 40 yd In	On FRONT HASH (HS)
12	8	SIDE 2: On 40 yd In	On FRONT HASH (HS)
13	8	SIDE 2: On 40 yd In	On FRONT HASH (HS)
14	12	SIDE 2: 3.25 steps outside 45 yd In	1.0 steps behind FRONT HASH (HS)
15	12	SIDE 2: 3.25 steps outside 45 yd In	1.0 steps behind FRONT HASH (HS)
16	24	SIDE 2: On 45 yd In	8.0 steps behind FRONT HASH (HS)
17	8	SIDE 2: On 45 yd In	8.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: On 45 yd In	8.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: On 40 yd In	4.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: On 35 yd In	On FRONT HASH (HS)

#### Performer: Symbol: B Label: 1 ID:563237395085900 Drill: 2024 GRAFTON PT2 Counts SIDE 1-SIDE 2 FRONT-BACK 20 0 SIDE 1: On 35 yd In On FRONT HASH (HS) 16 SIDE 1: 4.0 steps inside 40 yd In 21 On FRONT HASH (HS) 22 8 SIDE 1: 4.0 steps inside 40 yd In On FRONT HASH (HS) 23 8 SIDE 1: 4.0 steps inside 40 yd In On FRONT HASH (HS) SIDE 1: 4.0 steps inside 40 yd In 24 On FRONT HASH (HS) 25 12 SIDE 1: 4.0 steps inside 40 yd In On FRONT HASH (HS) 26 SIDE 1: 4.0 steps inside 40 yd In On FRONT HASH (HS) 27 8 SIDE 1: 4.0 steps inside 40 yd In On FRONT HASH (HS) 12 SIDE 1: On 40 yd In 28 On FRONT HASH (HS) 29 SIDE 1: On 40 yd In On FRONT HASH (HS) 30 SIDE 1: On 40 yd In On FRONT HASH (HS) 31 4 SIDE 1: On 40 yd In On FRONT HASH (HS) 32 4 SIDE 1: On 40 yd In On FRONT HASH (HS) 33 SIDE 1: On 40 yd In 4.0 steps behind FRONT HASH (HS) 34 SIDE 1: On 40 yd In 4.0 steps behind FRONT HASH (HS) 14 12 SIDE 1: 2.5 steps inside 45 yd In 0.25 steps in front of FRONT HASH (HS)

Performer: Symbol: B Label: 1 ID:563237395085900 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Performer:			in "2	
Set	Counts	s SIDE 1-SIDE 2	FRONT-BACK	
35	0	SIDE 1: 2.5 steps inside 45 yd In	0.25 steps in front of FRONT HASH (HS)	
36	8	SIDE 1: 2.5 steps inside 45 yd In	0.25 steps in front of FRONT HASH (HS)	
37	16	On 50 yd In	4.0 steps in front of FRONT HASH (HS)	
38	16	SIDE 2: On 40 yd In	12.0 steps in front of FRONT HASH (HS)	
39	16	SIDE 2: On 40 yd In	4.0 steps behind FRONT HASH (HS)	
40	20	SIDE 2: On 40 yd In	4.0 steps behind FRONT HASH (HS)	
41	16	SIDE 2: On 35 yd In	1.0 steps behind FRONT HASH (HS)	
42	16	SIDE 2: 2.0 steps outside 40 yd In	On FRONT HASH (HS)	
43	12	SIDE 2: 3.0 steps inside 35 yd In	10.75 steps behind FRONT HASH (HS)	
44	16	SIDE 2: 2.0 steps inside 35 yd In	2.25 steps in front of FRONT HASH (HS)	
45	16	SIDE 2: 1.75 steps outside 40 yd In	13.0 steps in front of FRONT HASH (HS)	
46	8	SIDE 2: 3.0 steps inside 35 yd In	12.5 steps behind FRONT SIDELINE	
Perfo	ormer:	Symbol: B Label: 1 ID:56323739508	5900 Drill: 2024 Grafton Pt4	
Set	Counts	S SIDE 1-SIDE 2	FRONT-BACK	
46	0	SIDE 2: 3.0 steps inside 35 yd In	12.5 steps behind FRONT SIDELINE	
47	17	SIDE 2: 4.0 steps inside 35 yd In	6.0 steps in front of FRONT HASH (HS)	

Perfo	rmer:	Symbol: B Label: 1 ID:56323739508	5900 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 3.0 steps inside 35 yd In	12.5 steps behind FRONT SIDELINE
47	17	SIDE 2: 4.0 steps inside 35 yd In	6.0 steps in front of FRONT HASH (HS)
48	8	SIDE 2: 4.0 steps inside 35 yd In	6.0 steps in front of FRONT HASH (HS)
49	9	SIDE 2: 4.0 steps inside 35 yd In	6.0 steps in front of FRONT HASH (HS)
50	8	SIDE 2: 4.0 steps inside 35 yd In	6.0 steps in front of FRONT HASH (HS)
51	8	SIDE 2: 4.0 steps inside 35 yd In	6.0 steps in front of FRONT HASH (HS)
52	20	SIDE 2: 4.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
53	16	SIDE 2: 4.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
54	8	SIDE 2: 4.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
55	16	SIDE 2: 4.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
56	16	SIDE 2: 4.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
57	8	SIDE 2: 2.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 2.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: 2.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 2.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 2.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 2.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: 2.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: 2.75 steps outside 40 yd In	11.0 steps in front of FRONT HASH (HS)
65	18	SIDE 2: 2.75 steps outside 40 yd In	11.0 steps in front of FRONT HASH (HS)

Performer:	: #0004 OD A ETON#
Performer:	in "2024 GRAFTON"

Perfo		Symbol: B Label: 5 ID:5632373950859 s SIDE 1-SIDE 2	500 Drill: 2024 GRAFTON PT1.3dj FRONT-BACK
1	0	SIDE 1-SIDE 2 SIDE 2: On 40 yd In	10.0 steps in front of BACK HASH (HS)
2	8	SIDE 2: On 40 yd In	10.0 steps in front of BACK HASH (HS)
3	8	SIDE 2: On 40 yd In	10.0 steps in front of BACK HASH (HS)
4	8	SIDE 2: 4.0 steps outside 40 yd In	4.0 steps in front of BACK HASH (HS)
5	8	SIDE 2: 4.0 steps outside 40 yd In	4.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: On 40 yd In	10.0 steps behind FRONT HASH (HS)
7	8	SIDE 2: 1.75 steps inside 40 yd In	8.25 steps behind FRONT HASH (HS)
8	40	SIDE 2: 1.75 steps inside 40 yd In	8.25 steps behind FRONT HASH (HS)
9	16	SIDE 2: 2.5 steps outside 35 yd In	On FRONT HASH (HS)
10	16	SIDE 2: 1.75 steps outside 40 yd In	0.75 steps in front of FRONT HASH (HS)
11	16	SIDE 2: On 35 yd In	On FRONT HASH (HS)
12	8	SIDE 2: On 35 yd In	On FRONT HASH (HS)
13	8	SIDE 2: On 35 yd In	On FRONT HASH (HS)
14	12	SIDE 2: 1.75 steps inside 35 yd In	0.75 steps behind FRONT HASH (HS)
15	12	SIDE 2: 1.75 steps inside 35 yd In	0.75 steps behind FRONT HASH (HS)
16	24	SIDE 2: 2.75 steps outside 40 yd In	8.0 steps behind FRONT HASH (HS)
17	8	SIDE 2: 2.75 steps outside 40 yd In	8.0 steps behind FRONT HASH (HS)
18	16	SIDE 2: 2.75 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: 2.75 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 0.5 steps outside 40 yd In	6.25 steps behind FRONT HASH (HS)

### Performer: Symbol: B Label: 5 ID:563237395085500 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

Set	Count	S SIDE I-SIDE Z	FRONT-BACK
20	0	SIDE 1: 0.5 steps outside 40 yd In	6.25 steps behind FRONT HASH (HS)
21	16	SIDE 1: 3.75 steps outside 50 yd In	5.0 steps behind FRONT HASH (HS)
22	8	SIDE 1: 3.75 steps outside 50 yd In	5.0 steps behind FRONT HASH (HS)
23	8	SIDE 1: 3.75 steps outside 50 yd In	5.0 steps behind FRONT HASH (HS)
24	8	SIDE 1: 3.75 steps outside 50 yd In	5.0 steps behind FRONT HASH (HS)
25	12	SIDE 1: 3.75 steps outside 50 yd In	5.0 steps behind FRONT HASH (HS)
26	10	SIDE 1: 3.75 steps outside 50 yd In	5.0 steps behind FRONT HASH (HS)
27	8	SIDE 1: 3.75 steps outside 50 yd In	5.0 steps behind FRONT HASH (HS)
28	12	SIDE 1: On 45 yd In	4.0 steps behind FRONT HASH (HS)
29	4	SIDE 1: On 45 yd In	4.0 steps behind FRONT HASH (HS)
30	4	SIDE 1: On 45 yd In	4.0 steps behind FRONT HASH (HS)
31	4	SIDE 1: 4.0 steps outside 50 yd In	4.0 steps behind FRONT HASH (HS)
32	4	SIDE 1: 4.0 steps outside 50 yd In	4.0 steps behind FRONT HASH (HS)
33	4	SIDE 1: 4.0 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
34	14	SIDE 1: 4.0 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
35	12	SIDE 2: 2.5 steps outside 45 yd In	2.25 steps behind FRONT HASH (HS)

Performer: Symbol: B Label: 5 ID:563237395085500 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 2.5 steps outside 45 yd In	2.25 steps behind FRONT HASH (HS)
36	8	SIDE 2: 2.5 steps outside 45 yd In	2.25 steps behind FRONT HASH (HS)
37	16	SIDE 2: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
38	16	SIDE 2: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
39	16	SIDE 2: On 35 yd In	4.0 steps behind FRONT HASH (HS)
40	20	SIDE 2: On 35 yd In	4.0 steps behind FRONT HASH (HS)
41	16	SIDE 2: On 35 yd In	7.0 steps behind FRONT HASH (HS)
42	16	SIDE 2: 4.0 steps outside 40 yd In	On FRONT HASH (HS)
43	12	SIDE 2: 1.0 steps inside 35 yd In	11.25 steps behind FRONT HASH (HS)
44	16	SIDE 2: 0.25 steps outside 35 yd In	1.5 steps in front of FRONT HASH (HS)
45	16	SIDE 2: 0.5 steps outside 40 yd In	11.0 steps in front of FRONT HASH (HS)
46	8	SIDE 2: 3.25 steps outside 40 yd In	13.75 steps in front of FRONT HASH (HS)

Perfor	mer:	Symbol: B Label: 5 ID:56323739508550	00 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 3.25 steps outside 40 yd In	13.75 steps in front of FRONT HASH (HS)
47	17	SIDE 2: On 40 yd In	6.0 steps in front of FRONT HASH (HS)
48	8	SIDE 2: On 40 yd In	6.0 steps in front of FRONT HASH (HS)
49	9	SIDE 2: On 40 yd In	6.0 steps in front of FRONT HASH (HS)
50	8	SIDE 2: On 40 yd In	6.0 steps in front of FRONT HASH (HS)
51	8	SIDE 2: On 40 yd In	6.0 steps in front of FRONT HASH (HS)
52	20	SIDE 2: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
53	16	SIDE 2: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
54	8	SIDE 2: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
55	16	SIDE 2: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
56	16	SIDE 2: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
57	8	SIDE 2: 2.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 2.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: 2.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 2.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 2.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 2.0 steps outside 40 yd In	12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: 2.0 steps outside 40 yd In	12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: 0.25 steps inside 40 yd In	8.75 steps in front of FRONT HASH (HS)
65	18	SIDE 2: 0.25 steps inside 40 yd In	8.75 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: B Label: 2	ID:5632373950858	B00 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2		FRONT-BACK
1	0	SIDE 2: 3.0 steps outs	side 45 yd In	12.0 steps in front of BACK HASH (HS)
2	8	SIDE 2: 3.0 steps outs	side 45 yd In	12.0 steps in front of BACK HASH (HS)
3	8	SIDE 2: 3.0 steps outs	side 45 yd In	12.0 steps in front of BACK HASH (HS)
4	8	SIDE 2: On 40 yd In		4.0 steps in front of BACK HASH (HS)
5	8	SIDE 2: On 40 yd In		4.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 4.0 steps outs	side 45 yd In	10.0 steps behind FRONT HASH (HS)
7	8	SIDE 2: 1.25 steps ins	side 45 yd In	7.5 steps behind FRONT HASH (HS)
8	40	SIDE 2: 1.25 steps ins	side 45 yd In	7.5 steps behind FRONT HASH (HS)
9	16	SIDE 2: 3.5 steps outs	side 40 yd In	1.25 steps in front of FRONT HASH (HS)
10	16	SIDE 2: 2.5 steps outs	side 45 yd In	On FRONT HASH (HS)
11	16	SIDE 2: 2.0 steps outs	side 40 yd In	On FRONT HASH (HS)
12	8	SIDE 2: 2.0 steps outs	side 40 yd In	On FRONT HASH (HS)
13	8	SIDE 2: 2.0 steps outs	side 40 yd In	On FRONT HASH (HS)
14	12	SIDE 2: 2.0 steps insid	de 40 yd In	1.25 steps behind FRONT HASH (HS)
15	12	SIDE 2: 2.0 steps insid	de 40 yd In	1.25 steps behind FRONT HASH (HS)
16	24	SIDE 2: 2.75 steps ou	tside 45 yd In	8.0 steps behind FRONT HASH (HS)
17	8	SIDE 2: 2.75 steps ou	tside 45 yd In	8.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: 2.75 steps ins	side 45 yd In	8.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: 2.75 steps ins	side 40 yd In	4.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 1.75 steps ins	side 35 yd In	1.75 steps behind FRONT HASH (HS)

### Performer: Symbol: B Label: 2 ID:563237395085800 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

Set	Count	S SIDE I-SIDE Z	FRONT-BACK
20	0	SIDE 1: 1.75 steps inside 35 yd In	1.75 steps behind FRONT HASH (HS)
21	16	SIDE 1: 2.5 steps outside 45 yd In	2.0 steps behind FRONT HASH (HS)
22	8	SIDE 1: 2.5 steps outside 45 yd In	2.0 steps behind FRONT HASH (HS)
23	8	SIDE 1: 2.5 steps outside 45 yd In	2.0 steps behind FRONT HASH (HS)
24	8	SIDE 1: 2.5 steps outside 45 yd In	2.0 steps behind FRONT HASH (HS)
25	12	SIDE 1: 2.5 steps outside 45 yd In	2.0 steps behind FRONT HASH (HS)
26	10	SIDE 1: 2.5 steps outside 45 yd In	2.0 steps behind FRONT HASH (HS)
27	8	SIDE 1: 2.5 steps outside 45 yd In	2.0 steps behind FRONT HASH (HS)
28	12	SIDE 1: On 40 yd In	4.0 steps behind FRONT HASH (HS)
29	4	SIDE 1: On 40 yd In	4.0 steps behind FRONT HASH (HS)
30	4	SIDE 1: 4.0 steps inside 40 yd In	4.0 steps behind FRONT HASH (HS)
31	4	SIDE 1: 4.0 steps inside 40 yd In	4.0 steps behind FRONT HASH (HS)
32	4	SIDE 1: 4.0 steps inside 40 yd In	4.0 steps behind FRONT HASH (HS)
33	4	SIDE 1: 4.0 steps inside 40 yd In	4.0 steps behind FRONT HASH (HS)
34	14	SIDE 1: 4.0 steps inside 40 yd In	4.0 steps behind FRONT HASH (HS)
35	12	SIDE 1: 0.25 steps outside 50 yd In	0.25 steps behind FRONT HASH (HS)

Performer: Symbol: B Label: 2 ID:563237395085800 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 0.25 steps outside 50 yd In	0.25 steps behind FRONT HASH (HS)
36	8	SIDE 1: 0.25 steps outside 50 yd In	0.25 steps behind FRONT HASH (HS)
37	16	SIDE 2: 4.0 steps outside 50 yd In	On FRONT HASH (HS)
38	16	SIDE 2: 4.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
39	16	SIDE 2: 4.0 steps outside 40 yd In	8.0 steps behind FRONT HASH (HS)
40	20	SIDE 2: 4.0 steps outside 40 yd In	8.0 steps behind FRONT HASH (HS)
41	16	SIDE 2: On 35 yd In	13.0 steps behind FRONT HASH (HS)
42	16	SIDE 2: 2.0 steps inside 35 yd In	On FRONT HASH (HS)
43	12	SIDE 2: 1.0 steps outside 35 yd In	11.75 steps behind FRONT HASH (HS)
44	16	SIDE 2: 2.5 steps outside 35 yd In	1.0 steps in front of FRONT HASH (HS)
45	16	SIDE 2: 0.5 steps inside 40 yd In	8.75 steps in front of FRONT HASH (HS)
46	8	SIDE 2: 1.5 steps outside 40 yd In	11.75 steps in front of FRONT HASH (HS)
		0     0     0   0   0   0   0   0   0	5000 D.W. 0004 D. W. D.4

Perfo		Symbol: B Label: 2 ID:563237395085 s SIDE 1-SIDE 2	5800 Drill: 2024 Grafton Pt4 FRONT-BACK
Set			
46	0	SIDE 2: 1.5 steps outside 40 yd In	11.75 steps in front of FRONT HASH (HS)
47	17	SIDE 2: 4.0 steps outside 45 yd In	6.0 steps in front of FRONT HASH (HS)
48	8	SIDE 2: 4.0 steps outside 45 yd In	6.0 steps in front of FRONT HASH (HS)
49	9	SIDE 2: 4.0 steps outside 45 yd In	6.0 steps in front of FRONT HASH (HS)
50	8	SIDE 2: 4.0 steps outside 45 yd In	6.0 steps in front of FRONT HASH (HS)
51	8	SIDE 2: 4.0 steps outside 45 yd In	6.0 steps in front of FRONT HASH (HS)
52	20	SIDE 2: 4.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
53	16	SIDE 2: 4.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
54	8	SIDE 2: 4.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
55	16	SIDE 2: 4.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
56	16	SIDE 2: 4.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
57	8	SIDE 2: 2.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 2.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: 2.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 2.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 2.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 2.0 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: 2.0 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: 3.75 steps inside 40 yd In	6.75 steps in front of FRONT HASH (HS)
65	18	SIDE 2: 3.75 steps inside 40 vd ln	6.75 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: B Label: 9 ID:5632373950	85100 Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 1.0 steps outside 40 yd In	4.0 steps behind FRONT HASH (HS)
2	8	SIDE 2: 1.0 steps outside 40 yd In	4.0 steps behind FRONT HASH (HS)
3	8	SIDE 2: 1.0 steps outside 40 yd In	4.0 steps behind FRONT HASH (HS)
4	8	SIDE 2: On 35 yd In	10.0 steps in front of BACK HASH (HS)
5	8	SIDE 2: On 35 yd In	10.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 4.0 steps outside 40 yd In	4.0 steps behind FRONT HASH (HS)
7	8	SIDE 2: 0.25 steps outside 35 yd In	7.25 steps behind FRONT HASH (HS)
8	40	SIDE 2: 0.25 steps outside 35 yd In	7.25 steps behind FRONT HASH (HS)
9	16	SIDE 2: 3.75 steps outside 30 yd In	2.75 steps in front of FRONT HASH (HS)
10	16	SIDE 2: 2.75 steps outside 35 yd In	3.75 steps in front of FRONT HASH (HS)
11	16	SIDE 2: On 30 yd In	On FRONT HASH (HS)
12	8	SIDE 2: On 30 yd In	On FRONT HASH (HS)
13	8	SIDE 2: On 30 yd In	On FRONT HASH (HS)
14	12	SIDE 2: 1.5 steps inside 35 yd In	8.5 steps in front of FRONT HASH (HS)
15	12	SIDE 2: 1.5 steps inside 35 yd In	8.5 steps in front of FRONT HASH (HS)
16	24	SIDE 2: On 35 yd In	8.0 steps behind FRONT HASH (HS)
17	8	SIDE 2: On 35 yd In	8.0 steps behind FRONT HASH (HS)
18	16	SIDE 2: On 45 yd In	8.0 steps behind FRONT HASH (HS)
19	16	On 50 yd In	4.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 4.0 steps inside 40 yd In	8.25 steps behind FRONT HASH (HS)

### Performer: Symbol: B Label: 9 ID:563237395085100 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

Count	S SIDE 1-SIDE Z	FRUNT-BACK
0	SIDE 1: 4.0 steps inside 40 yd In	8.25 steps behind FRONT HASH (HS)
16	SIDE 2: 1.5 steps outside 50 yd In	5.0 steps behind FRONT HASH (HS)
8	SIDE 2: 1.5 steps outside 50 yd In	5.0 steps behind FRONT HASH (HS)
8	SIDE 2: 1.5 steps outside 50 yd In	5.0 steps behind FRONT HASH (HS)
8	SIDE 2: 1.5 steps outside 50 yd In	5.0 steps behind FRONT HASH (HS)
12	SIDE 2: 1.5 steps outside 50 yd In	5.0 steps behind FRONT HASH (HS)
10	SIDE 2: 1.5 steps outside 50 yd In	5.0 steps behind FRONT HASH (HS)
8	SIDE 2: 1.5 steps outside 50 yd In	5.0 steps behind FRONT HASH (HS)
12	SIDE 1: On 45 yd In	12.0 steps behind FRONT HASH (HS)
4	SIDE 1: On 45 yd In	12.0 steps behind FRONT HASH (HS)
4	SIDE 1: On 45 yd In	12.0 steps behind FRONT HASH (HS)
4	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT HASH (HS)
4	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT HASH (HS)
4	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT HASH (HS)
14	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT HASH (HS)
12	SIDE 2: 0.25 steps inside 45 yd In	1.75 steps behind FRONT HASH (HS)
	0 16 8 8 8 12 10 8 12 4 4 4 4 4	16 SIDE 2: 1.5 steps outside 50 yd In 8 SIDE 2: 1.5 steps outside 50 yd In 8 SIDE 2: 1.5 steps outside 50 yd In 8 SIDE 2: 1.5 steps outside 50 yd In 8 SIDE 2: 1.5 steps outside 50 yd In 12 SIDE 2: 1.5 steps outside 50 yd In 10 SIDE 2: 1.5 steps outside 50 yd In 10 SIDE 2: 1.5 steps outside 50 yd In 11 SIDE 1: 0.1 45 yd In 12 SIDE 1: 0.1 45 yd In 13 SIDE 1: 0.1 45 yd In 14 SIDE 1: 4.0 steps inside 45 yd In 15 SIDE 1: 4.0 steps inside 45 yd In 16 SIDE 1: 4.0 steps inside 45 yd In 17 SIDE 1: 4.0 steps inside 45 yd In 18 SIDE 1: 4.0 steps inside 45 yd In 19 SIDE 1: 4.0 steps inside 45 yd In 10 SIDE 1: 4.0 steps inside 45 yd In 11 SIDE 1: 4.0 steps inside 45 yd In

Performer: Symbol: B Label: 9 ID:563237395085100 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 0.25 steps inside 45 yd In	1.75 steps behind FRONT HASH (HS)
36	8	SIDE 2: 0.25 steps inside 45 yd In	1.75 steps behind FRONT HASH (HS)
37	16	SIDE 2: On 45 yd In	On FRONT HASH (HS)
38	16	SIDE 2: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
39	16	SIDE 2: On 35 yd In	8.0 steps behind FRONT HASH (HS)
40	20	SIDE 2: On 35 yd In	8.0 steps behind FRONT HASH (HS)
41	16	SIDE 2: On 35 yd In	12.0 steps in front of BACK HASH (HS)
42	16	SIDE 2: On 35 yd In	On FRONT HASH (HS)
43	12	SIDE 2: 3.25 steps outside 35 yd In	12.25 steps behind FRONT HASH (HS)
44	16	SIDE 2: 3.25 steps inside 30 yd In	0.75 steps in front of FRONT HASH (HS)
45	16	SIDE 2: 0.5 steps inside 40 yd In	6.5 steps in front of FRONT HASH (HS)
46	8	SIDE 2: On 40 yd In	9.75 steps in front of FRONT HASH (HS)

Perfo	rmer:	Symbol: B Label: 9 ID:56323	7395085100 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: On 40 yd In	9.75 steps in front of FRONT HASH (HS)
47	17	SIDE 2: On 45 yd In	6.0 steps in front of FRONT HASH (HS)
48	8	SIDE 2: On 45 yd In	6.0 steps in front of FRONT HASH (HS)
49	9	SIDE 2: On 45 yd In	6.0 steps in front of FRONT HASH (HS)
50	8	SIDE 2: On 45 yd In	6.0 steps in front of FRONT HASH (HS)
51	8	SIDE 2: On 45 yd In	6.0 steps in front of FRONT HASH (HS)
52	20	SIDE 2: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
53	16	SIDE 2: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
54	8	SIDE 2: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
55	16	SIDE 2: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
56	16	SIDE 2: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
57	8	SIDE 2: 2.0 steps outside 45 yd	n 8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 2.0 steps outside 45 yd	n 8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: 2.0 steps outside 45 yd	n 8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 2.0 steps outside 45 yd	n 8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 2.0 steps outside 45 yd	n 8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 2.0 steps outside 45 yd	n 12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: 2.0 steps outside 45 yd	n 12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: 0.75 steps outside 45 yo	I In 5.25 steps in front of FRONT HASH (HS)
65	18	SIDE 2: 0.75 steps outside 45 yo	I In 5.25 steps in front of FRONT HASH (HS)

Performer: ii	n "2024 GRAFTON"
---------------	------------------

Perfo	rmer:	Symbol: B Label: 3 ID:563237395085	700 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 3.0 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
2	8	SIDE 2: 3.0 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
3	8	SIDE 2: 3.0 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
4	8	SIDE 2: On 40 yd In	10.0 steps in front of BACK HASH (HS)
5	8	SIDE 2: On 40 yd In	10.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 4.0 steps outside 45 yd In	4.0 steps behind FRONT HASH (HS)
7	8	SIDE 2: 1.25 steps outside 45 yd In	8.0 steps behind FRONT HASH (HS)
8	40	SIDE 2: 1.25 steps outside 45 yd In	8.0 steps behind FRONT HASH (HS)
9	16	SIDE 2: 2.25 steps inside 35 yd In	0.5 steps in front of FRONT HASH (HS)
10	16	SIDE 2: 3.25 steps inside 40 yd In	0.25 steps in front of FRONT HASH (HS)
11	16	SIDE 2: 4.0 steps outside 40 yd In	On FRONT HASH (HS)
12	8	SIDE 2: 4.0 steps outside 40 yd In	On FRONT HASH (HS)
13	8	SIDE 2: 4.0 steps outside 40 yd In	On FRONT HASH (HS)
14	12	SIDE 2: 0.75 steps outside 40 yd In	1.25 steps behind FRONT HASH (HS)
15	12	SIDE 2: 0.75 steps outside 40 yd In	1.25 steps behind FRONT HASH (HS)
16	24	SIDE 2: 2.75 steps inside 40 yd In	8.0 steps behind FRONT HASH (HS)
17	8	SIDE 2: 2.75 steps inside 40 yd In	8.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: 2.75 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: 2.75 steps outside 45 yd In	4.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 3.5 steps inside 35 yd In	3.25 steps behind FRONT HASH (HS)

#### Set Counts SIDE 1-SIDE 2 FRONT-BACK SIDE 1: 3.5 steps inside 35 yd In 3.25 steps behind FRONT HASH (HS) 20 0 21 16 SIDE 1: 0.5 steps outside 45 yd In 3.75 steps behind FRONT HASH (HS) 22 8 SIDE 1: 0.5 steps outside 45 yd In 3.75 steps behind FRONT HASH (HS) 23 8 SIDE 1: 0.5 steps outside 45 yd In 3.75 steps behind FRONT HASH (HS) SIDE 1: 0.5 steps outside 45 yd In 3.75 steps behind FRONT HASH (HS) 24 25 SIDE 1: 0.5 steps outside 45 yd In 3.75 steps behind FRONT HASH (HS) 26 SIDE 1: 0.5 steps outside 45 yd In 3.75 steps behind FRONT HASH (HS) 27 SIDE 1: 0.5 steps outside 45 yd In 3.75 steps behind FRONT HASH (HS) 28 12 SIDE 1: On 40 yd In 8.0 steps behind FRONT HASH (HS) 29 SIDE 1: On 40 yd In 8.0 steps behind FRONT HASH (HS) 30 SIDE 1: On 40 yd In 8.0 steps behind FRONT HASH (HS) 31 4 SIDE 1: On 40 yd In 8.0 steps behind FRONT HASH (HS) 32 SIDE 1: On 40 yd In 8.0 steps behind FRONT HASH (HS) 33 SIDE 1: On 40 yd In 12.0 steps behind FRONT HASH (HS) 34 14 SIDE 1: On 40 yd In 12.0 steps behind FRONT HASH (HS)

Drill: 2024 GRAFTON PT2

1.0 steps behind FRONT HASH (HS)

Performer: Symbol: B Label: 3 ID:563237395085700

Performer: Symbol: B Label: 3 ID:563237395085700 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

12 SIDE 1: On 45 yd In

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: On 45 yd In	1.0 steps behind FRONT HASH (HS)
36	8	SIDE 1: On 45 yd In	1.0 steps behind FRONT HASH (HS)
37	16	On 50 yd In	On FRONT HASH (HS)
38	16	SIDE 2: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
39	16	SIDE 2: On 40 yd In	8.0 steps behind FRONT HASH (HS)
40	20	SIDE 2: On 40 yd In	8.0 steps behind FRONT HASH (HS)
41	16	SIDE 2: On 35 yd In	10.0 steps behind FRONT HASH (HS)
42	16	SIDE 2: 2.0 steps outside 35 yd In	On FRONT HASH (HS)
43	12	SIDE 2: 2.75 steps inside 30 yd In	12.5 steps behind FRONT HASH (HS)
44	16	SIDE 2: 1.0 steps inside 30 yd In	1.0 steps in front of FRONT HASH (HS)
45	16	SIDE 2: 0.5 steps outside 40 yd In	4.5 steps in front of FRONT HASH (HS)
46	8	SIDE 2: 0.75 steps inside 40 yd In	7.25 steps in front of FRONT HASH (HS)
Performer: Symbol: B Label: 3 ID:563237395085700 Drill: 2024 Grafton Pt4			

Performer:		Symbol: B Label: 3	ID:56323739508570	00 Drill: 2024 Grafton Pt4
Set	Coun	s SIDE 1-SIDE 2		FRONT-BACK
46	0	SIDE 2: 0.75 steps insi	de 40 yd In	7.25 steps in front of FRONT HASH (HS)
47	17	SIDE 2: 4.0 steps outsi	de 50 yd In	6.0 steps in front of FRONT HASH (HS)
48	8	SIDE 2: 4.0 steps outsi	de 50 yd In	6.0 steps in front of FRONT HASH (HS)
49	9	SIDE 2: 4.0 steps outsi	de 50 yd In	6.0 steps in front of FRONT HASH (HS)
50	8	SIDE 2: 4.0 steps outsi	de 50 yd In	6.0 steps in front of FRONT HASH (HS)
51	8	SIDE 2: 4.0 steps outsi	de 50 yd In	6.0 steps in front of FRONT HASH (HS)
52	20	SIDE 2: 4.0 steps outsi	de 50 yd In	8.0 steps in front of FRONT HASH (HS)
53	16	SIDE 2: 4.0 steps outsi	de 50 yd In	8.0 steps in front of FRONT HASH (HS)
54	8	SIDE 2: 4.0 steps outsi	de 50 yd In	8.0 steps in front of FRONT HASH (HS)
55	16	SIDE 2: 4.0 steps outsi	de 50 yd In	8.0 steps in front of FRONT HASH (HS)
56	16	SIDE 2: 4.0 steps outsi	de 50 yd In	8.0 steps in front of FRONT HASH (HS)
57	8	SIDE 2: 2.0 steps insid	e 45 yd In	8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 2.0 steps insid	e 45 yd In	8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: 2.0 steps insid	e 45 yd In	8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 2.0 steps insid	e 45 yd In	8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 2.0 steps insid	e 45 yd In	8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 2.0 steps insid	e 45 yd In	12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: 2.0 steps insid	e 45 yd In	12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: 3.0 steps insid	e 45 yd In	4.5 steps in front of FRONT HASH (HS)
65	18	SIDE 2: 3.0 steps insid	e 45 yd In	4.5 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"

	rmer:	Symbol: B Label: 8 ID:563237395085	-
Set		s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 3.0 steps inside 35 yd In	5.0 steps in front of BACK HASH (HS)
2	8	SIDE 2: 3.0 steps inside 35 yd In	5.0 steps in front of BACK HASH (HS)
3	8	SIDE 2: 3.0 steps inside 35 yd In	5.0 steps in front of BACK HASH (HS)
4	8	SIDE 2: On 35 yd In	4.0 steps in front of BACK HASH (HS)
5	8	SIDE 2: On 35 yd In	4.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 4.0 steps outside 40 yd In	10.0 steps behind FRONT HASH (HS)
7	8	SIDE 2: 2.25 steps inside 35 yd In	7.75 steps behind FRONT HASH (HS)
8	40	SIDE 2: 2.25 steps inside 35 yd In	7.75 steps behind FRONT HASH (HS)
9	16	SIDE 2: 1.5 steps outside 30 yd In	1.75 steps in front of FRONT HASH (HS)
10	16	SIDE 2: 0.75 steps outside 35 yd In	2.75 steps in front of FRONT HASH (HS)
11	16	SIDE 2: 2.0 steps inside 30 yd In	On FRONT HASH (HS)
12	8	SIDE 2: 2.0 steps inside 30 yd In	On FRONT HASH (HS)
13	8	SIDE 2: 2.0 steps inside 30 yd In	On FRONT HASH (HS)
14	12	SIDE 2: 0.25 steps outside 35 yd In	6.25 steps in front of FRONT HASH (HS)
15	12	SIDE 2: 0.25 steps outside 35 yd In	6.25 steps in front of FRONT HASH (HS)
16	24	SIDE 2: 2.75 steps outside 35 yd In	8.0 steps behind FRONT HASH (HS)
17	8	SIDE 2: 2.75 steps outside 35 yd In	8.0 steps behind FRONT HASH (HS)
18	16	SIDE 2: 2.75 steps outside 45 yd In	8.0 steps behind FRONT HASH (HS)
19	16	SIDE 2: 2.75 steps outside 50 yd In	4.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 1.75 steps outside 45 yd In	9.0 steps behind FRONT HASH (HS)

# Performer: Symbol: B Label: 8 ID:563237395085200 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK 20 0 SIDE 1: 1.75 steps outside 45 yd ln 9.0 steps behind FRONT HASH (

20	0	SIDE 1: 1.75 steps outside 45 yd In	9.0 steps behind FRONT HASH (HS)
21	16	SIDE 2: 4.0 steps outside 50 yd In	4.75 steps behind FRONT HASH (HS)
22	8	SIDE 2: 4.0 steps outside 50 yd In	4.75 steps behind FRONT HASH (HS)
23	8	SIDE 2: 4.0 steps outside 50 yd In	4.75 steps behind FRONT HASH (HS)
24	8	SIDE 2: 4.0 steps outside 50 yd In	4.75 steps behind FRONT HASH (HS)
25	12	SIDE 2: 4.0 steps outside 50 yd In	4.75 steps behind FRONT HASH (HS)
26	10	SIDE 2: 4.0 steps outside 50 yd In	4.75 steps behind FRONT HASH (HS)
27	8	SIDE 2: 4.0 steps outside 50 yd In	4.75 steps behind FRONT HASH (HS)
28	12	SIDE 1: On 45 yd In	12.0 steps in front of BACK HASH (HS)
29	4	SIDE 1: On 45 yd In	12.0 steps in front of BACK HASH (HS)
30	4	SIDE 1: On 45 yd In	12.0 steps in front of BACK HASH (HS)
31	4	SIDE 1: On 45 yd In	12.0 steps in front of BACK HASH (HS)
32	4	SIDE 1: On 45 yd In	12.0 steps in front of BACK HASH (HS)
33	4	SIDE 1: On 45 yd In	12.0 steps behind FRONT HASH (HS)
34	14	SIDE 1: On 45 yd In	12.0 steps behind FRONT HASH (HS)
35	12	SIDE 2: 2.5 steps outside 50 vd ln	0.75 steps behind FRONT HASH (HS)

Performer: Symbol: B Label: 8 ID:563237395085200 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Counts	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 2.5 steps outside 50 yd In	0.75 steps behind FRONT HASH (HS)
36	8	SIDE 2: 2.5 steps outside 50 yd In	0.75 steps behind FRONT HASH (HS)
37	16	SIDE 2: 4.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
38	16	SIDE 2: 4.0 steps outside 40 yd In	12.0 steps in front of FRONT HASH (HS)
39	16	SIDE 2: 4.0 steps outside 40 yd In	4.0 steps behind FRONT HASH (HS)
40	20	SIDE 2: 4.0 steps outside 40 yd In	4.0 steps behind FRONT HASH (HS)
41	16	SIDE 2: On 35 yd In	4.0 steps behind FRONT HASH (HS)
42	16	SIDE 2: 4.0 steps outside 35 yd In	On FRONT HASH (HS)
43	12	SIDE 2: 0.5 steps inside 30 yd In	12.5 steps behind FRONT HASH (HS)
44	16	SIDE 2: 1.25 steps outside 30 yd In	1.25 steps in front of FRONT HASH (HS)
45	16	SIDE 2: 2.5 steps outside 40 yd In	3.25 steps in front of FRONT HASH (HS)
46	8	SIDE 2: 0.75 steps inside 40 yd In	4.75 steps in front of FRONT HASH (HS)

Perfo Set	rmer:	Symbol: B Label: 8 ID:563237395085	5200 Drill: 2024 Grafton Pt4 FRONT-BACK
46	0	SIDE 2: 0.75 steps inside 40 yd In	4.75 steps in front of FRONT HASH (HS)
47	17	On 50 yd In	6.0 steps in front of FRONT HASH (HS)
48	8	On 50 yd In	6.0 steps in front of FRONT HASH (HS)
49	9	On 50 yd In	6.0 steps in front of FRONT HASH (HS)
50	8	On 50 yd In	6.0 steps in front of FRONT HASH (HS)
51	8	On 50 yd In	6.0 steps in front of FRONT HASH (HS)
52	20	On 50 yd In	8.0 steps in front of FRONT HASH (HS)
53	16	On 50 yd In	8.0 steps in front of FRONT HASH (HS)
54	8	On 50 yd In	8.0 steps in front of FRONT HASH (HS)
55	16	On 50 yd In	8.0 steps in front of FRONT HASH (HS)
56	16	On 50 yd In	8.0 steps in front of FRONT HASH (HS)
57	8	SIDE 2: 2.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 2.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: 2.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 2.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 2.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 2.0 steps outside 50 yd In	12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: 2.0 steps outside 50 yd In	12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: 1.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
65	18	SIDE 2: 1.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: B Label: 7 ID:5632373950853	300 Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 2.0 steps inside 35 yd In	11.0 steps behind FRONT HASH (HS)
2	8	SIDE 2: 2.0 steps inside 35 yd In	11.0 steps behind FRONT HASH (HS)
3	8	SIDE 2: 2.0 steps inside 35 yd In	11.0 steps behind FRONT HASH (HS)
4	8	SIDE 2: 2.0 steps inside 35 yd In	7.0 steps in front of BACK HASH (HS)
5	8	SIDE 2: 2.0 steps inside 35 yd In	7.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 2.0 steps outside 40 yd In	7.0 steps behind FRONT HASH (HS)
7	8	SIDE 2: 3.25 steps outside 40 yd In	8.0 steps behind FRONT HASH (HS)
8	40	SIDE 2: 3.25 steps outside 40 yd In	8.0 steps behind FRONT HASH (HS)
9	16	SIDE 2: 0.75 steps inside 30 yd In	1.0 steps in front of FRONT HASH (HS)
10	16	SIDE 2: 1.75 steps inside 35 yd In	2.0 steps in front of FRONT HASH (HS)
11	16	SIDE 2: 4.0 steps outside 35 yd In	On FRONT HASH (HS)
12	8	SIDE 2: 4.0 steps outside 35 yd In	On FRONT HASH (HS)
13	8	SIDE 2: 4.0 steps outside 35 yd In	On FRONT HASH (HS)
14	12	SIDE 2: 1.25 steps outside 35 yd In	3.75 steps in front of FRONT HASH (HS)
15	12	SIDE 2: 1.25 steps outside 35 yd In	3.75 steps in front of FRONT HASH (HS)
16	24	SIDE 2: 2.75 steps inside 30 yd In	8.0 steps behind FRONT HASH (HS)
17	8	SIDE 2: 2.75 steps inside 30 yd In	8.0 steps behind FRONT HASH (HS)
18	16	SIDE 2: 2.75 steps inside 40 yd In	8.0 steps behind FRONT HASH (HS)
19	16	SIDE 2: 2.75 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 0.75 steps inside 45 yd In	9.5 steps behind FRONT HASH (HS)

### Performer: Symbol: B Label: 7 ID:563237395085300 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 1: 0.75 steps inside 45 yd In	9.5 steps behind FRONT HASH (HS)
21	16	SIDE 2: 1.5 steps inside 45 yd In	4.25 steps behind FRONT HASH (HS)
22	8	SIDE 2: 1.5 steps inside 45 yd In	4.25 steps behind FRONT HASH (HS)
23	8	SIDE 2: 1.5 steps inside 45 yd In	4.25 steps behind FRONT HASH (HS)
24	8	SIDE 2: 1.5 steps inside 45 yd In	4.25 steps behind FRONT HASH (HS)
25	12	SIDE 2: 1.5 steps inside 45 yd In	4.25 steps behind FRONT HASH (HS)
26	10	SIDE 2: 1.5 steps inside 45 yd In	4.25 steps behind FRONT HASH (HS)
27	8	SIDE 2: 1.5 steps inside 45 yd In	4.25 steps behind FRONT HASH (HS)
28	12	On 50 yd In	8.0 steps behind FRONT HASH (HS)
29	4	On 50 yd In	8.0 steps behind FRONT HASH (HS)
30	4	On 50 yd In	8.0 steps behind FRONT HASH (HS)
31	4	On 50 yd In	8.0 steps behind FRONT HASH (HS)
32	4	On 50 yd In	8.0 steps behind FRONT HASH (HS)
33	4	On 50 yd In	12.0 steps behind FRONT HASH (HS)
34	14	On 50 yd In	12.0 steps behind FRONT HASH (HS)
35	12	SIDE 2: 2.75 steps inside 40 vd In	2.5 steps behind FRONT HASH (HS)

Performer: Symbol: B Label: 7 ID:563237395085300 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 2.75 steps inside 40 yd In	2.5 steps behind FRONT HASH (HS)
36	8	SIDE 2: 2.75 steps inside 40 yd In	2.5 steps behind FRONT HASH (HS)
37	16	SIDE 2: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
38	16	SIDE 2: On 35 yd In	12.0 steps behind FRONT SIDELINE
39	16	SIDE 2: On 35 yd In	On FRONT HASH (HS)
40	20	SIDE 2: On 35 yd In	On FRONT HASH (HS)
41	16	SIDE 2: On 35 yd In	2.0 steps in front of FRONT HASH (HS)
42	16	SIDE 2: 2.0 steps inside 30 yd In	On FRONT HASH (HS)
43	12	SIDE 2: 1.5 steps outside 30 yd In	12.5 steps behind FRONT HASH (HS)
44	16	SIDE 2: 3.25 steps outside 30 yd In	1.5 steps in front of FRONT HASH (HS)
45	16	SIDE 2: 3.25 steps inside 35 yd In	2.5 steps in front of FRONT HASH (HS)
46	8	SIDE 2: 0.25 steps outside 40 yd In	2.5 steps in front of FRONT HASH (HS)

Perfo	rmer:	Symbol: B Label: 7 ID:5632373950853	300 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 0.25 steps outside 40 yd In	2.5 steps in front of FRONT HASH (HS)
47	17	SIDE 2: 2.0 steps outside 50 yd In	3.0 steps in front of FRONT HASH (HS)
48	8	SIDE 2: 2.0 steps outside 50 yd In	3.0 steps in front of FRONT HASH (HS)
49	9	SIDE 2: 2.0 steps outside 50 yd In	3.0 steps in front of FRONT HASH (HS)
50	8	SIDE 2: 2.0 steps outside 50 yd In	3.0 steps in front of FRONT HASH (HS)
51	8	SIDE 2: 2.0 steps outside 50 yd In	3.0 steps in front of FRONT HASH (HS)
52	20	SIDE 2: 4.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
53	16	SIDE 2: 4.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
54	8	SIDE 2: 4.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
55	16	SIDE 2: 4.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
56	16	SIDE 2: 4.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
57	8	SIDE 2: 4.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 4.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: 4.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 4.0 steps outside 50 yd In	2.0 steps behind FRONT HASH (HS)
61	8	SIDE 2: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: 1.0 steps inside 45 yd In	4.75 steps behind FRONT HASH (HS)
65	18	SIDE 2: 1.0 steps inside 45 yd In	4.75 steps behind FRONT HASH (HS)

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: B Label: 4 ID:563237395085	600 Drill: 2024 GRAFTON PT1.3dj
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: On 40 yd In	13.0 steps behind FRONT HASH (HS)
2	8	SIDE 2: On 40 yd In	13.0 steps behind FRONT HASH (HS)
3	8	SIDE 2: On 40 yd In	13.0 steps behind FRONT HASH (HS)
4	8	SIDE 2: 2.0 steps outside 40 yd In	7.0 steps in front of BACK HASH (HS)
5	8	SIDE 2: 2.0 steps outside 40 yd In	7.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 2.0 steps inside 40 yd In	7.0 steps behind FRONT HASH (HS)
7	8	SIDE 2: 3.75 steps outside 45 yd In	8.25 steps behind FRONT HASH (HS)
8	40	SIDE 2: 3.75 steps outside 45 yd In	8.25 steps behind FRONT HASH (HS)
9	16	SIDE 2: 0.25 steps outside 35 yd In	On FRONT HASH (HS)
10	16	SIDE 2: 0.75 steps inside 40 yd In	0.25 steps in front of FRONT HASH (HS)
11	16	SIDE 2: 2.0 steps inside 35 yd In	On FRONT HASH (HS)
12	8	SIDE 2: 2.0 steps inside 35 yd In	On FRONT HASH (HS)
13	8	SIDE 2: 2.0 steps inside 35 yd In	On FRONT HASH (HS)
14	12	SIDE 2: 3.5 steps outside 40 yd In	1.25 steps behind FRONT HASH (HS)
15	12	SIDE 2: 3.5 steps outside 40 yd In	1.25 steps behind FRONT HASH (HS)
16	24	SIDE 2: On 40 yd In	8.0 steps behind FRONT HASH (HS)
17	8	SIDE 2: On 40 yd In	8.0 steps behind FRONT HASH (HS)
18	16	On 50 yd In	8.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: On 45 yd In	4.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 2.5 steps outside 40 yd In	4.75 steps behind FRONT HASH (HS)

### Performer: Symbol: B Label: 4 ID:563237395085600 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 1: 2.5 steps outside 40 yd In	4.75 steps behind FRONT HASH (HS)
21	16	SIDE 1: 1.75 steps inside 45 yd In	4.5 steps behind FRONT HASH (HS)
22	8	SIDE 1: 1.75 steps inside 45 yd In	4.5 steps behind FRONT HASH (HS)
23	8	SIDE 1: 1.75 steps inside 45 yd In	4.5 steps behind FRONT HASH (HS)
24	8	SIDE 1: 1.75 steps inside 45 yd In	4.5 steps behind FRONT HASH (HS)
25	12	SIDE 1: 1.75 steps inside 45 yd In	4.5 steps behind FRONT HASH (HS)
26	10	SIDE 1: 1.75 steps inside 45 yd In	4.5 steps behind FRONT HASH (HS)
27	8	SIDE 1: 1.75 steps inside 45 yd In	4.5 steps behind FRONT HASH (HS)
28	12	SIDE 1: On 40 yd In	12.0 steps behind FRONT HASH (HS)
29	4	SIDE 1: On 40 yd In	12.0 steps behind FRONT HASH (HS)
30	4	SIDE 1: 4.0 steps inside 40 yd In	12.0 steps behind FRONT HASH (HS)
31	4	SIDE 1: 4.0 steps inside 40 yd In	12.0 steps behind FRONT HASH (HS)
32	4	SIDE 1: 4.0 steps inside 40 yd In	12.0 steps behind FRONT HASH (HS)
33	4	SIDE 1: 4.0 steps inside 40 yd In	12.0 steps behind FRONT HASH (HS)
34	14	SIDE 1: 4.0 steps inside 40 yd In	12.0 steps behind FRONT HASH (HS)
35	12	SIDE 1: 3.0 steps outside 50 yd In	0.25 steps in front of FRONT HASH (HS)

Performer: Symbol: B Label: 4 ID:563237395085600 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 3.0 steps outside 50 yd In	0.25 steps in front of FRONT HASH (HS)
36	8	SIDE 1: 3.0 steps outside 50 yd In	0.25 steps in front of FRONT HASH (HS)
37	16	On 50 yd In	8.0 steps in front of FRONT HASH (HS)
38	16	SIDE 2: On 40 yd In	12.0 steps behind FRONT SIDELINE
39	16	SIDE 2: On 40 yd In	On FRONT HASH (HS)
40	20	SIDE 2: On 40 yd In	On FRONT HASH (HS)
41	16	SIDE 2: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
42	16	SIDE 2: On 30 yd In	On FRONT HASH (HS)
43	12	SIDE 2: 3.5 steps outside 30 yd In	12.0 steps behind FRONT HASH (HS)
44	16	SIDE 2: 2.5 steps inside 25 yd In	2.25 steps in front of FRONT HASH (HS)
45	16	SIDE 2: 1.0 steps inside 35 yd In	1.75 steps in front of FRONT HASH (HS)
46	8	SIDE 2: 2.25 steps outside 40 yd In	1.0 steps in front of FRONT HASH (HS)

Performer:		Symbol: B Label: 4 ID:5632373950850	Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 2.25 steps outside 40 yd In	1.0 steps in front of FRONT HASH (HS)
47	17	SIDE 2: 2.0 steps inside 45 yd In	3.0 steps in front of FRONT HASH (HS)
48	8	SIDE 2: 2.0 steps inside 45 yd In	3.0 steps in front of FRONT HASH (HS)
49	9	SIDE 2: 2.0 steps inside 45 yd In	3.0 steps in front of FRONT HASH (HS)
50	8	SIDE 2: 2.0 steps inside 45 yd In	3.0 steps in front of FRONT HASH (HS)
51	8	SIDE 2: 2.0 steps inside 45 yd In	3.0 steps in front of FRONT HASH (HS)
52	20	SIDE 2: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
53	16	SIDE 2: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
54	8	SIDE 2: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
55	16	SIDE 2: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
56	16	SIDE 2: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
57	8	SIDE 2: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 4.0 steps outside 50 yd In	2.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 4.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 4.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: 4.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: 3.0 steps inside 45 yd In	0.25 steps behind FRONT HASH (HS)
65	18	SIDE 2: 3.0 steps inside 45 yd In	0.25 steps behind FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Performer:		Symbol: B Label: 12 ID:56323739508	34800 Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 3.0 steps inside 30 yd In	13.0 steps behind FRONT HASH (HS)
2	8	SIDE 2: 3.0 steps inside 30 yd In	13.0 steps behind FRONT HASH (HS)
3	8	SIDE 2: 3.0 steps inside 30 yd In	13.0 steps behind FRONT HASH (HS)
4	8	SIDE 2: 4.0 steps outside 35 yd In	10.0 steps in front of BACK HASH (HS)
5	8	SIDE 2: 4.0 steps outside 35 yd In	10.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: On 35 yd In	4.0 steps behind FRONT HASH (HS)
7	8	SIDE 2: 0.5 steps inside 30 yd In	5.5 steps behind FRONT HASH (HS)
8	40	SIDE 2: 0.5 steps inside 30 yd In	5.5 steps behind FRONT HASH (HS)
9	16	SIDE 2: 0.5 steps inside 25 yd In	8.5 steps in front of FRONT HASH (HS)
10	16	SIDE 2: 2.0 steps outside 35 yd In	8.5 steps in front of FRONT HASH (HS)
11	16	SIDE 2: 2.75 steps outside 35 yd In	6.75 steps in front of FRONT HASH (HS)
12	8	SIDE 2: 2.75 steps outside 35 yd In	6.75 steps in front of FRONT HASH (HS)
13	8	SIDE 2: 2.75 steps outside 35 yd In	6.75 steps in front of FRONT HASH (HS)
14	12	SIDE 2: 0.5 steps outside 40 yd In	13.75 steps behind FRONT SIDELINE
15	12	SIDE 2: 0.5 steps outside 40 yd In	13.75 steps behind FRONT SIDELINE
16	24	SIDE 2: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
17	8	SIDE 2: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
18	16	SIDE 2: 1.25 steps outside 40 yd In	4.0 steps in front of FRONT HASH (HS)
19	16	SIDE 2: 4.0 steps outside 40 yd In	5.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 4.0 steps outside 40 yd In	2.0 steps in front of FRONT HASH (HS)

### Performer: Symbol: B Label: 12 ID:563237395084800 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 2: 4.0 steps outside 40 yd In	2.0 steps in front of FRONT HASH (HS)
21	16	SIDE 2: 2.5 steps inside 40 yd In	1.5 steps behind FRONT HASH (HS)
22	8	SIDE 2: 2.5 steps inside 40 yd In	1.5 steps behind FRONT HASH (HS)
23	8	SIDE 2: 2.5 steps inside 40 yd In	1.5 steps behind FRONT HASH (HS)
24	8	SIDE 2: 2.5 steps inside 40 yd In	1.5 steps behind FRONT HASH (HS)
25	12	SIDE 2: 2.5 steps inside 40 yd In	1.5 steps behind FRONT HASH (HS)
26	10	SIDE 2: 2.5 steps inside 40 yd In	1.5 steps behind FRONT HASH (HS)
27	8	SIDE 2: 2.5 steps inside 40 yd In	1.5 steps behind FRONT HASH (HS)
28	12	SIDE 2: On 45 yd In	12.0 steps behind FRONT HASH (HS)
29	4	SIDE 2: On 45 yd In	12.0 steps behind FRONT HASH (HS)
30	4	SIDE 2: On 45 yd In	12.0 steps behind FRONT HASH (HS)
31	4	SIDE 2: 4.0 steps outside 45 yd In	12.0 steps behind FRONT HASH (HS)
32	4	SIDE 2: 4.0 steps outside 45 yd In	12.0 steps behind FRONT HASH (HS)
33	4	SIDE 2: 4.0 steps outside 45 yd In	12.0 steps behind FRONT HASH (HS)
34	14	SIDE 2: 4.0 steps outside 45 yd In	12.0 steps behind FRONT HASH (HS)
35	12	SIDE 2: 0.25 steps inside 35 vd In	0.25 steps in front of FRONT HASH (HS)

Performer: Symbol: B Label: 12 ID:563237395084800 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 0.25 steps inside 35 yd In	0.25 steps in front of FRONT HASH (HS)
36	8	SIDE 2: 0.25 steps inside 35 yd In	0.25 steps in front of FRONT HASH (HS)
37	16	SIDE 2: On 40 yd In	On FRONT HASH (HS)
38	16	SIDE 2: On 30 yd In	8.0 steps in front of FRONT HASH (HS)
39	16	SIDE 2: On 30 yd In	8.0 steps behind FRONT HASH (HS)
40	20	SIDE 2: On 30 yd In	8.0 steps behind FRONT HASH (HS)
41	16	SIDE 2: On 25 yd In	13.0 steps behind FRONT HASH (HS)
42	16	SIDE 2: On 30 yd In	8.0 steps behind FRONT HASH (HS)
43	12	SIDE 2: 2.5 steps inside 25 yd In	11.25 steps behind FRONT HASH (HS)
44	16	SIDE 2: 0.25 steps inside 25 yd In	2.75 steps in front of FRONT HASH (HS)
45	16	SIDE 2: 1.25 steps outside 35 yd In	1.5 steps in front of FRONT HASH (HS)
46	8	SIDE 2: 3.5 steps inside 35 yd In	On FRONT HASH (HS)

Performer:		Symbol: B Label: 12 ID:563237395084	800 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 3.5 steps inside 35 yd In	On FRONT HASH (HS)
47	17	SIDE 2: 2.0 steps outside 45 yd In	3.0 steps in front of FRONT HASH (HS)
48	8	SIDE 2: 2.0 steps outside 45 yd In	3.0 steps in front of FRONT HASH (HS)
49	9	SIDE 2: 2.0 steps outside 45 yd In	3.0 steps in front of FRONT HASH (HS)
50	8	SIDE 2: 2.0 steps outside 45 yd In	3.0 steps in front of FRONT HASH (HS)
51	8	SIDE 2: 2.0 steps outside 45 yd In	3.0 steps in front of FRONT HASH (HS)
52	20	SIDE 2: 4.0 steps inside 40 yd In	4.0 steps in front of FRONT HASH (HS)
53	16	SIDE 2: 4.0 steps inside 40 yd In	4.0 steps in front of FRONT HASH (HS)
54	8	SIDE 2: 4.0 steps inside 40 yd In	4.0 steps in front of FRONT HASH (HS)
55	16	SIDE 2: 4.0 steps inside 40 yd In	4.0 steps in front of FRONT HASH (HS)
56	16	SIDE 2: 4.0 steps inside 40 yd In	4.0 steps in front of FRONT HASH (HS)
57	8	SIDE 2: 4.0 steps inside 40 yd In	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 4.0 steps inside 40 yd In	4.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: On 40 yd In	4.0 steps behind FRONT HASH (HS)
60	8	SIDE 2: 4.0 steps outside 40 yd In	4.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 4.0 steps outside 40 yd In	4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 4.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: 4.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: 4.0 steps outside 40 yd In	2.0 steps behind FRONT HASH (HS)
65	18	SIDE 2: 4.0 steps outside 40 yd In	2.0 steps behind FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: B Label: 11 ID:563237395084	4900 Drill: 2024 GRAFTON PT1.3dj
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 3.0 steps inside 30 yd In	5.0 steps in front of BACK HASH (HS)
2	8	SIDE 2: 3.0 steps inside 30 yd In	5.0 steps in front of BACK HASH (HS)
3	8	SIDE 2: 3.0 steps inside 30 yd In	5.0 steps in front of BACK HASH (HS)
4	8	SIDE 2: 4.0 steps outside 35 yd In	4.0 steps in front of BACK HASH (HS)
5	8	SIDE 2: 4.0 steps outside 35 yd In	4.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: On 35 yd In	10.0 steps behind FRONT HASH (HS)
7	8	SIDE 2: 3.0 steps inside 30 yd In	6.25 steps behind FRONT HASH (HS)
8	40	SIDE 2: 3.0 steps inside 30 yd In	6.25 steps behind FRONT HASH (HS)
9	16	SIDE 2: 1.0 steps inside 25 yd In	6.0 steps in front of FRONT HASH (HS)
10	16	SIDE 2: 3.75 steps inside 30 yd In	7.25 steps in front of FRONT HASH (HS)
11	16	SIDE 2: 3.5 steps inside 30 yd In	4.5 steps in front of FRONT HASH (HS)
12	8	SIDE 2: 3.5 steps inside 30 yd In	4.5 steps in front of FRONT HASH (HS)
13	8	SIDE 2: 3.5 steps inside 30 yd In	4.5 steps in front of FRONT HASH (HS)
14	12	SIDE 2: 2.5 steps outside 40 yd In	12.25 steps in front of FRONT HASH (HS)
15	12	SIDE 2: 2.5 steps outside 40 yd In	12.25 steps in front of FRONT HASH (HS)
16	24	SIDE 2: 4.0 steps outside 40 yd In	On FRONT HASH (HS)
17	8	SIDE 2: 4.0 steps outside 40 yd In	On FRONT HASH (HS)
18	16	SIDE 2: 1.25 steps inside 40 yd In	On FRONT HASH (HS)
19	16	SIDE 2: 0.75 steps inside 40 yd In	0.75 steps in front of FRONT HASH (HS)
20	16	SIDE 2: On 40 yd In	4.5 steps in front of FRONT HASH (HS)

### Performer: Symbol: B Label: 11 ID:563237395084900 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

Set	Count	S SIDE 1-SIDE 2	FRUNT-BACK
20	0	SIDE 2: On 40 yd In	4.5 steps in front of FRONT HASH (HS)
21	16	SIDE 2: 3.5 steps outside 45 yd In	2.75 steps behind FRONT HASH (HS)
22	8	SIDE 2: 3.5 steps outside 45 yd In	2.75 steps behind FRONT HASH (HS)
23	8	SIDE 2: 3.5 steps outside 45 yd In	2.75 steps behind FRONT HASH (HS)
24	8	SIDE 2: 3.5 steps outside 45 yd In	2.75 steps behind FRONT HASH (HS)
25	12	SIDE 2: 3.5 steps outside 45 yd In	2.75 steps behind FRONT HASH (HS)
26	10	SIDE 2: 3.5 steps outside 45 yd In	2.75 steps behind FRONT HASH (HS)
27	8	SIDE 2: 3.5 steps outside 45 yd In	2.75 steps behind FRONT HASH (HS)
28	12	SIDE 2: On 50 yd In	On FRONT HASH (HS)
29	4	SIDE 2: On 50 yd In	On FRONT HASH (HS)
30	4	SIDE 2: On 50 yd In	On FRONT HASH (HS)
31	4	SIDE 2: On 50 yd In	On FRONT HASH (HS)
32	4	SIDE 2: On 50 yd In	On FRONT HASH (HS)
33	4	On 50 yd In	4.0 steps behind FRONT HASH (HS)
34	14	On 50 yd In	4.0 steps behind FRONT HASH (HS)
35	12	SIDE 2: On 40 yd In	2.5 steps behind FRONT HASH (HS)

Performer: Symbol: B Label: 11 ID:563237395084900 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: On 40 yd In	2.5 steps behind FRONT HASH (HS)
36	8	SIDE 2: On 40 yd In	2.5 steps behind FRONT HASH (HS)
37	16	SIDE 2: 4.0 steps outside 45 yd In	On FRONT HASH (HS)
38	16	SIDE 2: 4.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
39	16	SIDE 2: 4.0 steps outside 35 yd In	8.0 steps behind FRONT HASH (HS)
40	20	SIDE 2: 4.0 steps outside 35 yd In	8.0 steps behind FRONT HASH (HS)
41	16	SIDE 2: On 25 yd In	7.0 steps behind FRONT HASH (HS)
42	16	SIDE 2: 2.0 steps outside 30 yd In	8.0 steps behind FRONT HASH (HS)
43	12	SIDE 2: 0.5 steps inside 25 yd In	10.25 steps behind FRONT HASH (HS)
44	16	SIDE 2: 1.75 steps outside 25 yd In	3.75 steps in front of FRONT HASH (HS)
45	16	SIDE 2: 3.75 steps outside 35 yd In	1.25 steps in front of FRONT HASH (HS)
46	8	SIDE 2: 1.0 steps inside 35 yd In	0.75 steps behind FRONT HASH (HS)

Performer:		Symbol: B Label: 11 II	D:5632373950849	00 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2		FRONT-BACK
46	0	SIDE 2: 1.0 steps inside 3	35 yd In	0.75 steps behind FRONT HASH (HS)
47	17	SIDE 2: 2.0 steps inside 4	10 yd In	3.0 steps in front of FRONT HASH (HS)
48	8	SIDE 2: 2.0 steps inside 4	10 yd In	3.0 steps in front of FRONT HASH (HS)
49	9	SIDE 2: 2.0 steps inside 4	10 yd In	3.0 steps in front of FRONT HASH (HS)
50	8	SIDE 2: 2.0 steps inside 4	10 yd In	3.0 steps in front of FRONT HASH (HS)
51	8	SIDE 2: 2.0 steps inside 4	10 yd In	3.0 steps in front of FRONT HASH (HS)
52	20	SIDE 2: On 40 yd In		4.0 steps in front of FRONT HASH (HS)
53	16	SIDE 2: On 40 yd In		4.0 steps in front of FRONT HASH (HS)
54	8	SIDE 2: On 40 yd In		4.0 steps in front of FRONT HASH (HS)
55	16	SIDE 2: On 40 yd In		4.0 steps in front of FRONT HASH (HS)
56	16	SIDE 2: On 40 yd In		4.0 steps in front of FRONT HASH (HS)
57	8	SIDE 2: On 40 yd In		4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: On 40 yd In		4.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: On 40 yd In		On FRONT HASH (HS)
60	8	SIDE 2: On 40 yd In		4.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: On 40 yd In		4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: On 40 yd In		8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: On 40 yd In		8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: 2.0 steps outside	40 yd In	2.0 steps in front of FRONT HASH (HS)
65	18	SIDE 2: 2.0 steps outside	40 yd In	2.0 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: B Label: 6 ID:563237395085	5400 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 3.0 steps outside 45 yd In	5.0 steps behind FRONT HASH (HS)
2	8	SIDE 2: 3.0 steps outside 45 yd In	5.0 steps behind FRONT HASH (HS)
3	8	SIDE 2: 3.0 steps outside 45 yd In	5.0 steps behind FRONT HASH (HS)
4	8	SIDE 2: 4.0 steps outside 40 yd In	10.0 steps in front of BACK HASH (HS)
5	8	SIDE 2: 4.0 steps outside 40 yd In	10.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: On 40 yd In	4.0 steps behind FRONT HASH (HS)
7	8	SIDE 2: 0.75 steps outside 40 yd In	8.25 steps behind FRONT HASH (HS)
8	40	SIDE 2: 0.75 steps outside 40 yd In	8.25 steps behind FRONT HASH (HS)
9	16	SIDE 2: 3.0 steps inside 30 yd In	0.5 steps in front of FRONT HASH (HS)
10	16	SIDE 2: 4.0 steps inside 35 yd In	1.25 steps in front of FRONT HASH (HS)
11	16	SIDE 2: 2.0 steps outside 35 yd In	On FRONT HASH (HS)
12	8	SIDE 2: 2.0 steps outside 35 yd In	On FRONT HASH (HS)
13	8	SIDE 2: 2.0 steps outside 35 yd In	On FRONT HASH (HS)
14	12	SIDE 2: 0.25 steps outside 35 yd In	1.0 steps in front of FRONT HASH (HS)
15	12	SIDE 2: 0.25 steps outside 35 yd In	1.0 steps in front of FRONT HASH (HS)
16	24	SIDE 2: On 30 yd In	8.0 steps behind FRONT HASH (HS)
17	8	SIDE 2: On 30 yd In	8.0 steps behind FRONT HASH (HS)
18	16	SIDE 2: On 40 yd In	8.0 steps behind FRONT HASH (HS)
19	16	SIDE 2: On 45 yd In	4.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 3.0 steps inside 45 yd In	10.0 steps behind FRONT HASH (HS)

### Performer: Symbol: B Label: 6 ID:563237395085400 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 1: 3.0 steps inside 45 yd In	10.0 steps behind FRONT HASH (HS)
21	16	SIDE 2: 1.0 steps outside 45 yd In	3.5 steps behind FRONT HASH (HS)
22	8	SIDE 2: 1.0 steps outside 45 yd In	3.5 steps behind FRONT HASH (HS)
23	8	SIDE 2: 1.0 steps outside 45 yd In	3.5 steps behind FRONT HASH (HS)
24	8	SIDE 2: 1.0 steps outside 45 yd In	3.5 steps behind FRONT HASH (HS)
25	12	SIDE 2: 1.0 steps outside 45 yd In	3.5 steps behind FRONT HASH (HS)
26	10	SIDE 2: 1.0 steps outside 45 yd In	3.5 steps behind FRONT HASH (HS)
27	8	SIDE 2: 1.0 steps outside 45 yd In	3.5 steps behind FRONT HASH (HS)
28	12	SIDE 2: On 50 yd In	4.0 steps behind FRONT HASH (HS)
29	4	SIDE 2: On 50 yd In	4.0 steps behind FRONT HASH (HS)
30	4	SIDE 2: On 50 yd In	4.0 steps behind FRONT HASH (HS)
31	4	SIDE 2: 4.0 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
32	4	SIDE 2: 4.0 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
33	4	SIDE 2: 4.0 steps outside 50 yd In	4.0 steps behind FRONT HASH (HS)
34	14	SIDE 2: 4.0 steps outside 50 yd In	4.0 steps behind FRONT HASH (HS)
35	12	SIDE 2: 2.75 steps outside 40 vd ln	2.0 steps behind FRONT HASH (HS)

Performer: Symbol: B Label: 6 ID:563237395085400 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 2.75 steps outside 40 yd In	2.0 steps behind FRONT HASH (HS)
36	8	SIDE 2: 2.75 steps outside 40 yd In	2.0 steps behind FRONT HASH (HS)
37	16	SIDE 2: 4.0 steps outside 45 yd In	4.0 steps in front of FRONT HASH (HS)
38	16	SIDE 2: 4.0 steps outside 35 yd In	12.0 steps in front of FRONT HASH (HS)
39	16	SIDE 2: 4.0 steps outside 35 yd In	4.0 steps behind FRONT HASH (HS)
40	20	SIDE 2: 4.0 steps outside 35 yd In	4.0 steps behind FRONT HASH (HS)
41	16	SIDE 2: On 25 yd In	1.0 steps behind FRONT HASH (HS)
42	16	SIDE 2: 4.0 steps outside 30 yd In	8.0 steps behind FRONT HASH (HS)
43	12	SIDE 2: 1.25 steps outside 25 yd In	9.0 steps behind FRONT HASH (HS)
44	16	SIDE 2: 3.5 steps outside 25 yd In	5.25 steps in front of FRONT HASH (HS)
45	16	SIDE 2: 2.0 steps inside 30 yd In	1.25 steps in front of FRONT HASH (HS)
46	8	SIDE 2: 1.5 steps outside 35 yd In	1.25 steps behind FRONT HASH (HS)

Perfo	rmer:	Symbol: B Label: 6 ID:5632373950	85400 Drill: 2024 Grafton Pt4
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 1.5 steps outside 35 yd In	1.25 steps behind FRONT HASH (HS)
47	17	SIDE 2: 2.0 steps outside 40 yd In	3.0 steps in front of FRONT HASH (HS)
48	8	SIDE 2: 2.0 steps outside 40 yd In	3.0 steps in front of FRONT HASH (HS)
49	9	SIDE 2: 2.0 steps outside 40 yd In	3.0 steps in front of FRONT HASH (HS)
50	8	SIDE 2: 2.0 steps outside 40 yd In	3.0 steps in front of FRONT HASH (HS)
51	8	SIDE 2: 2.0 steps outside 40 yd In	3.0 steps in front of FRONT HASH (HS)
52	20	SIDE 2: 4.0 steps inside 35 yd In	4.0 steps in front of FRONT HASH (HS)
53	16	SIDE 2: 4.0 steps inside 35 yd In	4.0 steps in front of FRONT HASH (HS)
54	8	SIDE 2: 4.0 steps inside 35 yd In	4.0 steps in front of FRONT HASH (HS)
55	16	SIDE 2: 4.0 steps inside 35 yd In	4.0 steps in front of FRONT HASH (HS)
56	16	SIDE 2: 4.0 steps inside 35 yd In	4.0 steps in front of FRONT HASH (HS)
57	8	SIDE 2: 4.0 steps inside 35 yd In	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 4.0 steps inside 35 yd In	4.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 4.0 steps outside 45 yd In	4.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 4.0 steps outside 45 yd In	4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 4.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: 4.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: On 40 yd In	6.0 steps in front of FRONT HASH (HS)
65	18	SIDE 2: On 40 yd In	6.0 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: B Label: 13 ID:56323739508	84700 Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 3.0 steps outside 30 yd In	14.0 steps in front of BACK HASH (HS)
2	8	SIDE 2: 3.0 steps outside 30 yd In	14.0 steps in front of BACK HASH (HS)
3	8	SIDE 2: 3.0 steps outside 30 yd In	14.0 steps in front of BACK HASH (HS)
4	8	SIDE 2: 2.0 steps inside 30 yd In	7.0 steps in front of BACK HASH (HS)
5	8	SIDE 2: 2.0 steps inside 30 yd In	7.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 2.0 steps outside 35 yd In	7.0 steps behind FRONT HASH (HS)
7	8	SIDE 2: 2.0 steps outside 30 yd In	5.0 steps behind FRONT HASH (HS)
8	40	SIDE 2: 2.0 steps outside 30 yd In	5.0 steps behind FRONT HASH (HS)
9	16	SIDE 2: 0.5 steps inside 25 yd In	10.75 steps in front of FRONT HASH (HS)
10	16	SIDE 2: 0.25 steps inside 35 yd In	9.25 steps in front of FRONT HASH (HS)
11	16	SIDE 2: 1.0 steps outside 35 yd In	9.0 steps in front of FRONT HASH (HS)
12	8	SIDE 2: 1.0 steps outside 35 yd In	9.0 steps in front of FRONT HASH (HS)
13	8	SIDE 2: 1.0 steps outside 35 yd In	9.0 steps in front of FRONT HASH (HS)
14	12	SIDE 2: 0.75 steps inside 40 yd In	11.5 steps behind FRONT SIDELINE
15	12	SIDE 2: 0.75 steps inside 40 yd In	11.5 steps behind FRONT SIDELINE
16	24	SIDE 2: 4.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
17	8	SIDE 2: 4.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
18	16	SIDE 2: 4.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
19	16	SIDE 2: 1.75 steps outside 35 yd In	7.5 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 0.25 steps outside 35 yd In	0.25 steps in front of FRONT HASH (HS)

### Performer: Symbol: B Label: 13 ID:563237395084700 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 2: 0.25 steps outside 35 yd In	0.25 steps in front of FRONT HASH (HS)
21	16	SIDE 2: 0.75 steps inside 40 yd In	0.25 steps in front of FRONT HASH (HS)
22	8	SIDE 2: 0.75 steps inside 40 yd In	0.25 steps in front of FRONT HASH (HS)
23	8	SIDE 2: 0.75 steps inside 40 yd In	0.25 steps in front of FRONT HASH (HS)
24	8	SIDE 2: 0.75 steps inside 40 yd In	0.25 steps in front of FRONT HASH (HS)
25	12	SIDE 2: 0.75 steps inside 40 yd In	0.25 steps in front of FRONT HASH (HS)
26	10	SIDE 2: 0.75 steps inside 40 yd In	0.25 steps in front of FRONT HASH (HS)
27	8	SIDE 2: 0.75 steps inside 40 yd In	0.25 steps in front of FRONT HASH (HS)
28	12	SIDE 2: On 45 yd In	8.0 steps behind FRONT HASH (HS)
29	4	SIDE 2: On 45 yd In	8.0 steps behind FRONT HASH (HS)
30	4	SIDE 2: On 45 yd In	8.0 steps behind FRONT HASH (HS)
31	4	SIDE 2: On 45 yd In	8.0 steps behind FRONT HASH (HS)
32	4	SIDE 2: On 45 yd In	8.0 steps behind FRONT HASH (HS)
33	4	SIDE 2: On 45 yd In	4.0 steps behind FRONT HASH (HS)
34	14	SIDE 2: On 45 yd In	4.0 steps behind FRONT HASH (HS)
35	12	SIDE 2: 2.75 steps inside 35 vd In	1.0 steps behind FRONT HASH (HS)

Performer: Symbol: B Label: 13 ID:563237395084700 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

renoi	enormer.		
Set	Counts	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 2.75 steps inside 35 yd In	1.0 steps behind FRONT HASH (HS)
36	8	SIDE 2: 2.75 steps inside 35 yd In	1.0 steps behind FRONT HASH (HS)
37	16	SIDE 2: 4.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
38	16	SIDE 2: 4.0 steps outside 35 yd In	12.0 steps behind FRONT SIDELINE
39	16	SIDE 2: 4.0 steps outside 35 yd In	On FRONT HASH (HS)
40	20	SIDE 2: 4.0 steps outside 35 yd In	On FRONT HASH (HS)
41	16	SIDE 2: On 25 yd In	5.0 steps in front of FRONT HASH (HS)
42	16	SIDE 2: 2.0 steps inside 25 yd In	8.0 steps behind FRONT HASH (HS)
43	12	SIDE 2: 2.75 steps outside 25 yd In	7.75 steps behind FRONT HASH (HS)
44	16	SIDE 2: 3.25 steps inside 20 yd In	7.0 steps in front of FRONT HASH (HS)
45	16	SIDE 2: 0.25 steps outside 30 yd In	1.5 steps in front of FRONT HASH (HS)
46	8	SIDE 2: 4.0 steps outside 35 yd In	1.25 steps behind FRONT HASH (HS)
Perfo	Performer: Symbol: B Label: 13 ID:563237395084700 Drill: 2024 Grafton Pt4		
Set	Counts	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 4.0 steps outside 35 yd In	1.25 steps behind FRONT HASH (HS)

Perfo	mer:	Symbol: B Label: 13 ID:563237395084	700 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 4.0 steps outside 35 yd In	1.25 steps behind FRONT HASH (HS)
47	17	SIDE 2: 2.0 steps inside 35 yd In	3.0 steps in front of FRONT HASH (HS)
48	8	SIDE 2: 2.0 steps inside 35 yd In	3.0 steps in front of FRONT HASH (HS)
49	9	SIDE 2: 2.0 steps inside 35 yd In	3.0 steps in front of FRONT HASH (HS)
50	8	SIDE 2: 2.0 steps inside 35 yd In	3.0 steps in front of FRONT HASH (HS)
51	8	SIDE 2: 2.0 steps inside 35 yd In	3.0 steps in front of FRONT HASH (HS)
52	20	SIDE 2: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
53	16	SIDE 2: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
54	8	SIDE 2: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
55	16	SIDE 2: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
56	16	SIDE 2: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
57	8	SIDE 2: 2.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 2.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: 2.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 2.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 2.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 2.0 steps outside 35 yd In	12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: 2.0 steps outside 35 yd In	12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: 2.25 steps inside 35 yd In	13.75 steps in front of FRONT HASH (HS)
65	18	SIDE 2: 2.25 steps inside 35 yd In	13.75 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: U Label: 1 ID:563650346963	3500 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 2.0 steps inside 35 yd In	8.0 steps behind FRONT HASH (HS)
2	8	SIDE 1: 2.0 steps inside 35 yd In	8.0 steps behind FRONT HASH (HS)
3	8	SIDE 1: 2.0 steps inside 35 yd In	8.0 steps behind FRONT HASH (HS)
4	8	SIDE 1: On 40 yd In	10.0 steps behind FRONT HASH (HS)
5	8	SIDE 1: On 40 yd In	10.0 steps behind FRONT HASH (HS)
6	16	SIDE 1: 4.0 steps inside 45 yd In	On FRONT HASH (HS)
7	8	SIDE 1: 0.5 steps inside 45 yd In	2.25 steps behind FRONT HASH (HS)
8	40	SIDE 1: 0.5 steps inside 45 yd In	2.25 steps behind FRONT HASH (HS)
9	16	SIDE 2: 1.0 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
10	16	SIDE 2: 3.5 steps inside 40 yd In	13.75 steps in front of FRONT HASH (HS)
11	16	SIDE 2: On 40 yd In	8.0 steps behind FRONT SIDELINE
12	8	SIDE 2: On 40 yd In	8.0 steps behind FRONT SIDELINE
13	8	SIDE 2: On 40 yd In	8.0 steps behind FRONT SIDELINE
14	12	SIDE 2: 2.0 steps outside 35 yd In	5.25 steps behind FRONT SIDELINE
15	12	SIDE 2: 2.0 steps outside 35 yd In	5.25 steps behind FRONT SIDELINE
16	24	SIDE 2: 2.75 steps inside 40 yd In	12.0 steps behind FRONT SIDELINE
17	8	SIDE 2: 2.75 steps inside 40 yd In	12.0 steps behind FRONT SIDELINE
18	16	SIDE 2: 2.75 steps inside 30 yd In	12.0 steps behind FRONT SIDELINE
19	16	SIDE 2: 2.75 steps inside 25 yd In	12.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 0.25 steps outside 25 yd In	8.75 steps behind FRONT SIDELINE

# Performer: Symbol: U Label: 1 ID:563650346963500 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK 20 0 SIDE 2: 0.25 steps outside 25 yd In 8.75 steps behind FRONT SIDELINE

20	0	SIDE 2: 0.25 steps outside 25 yd In	8.75 steps behind FRONT SIDELINE
21	16	SIDE 2: 4.0 steps outside 25 yd In	8.0 steps behind FRONT SIDELINE
22	8	SIDE 2: 4.0 steps outside 25 yd In	8.0 steps behind FRONT SIDELINE
23	8	SIDE 2: 3.75 steps inside 25 yd In	9.25 steps in front of FRONT HASH (HS)
24	8	SIDE 2: 3.75 steps inside 25 yd In	9.25 steps in front of FRONT HASH (HS)
25	12	SIDE 2: 3.75 steps inside 25 yd In	9.25 steps in front of FRONT HASH (HS)
26	10	SIDE 2: 3.75 steps inside 25 yd In	9.25 steps in front of FRONT HASH (HS)
27	8	SIDE 2: 3.75 steps inside 25 yd In	9.25 steps in front of FRONT HASH (HS)
28	12	SIDE 2: On 30 yd In	12.0 steps behind FRONT SIDELINE
29	4	SIDE 2: On 30 yd In	12.0 steps behind FRONT SIDELINE
30	4	SIDE 2: On 30 yd In	12.0 steps behind FRONT SIDELINE
31	4	SIDE 2: On 30 yd In	12.0 steps behind FRONT SIDELINE
32	4	SIDE 2: 4.0 steps outside 30 yd In	12.0 steps behind FRONT SIDELINE
33	4	SIDE 2: 4.0 steps outside 30 yd In	12.0 steps behind FRONT SIDELINE
34	14	SIDE 2: 4.0 steps outside 30 yd In	12.0 steps behind FRONT SIDELINE
35	12	SIDE 2: On 30 yd In	11.0 steps in front of FRONT HASH (HS)

Performer: Symbol: U Label: 1 ID:563650346963500 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: On 30 yd In	11.0 steps in front of FRONT HASH (HS)
36	8	SIDE 2: On 30 yd In	11.0 steps in front of FRONT HASH (HS)
37	16	SIDE 2: 4.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
38	16	SIDE 2: 4.0 steps outside 30 yd In	12.0 steps behind FRONT SIDELINE
39	16	SIDE 2: 4.0 steps outside 30 yd In	On FRONT HASH (HS)
40	20	SIDE 2: 4.0 steps outside 30 yd In	On FRONT HASH (HS)
41	16	SIDE 2: On 25 yd In	8.0 steps in front of FRONT HASH (HS)
42	16	SIDE 2: On 25 yd In	8.0 steps behind FRONT HASH (HS)
43	12	SIDE 2: 3.75 steps inside 20 yd In	6.0 steps behind FRONT HASH (HS)
44	16	SIDE 2: 2.25 steps inside 20 yd In	9.0 steps in front of FRONT HASH (HS)
45	16	SIDE 2: 2.75 steps outside 30 yd In	1.75 steps in front of FRONT HASH (HS)
46	8	SIDE 2: 1.5 steps inside 30 yd In	1.25 steps behind FRONT HASH (HS)

Perfo	rmer:	Symbol: U Label: 1 ID:563650346963	
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 1.5 steps inside 30 yd In	1.25 steps behind FRONT HASH (HS)
47	17	SIDE 2: 4.0 steps outside 50 yd In	On FRONT HASH (HS)
48	8	SIDE 2: 4.0 steps outside 50 yd In	On FRONT HASH (HS)
49	9	SIDE 2: 4.0 steps outside 50 yd In	On FRONT HASH (HS)
50	8	SIDE 2: 4.0 steps outside 50 yd In	On FRONT HASH (HS)
51	8	SIDE 2: 4.0 steps outside 50 yd In	On FRONT HASH (HS)
52	20	SIDE 1: On 45 yd In	On FRONT HASH (HS)
53	16	SIDE 1: On 45 yd In	On FRONT HASH (HS)
54	8	SIDE 1: On 45 yd In	On FRONT HASH (HS)
55	16	SIDE 1: On 45 yd In	On FRONT HASH (HS)
56	16	SIDE 1: On 45 yd In	On FRONT HASH (HS)
57	8	SIDE 1: 2.0 steps inside 45 yd In	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: 2.0 steps inside 45 yd In	4.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: 2.0 steps inside 45 yd In	4.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 4.0 steps inside 45 yd In	2.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 2.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 2.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: 2.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: 3.0 steps inside 45 yd In	0.25 steps behind FRONT HASH (HS)
65	18	SIDE 1: 3.0 steps inside 45 yd In	0.25 steps behind FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: U Label: 5 ID:563650346963	000 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: On 45 yd In	2.0 steps behind FRONT HASH (HS)
2	8	SIDE 1: On 45 yd In	2.0 steps behind FRONT HASH (HS)
3	8	SIDE 1: On 45 yd In	2.0 steps behind FRONT HASH (HS)
4	8	SIDE 1: On 45 yd In	10.0 steps behind FRONT HASH (HS)
5	8	SIDE 1: On 45 yd In	10.0 steps behind FRONT HASH (HS)
6	16	SIDE 2: 4.0 steps outside 50 yd In	On FRONT HASH (HS)
7	8	SIDE 2: 1.75 steps outside 50 yd In	6.0 steps behind FRONT HASH (HS)
8	40	SIDE 2: 1.75 steps outside 50 yd In	6.0 steps behind FRONT HASH (HS)
9	16	SIDE 2: 0.75 steps inside 40 yd In	3.25 steps in front of FRONT HASH (HS)
10	16	SIDE 2: 2.5 steps inside 35 yd In	10.0 steps in front of FRONT HASH (HS)
11	16	SIDE 2: 1.0 steps inside 35 yd In	11.0 steps in front of FRONT HASH (HS)
12	8	SIDE 2: 1.0 steps inside 35 yd In	11.0 steps in front of FRONT HASH (HS)
13	8	SIDE 2: 1.0 steps inside 35 yd In	11.0 steps in front of FRONT HASH (HS)
14	12	SIDE 2: On 40 yd In	9.0 steps behind FRONT SIDELINE
15	12	SIDE 2: On 40 yd In	9.0 steps behind FRONT SIDELINE
16	24	SIDE 2: On 45 yd In	12.0 steps behind FRONT SIDELINE
17	8	SIDE 2: On 45 yd In	12.0 steps behind FRONT SIDELINE
18	16	SIDE 2: On 35 yd In	12.0 steps behind FRONT SIDELINE
19	16	SIDE 2: On 30 yd In	12.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 0.75 steps inside 30 yd In	10.75 steps behind FRONT SIDELINE

# Performer: Symbol: U Label: 5 ID:563650346963000 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK 20 0 SIDE 2: 0.75 steps inside 30 yd In 10.75 steps behind FRONT SIDELINE 21 16 SIDE 2: 4.0 steps outside 30 yd In 8.0 steps behind FRONT SIDELINE 22 8 SIDE 2: 4.0 steps outside 30 yd In 8.0 steps behind FRONT SIDELINE

20	U	SIDE 2: 0.75 steps inside 30 ya in	10.75 steps bening FRONT SIDELINE
21	16	SIDE 2: 4.0 steps outside 30 yd In	8.0 steps behind FRONT SIDELINE
22	8	SIDE 2: 4.0 steps outside 30 yd In	8.0 steps behind FRONT SIDELINE
23	8	SIDE 2: 2.5 steps outside 35 yd In	13.0 steps in front of FRONT HASH (HS)
24	8	SIDE 2: 2.5 steps outside 35 yd In	13.0 steps in front of FRONT HASH (HS)
25	12	SIDE 2: 2.5 steps outside 35 yd In	13.0 steps in front of FRONT HASH (HS)
26	10	SIDE 2: 2.5 steps outside 35 yd In	13.0 steps in front of FRONT HASH (HS)
27	8	SIDE 2: 2.5 steps outside 35 yd In	13.0 steps in front of FRONT HASH (HS)
28	12	SIDE 2: On 35 yd In	8.0 steps behind FRONT SIDELINE
29	4	SIDE 2: On 35 yd In	8.0 steps behind FRONT SIDELINE
30	4	SIDE 2: On 35 yd In	8.0 steps behind FRONT SIDELINE
31	4	SIDE 2: On 35 yd In	8.0 steps behind FRONT SIDELINE
32	4	SIDE 2: On 35 yd In	8.0 steps behind FRONT SIDELINE
33	4	SIDE 2: On 35 yd In	12.0 steps behind FRONT SIDELINE
34	14	SIDE 2: On 35 yd In	12.0 steps behind FRONT SIDELINE
35	12	SIDE 2: 3.5 steps outside 35 yd In	4.25 steps in front of FRONT HASH (HS)

Performer: Symbol: U Label: 5 ID:563650346963000 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Counts	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 3.5 steps outside 35 yd In	4.25 steps in front of FRONT HASH (HS)
36	8	SIDE 2: 3.5 steps outside 35 yd In	4.25 steps in front of FRONT HASH (HS)
37	16	SIDE 2: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
38	16	SIDE 2: On 30 yd In	12.0 steps behind FRONT SIDELINE
39	16	SIDE 2: On 30 yd In	On FRONT HASH (HS)
40	20	SIDE 2: On 30 yd In	On FRONT HASH (HS)
41	16	SIDE 2: On 25 yd In	2.0 steps in front of FRONT HASH (HS)
42	16	SIDE 2: 2.0 steps outside 25 yd In	8.0 steps behind FRONT HASH (HS)
43	12	SIDE 2: 2.75 steps inside 20 yd In	4.25 steps behind FRONT HASH (HS)
44	16	SIDE 2: 2.0 steps inside 20 yd In	11.25 steps in front of FRONT HASH (HS)
45	16	SIDE 2: 3.25 steps inside 25 yd In	2.75 steps in front of FRONT HASH (HS)
46	8	SIDE 2: 1.0 steps outside 30 yd In	1.0 steps behind FRONT HASH (HS)
Perfo	rmer:	Symbol: U Label: 5 ID:563650346963	000 Drill: 2024 Grafton Pt4
Set	Counts	s SIDE 1-SIDE 2	FRONT-BACK

Perfo	rmer:	Symbol: U Label: 5 ID:5636503	46963000 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 1.0 steps outside 30 yd In	1.0 steps behind FRONT HASH (HS)
47	17	SIDE 2: On 45 yd In	On FRONT HASH (HS)
48	8	SIDE 2: On 45 yd In	On FRONT HASH (HS)
49	9	SIDE 2: On 45 yd In	On FRONT HASH (HS)
50	8	SIDE 2: On 45 yd In	On FRONT HASH (HS)
51	8	SIDE 2: On 45 yd In	On FRONT HASH (HS)
52	20	SIDE 1: 4.0 steps inside 45 yd In	On FRONT HASH (HS)
53	16	SIDE 1: 4.0 steps inside 45 yd In	On FRONT HASH (HS)
54	8	SIDE 1: 4.0 steps inside 45 yd In	On FRONT HASH (HS)
55	16	SIDE 1: 4.0 steps inside 45 yd In	On FRONT HASH (HS)
56	16	SIDE 1: 4.0 steps inside 45 yd In	On FRONT HASH (HS)
57	8	SIDE 1: 2.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: 2.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: 2.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 4.0 steps inside 45 yd In	2.0 steps behind FRONT HASH (HS)
61	8	SIDE 1: 2.0 steps inside 45 yd In	4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 2.0 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: 2.0 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: 1.0 steps inside 45 yd In	4.75 steps behind FRONT HASH (HS)
65	18	SIDE 1: 1.0 steps inside 45 yd In	4.75 steps behind FRONT HASH (HS)

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: U Label: 3 ID:56365034696330	00 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 1.0 steps outside 45 yd In	13.0 steps in front of BACK HASH (HS)
2	8	SIDE 1: 1.0 steps outside 45 yd In	13.0 steps in front of BACK HASH (HS)
3	8	SIDE 1: 1.0 steps outside 45 yd In	13.0 steps in front of BACK HASH (HS)
4	8	SIDE 1: 4.0 steps inside 40 yd In	10.0 steps behind FRONT HASH (HS)
5	8	SIDE 1: 4.0 steps inside 40 yd In	10.0 steps behind FRONT HASH (HS)
6	16	On 50 yd In	On FRONT HASH (HS)
7	8	SIDE 1: 2.75 steps outside 50 yd In	4.25 steps behind FRONT HASH (HS)
8	40	SIDE 1: 2.75 steps outside 50 yd In	4.25 steps behind FRONT HASH (HS)
9	16	SIDE 2: 3.0 steps outside 45 yd In	5.5 steps in front of FRONT HASH (HS)
10	16	SIDE 2: 1.0 steps outside 40 yd In	11.75 steps in front of FRONT HASH (HS)
11	16	SIDE 2: 3.5 steps outside 40 yd In	12.5 steps behind FRONT SIDELINE
12	8	SIDE 2: 3.5 steps outside 40 yd In	12.5 steps behind FRONT SIDELINE
13	8	SIDE 2: 3.5 steps outside 40 yd In	12.5 steps behind FRONT SIDELINE
14	12	SIDE 2: 3.5 steps inside 35 yd In	6.0 steps behind FRONT SIDELINE
15	12	SIDE 2: 3.5 steps inside 35 yd In	6.0 steps behind FRONT SIDELINE
16	24	SIDE 2: 2.75 steps outside 45 yd In	12.0 steps behind FRONT SIDELINE
17	8	SIDE 2: 2.75 steps outside 45 yd In	12.0 steps behind FRONT SIDELINE
18	16	SIDE 2: 2.75 steps outside 35 yd In	12.0 steps behind FRONT SIDELINE
19	16	SIDE 2: 2.75 steps outside 30 yd In	12.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 3.5 steps outside 30 yd In	9.5 steps behind FRONT SIDELINE

#### Set Counts SIDE 1-SIDE 2 FRONT-BACK SIDE 2: 3.5 steps outside 30 yd In 20 0 9.5 steps behind FRONT SIDELINE 21 16 SIDE 2: On 25 yd In 8.0 steps behind FRONT SIDELINE 22 8 SIDE 2: On 25 yd In 8.0 steps behind FRONT SIDELINE 23 8 SIDE 2: 0.25 steps inside 30 yd In 12.0 steps in front of FRONT HASH (HS) SIDE 2: 0.25 steps inside 30 yd In 24 12.0 steps in front of FRONT HASH (HS) 25 12 SIDE 2: 0.25 steps inside 30 yd In 12.0 steps in front of FRONT HASH (HS) 26 SIDE 2: 0.25 steps inside 30 yd In 12.0 steps in front of FRONT HASH (HS) 27 SIDE 2: 0.25 steps inside 30 yd In 12.0 steps in front of FRONT HASH (HS) 12 SIDE 2: On 35 yd In 12.0 steps in front of FRONT HASH (HS) 28

Drill: 2024 GRAFTON PT2

12.0 steps in front of FRONT HASH (HS)

8.0 steps in front of FRONT HASH (HS)

8.0 steps in front of FRONT HASH (HS)

Drill: 2024 GRAFTON PT3

Performer: Symbol: U Label: 3 ID:563650346963300

SIDE 2: On 35 yd In

Performer: Symbol: U Label: 3 ID:563650346963300

4 SIDE 2: On 35 yd In

25 12 SIDE 2: 1.75 steps outside 35 yd In 2.0 steps in front of FRONT HASH (HS)

Printed: Sun. Jul 7, 2024 at 12:18 PM

14

29

30

31

32

33

34

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 1.75 steps outside 35 yd In	2.0 steps in front of FRONT HASH (HS)
36	8	SIDE 2: 1.75 steps outside 35 yd In	2.0 steps in front of FRONT HASH (HS)
37	16	SIDE 2: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
38	16	SIDE 2: On 30 yd In	12.0 steps in front of FRONT HASH (HS)
39	16	SIDE 2: On 30 yd In	4.0 steps behind FRONT HASH (HS)
40	20	SIDE 2: On 30 yd In	4.0 steps behind FRONT HASH (HS)
41	16	SIDE 2: On 25 yd In	4.0 steps behind FRONT HASH (HS)
42	16	SIDE 2: 4.0 steps outside 25 yd In	8.0 steps behind FRONT HASH (HS)
43	12	SIDE 2: 1.75 steps inside 20 yd In	2.5 steps behind FRONT HASH (HS)
44	16	SIDE 2: 2.0 steps inside 20 yd In	13.5 steps in front of FRONT HASH (HS)
45	16	SIDE 2: 1.5 steps inside 25 yd In	4.5 steps in front of FRONT HASH (HS)
46	8	SIDE 2: 3.5 steps outside 30 yd In	0.25 steps behind FRONT HASH (HS)

Performer:		Symbol: U Label: 3 ID:56365034	46963300 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 3.5 steps outside 30 yd In	0.25 steps behind FRONT HASH (HS)
47	17	SIDE 2: 4.0 steps inside 40 yd In	On FRONT HASH (HS)
48	8	SIDE 2: 4.0 steps inside 40 yd In	On FRONT HASH (HS)
49	9	SIDE 2: 4.0 steps inside 40 yd In	On FRONT HASH (HS)
50	8	SIDE 2: 4.0 steps inside 40 yd In	On FRONT HASH (HS)
51	8	SIDE 2: 4.0 steps inside 40 yd In	On FRONT HASH (HS)
52	20	On 50 yd In	On FRONT HASH (HS)
53	16	On 50 yd In	On FRONT HASH (HS)
54	8	On 50 yd In	On FRONT HASH (HS)
55	16	On 50 yd In	On FRONT HASH (HS)
56	16	On 50 yd In	On FRONT HASH (HS)
57	8	SIDE 2: 2.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 2.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: 2.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 4.0 steps outside 50 yd In	4.0 steps behind FRONT HASH (HS)
61	8	SIDE 2: 2.0 steps outside 45 yd In	4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 2.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: 2.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: On 45 yd In	7.0 steps behind FRONT HASH (HS)
65	18	SIDE 2: On 45 yd In	7.0 steps behind FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: U Label: 4 ID:563650346963	200 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 4.0 steps inside 45 yd In	10.0 steps behind FRONT HASH (HS)
2	8	SIDE 1: 4.0 steps inside 45 yd In	10.0 steps behind FRONT HASH (HS)
3	8	SIDE 1: 4.0 steps inside 45 yd In	10.0 steps behind FRONT HASH (HS)
4	8	SIDE 1: 2.0 steps outside 45 yd In	14.0 steps in front of BACK HASH (HS)
5	8	SIDE 1: 2.0 steps outside 45 yd In	14.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 2.0 steps outside 50 yd In	4.0 steps behind FRONT HASH (HS)
7	8	SIDE 1: 0.5 steps outside 50 yd In	5.25 steps behind FRONT HASH (HS)
8	40	SIDE 1: 0.5 steps outside 50 yd In	5.25 steps behind FRONT HASH (HS)
9	16	SIDE 2: 2.75 steps inside 40 yd In	4.25 steps in front of FRONT HASH (HS)
10	16	SIDE 2: 3.25 steps outside 40 yd In	10.75 steps in front of FRONT HASH (HS)
11	16	SIDE 2: 2.75 steps inside 35 yd In	13.25 steps in front of FRONT HASH (HS)
12	8	SIDE 2: 2.75 steps inside 35 yd In	13.25 steps in front of FRONT HASH (HS)
13	8	SIDE 2: 2.75 steps inside 35 yd In	13.25 steps in front of FRONT HASH (HS)
14	12	SIDE 2: 2.0 steps outside 40 yd In	7.0 steps behind FRONT SIDELINE
15	12	SIDE 2: 2.0 steps outside 40 yd In	7.0 steps behind FRONT SIDELINE
16	24	SIDE 2: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
17	8	SIDE 2: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
18	16	SIDE 2: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
19	16	SIDE 2: On 30 yd In	8.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 1.25 steps outside 30 yd In	10.0 steps behind FRONT SIDELINE

#### Performer: Symbol: U Label: 4 ID:563650346963200 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK 20 0 SIDE 2: 1.25 steps outside 30 yd In 10.0 steps behind FRONT SIDELINE 21 16 SIDE 2: 2.0 steps inside 25 yd In 12.0 steps behind FRONT SIDELINE 22 8 SIDE 2: 2.0 steps inside 25 yd In 12.0 steps behind FRONT SIDELINE 23 8 SIDE 2: 2.75 steps inside 30 yd In 12.5 steps in front of FRONT HASH (HS) SIDE 2: 2.75 steps inside 30 yd In 24 12.5 steps in front of FRONT HASH (HS) 25 12 SIDE 2: 2.75 steps inside 30 yd In 12.5 steps in front of FRONT HASH (HS) 26 SIDE 2: 2.75 steps inside 30 yd In 12.5 steps in front of FRONT HASH (HS) 27 8 SIDE 2: 2.75 steps inside 30 yd In 12.5 steps in front of FRONT HASH (HS) 12 SIDE 2: On 35 yd In 28 12.0 steps behind FRONT SIDELINE 29 SIDE 2: On 35 yd In 12.0 steps behind FRONT SIDELINE 30 4 SIDE 2: On 35 yd In 12.0 steps behind FRONT SIDELINE 31 4 SIDE 2: On 35 yd In 12.0 steps behind FRONT SIDELINE 32 4 SIDE 2: 4.0 steps outside 35 yd In 12.0 steps behind FRONT SIDELINE 33 SIDE 2: 4.0 steps outside 35 yd In 12.0 steps behind FRONT SIDELINE 34 14 SIDE 2: 4.0 steps outside 35 yd In 12.0 steps behind FRONT SIDELINE

Performer: Symbol: U Label: 4 ID:563650346963200 Drill: 2024 GRAFTON PT3

8.75 steps in front of FRONT HASH (HS)

Printed: Sun. Jul 7, 2024 at 12:18 PM

12 SIDE 2: 1.5 steps inside 30 yd In

24 GRAFTON"

Perfo	Performer: in "		
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 1.5 steps inside 30 yd In	8.75 steps in front of FRONT HASH (HS)
36	8	SIDE 2: 1.5 steps inside 30 yd In	8.75 steps in front of FRONT HASH (HS)
37	16	SIDE 2: 4.0 steps outside 40 yd In	4.0 steps in front of FRONT HASH (HS)
38	16	SIDE 2: 4.0 steps outside 30 yd In	12.0 steps in front of FRONT HASH (HS)
39	16	SIDE 2: 4.0 steps outside 30 yd In	4.0 steps behind FRONT HASH (HS)
40	20	SIDE 2: 4.0 steps outside 30 yd In	4.0 steps behind FRONT HASH (HS)
41	16	SIDE 2: On 25 yd In	10.0 steps behind FRONT HASH (HS)
42	16	SIDE 2: 2.0 steps inside 20 yd In	8.0 steps behind FRONT HASH (HS)
43	12	SIDE 2: 1.5 steps inside 20 yd In	0.25 steps behind FRONT HASH (HS)
44	16	SIDE 2: 3.25 steps inside 20 yd In	12.5 steps behind FRONT SIDELINE
45	16	SIDE 2: 0.75 steps inside 25 yd In	6.75 steps in front of FRONT HASH (HS)
46	8	SIDE 2: 2.25 steps inside 25 yd In	1.0 steps in front of FRONT HASH (HS)
Perfo	ormer:	Symbol: U Label: 4 ID:56365034696	63200 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 2.25 steps inside 25 yd In	1.0 steps in front of FRONT HASH (HS)
47	17	SIDE 2: 0.25 steps outside 40 yd In	On FRONT HASH (HS)
48	8	SIDE 2: 0.25 steps outside 40 yd In	On FRONT HASH (HS)
49	9	SIDE 2: 0.25 steps outside 40 yd In	On FRONT HASH (HS)
50	8	SIDE 2: 0.25 steps outside 40 yd In	On FRONT HASH (HS)
51	8	SIDE 2: 0.25 stens outside 40 vd In	On FRONT HASH (HS)

Set	Counts	SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 2.25 steps inside 25 yd In	1.0 steps in front of FRONT HASH (HS)
47	17	SIDE 2: 0.25 steps outside 40 yd In	On FRONT HASH (HS)
48	8	SIDE 2: 0.25 steps outside 40 yd In	On FRONT HASH (HS)
49	9	SIDE 2: 0.25 steps outside 40 yd In	On FRONT HASH (HS)
50	8	SIDE 2: 0.25 steps outside 40 yd In	On FRONT HASH (HS)
51	8	SIDE 2: 0.25 steps outside 40 yd In	On FRONT HASH (HS)
52	20	SIDE 2: 4.0 steps inside 45 yd In	On FRONT HASH (HS)
53	16	SIDE 2: 4.0 steps inside 45 yd In	On FRONT HASH (HS)
54	8	SIDE 2: 4.0 steps inside 45 yd In	On FRONT HASH (HS)
55	16	SIDE 2: 4.0 steps inside 45 yd In	On FRONT HASH (HS)
56	16	SIDE 2: 4.0 steps inside 45 yd In	On FRONT HASH (HS)
57	8	SIDE 2: 2.0 steps inside 45 yd In	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 2.0 steps inside 45 yd In	4.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: 2.0 steps inside 45 yd In	4.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 4.0 steps outside 50 yd In	On FRONT HASH (HS)
61	8	SIDE 2: 2.0 steps inside 45 yd In	4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 2.0 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: 2.0 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: 2.0 steps inside 45 yd In	2.5 steps behind FRONT HASH (HS)
65	18	SIDE 2: 2.0 steps inside 45 yd In	2.5 steps behind FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
renonner.	III 2024 GRAFION

Perfo		Symbol: U Label: 2 ID:5636503469634 s SIDE 1-SIDE 2	100 Drill: 2024 GRAFTON PT1.3dj FRONT-BACK
1	0	SIDE 1: 3.0 steps inside 40 yd In	9.0 steps behind FRONT HASH (HS)
2	8	SIDE 1: 3.0 steps inside 40 yd In	9.0 steps behind FRONT HASH (HS)
3	8	SIDE 1: 3.0 steps inside 40 yd In	9.0 steps behind FRONT HASH (HS)
4	8	SIDE 1: 2.0 steps inside 40 yd In	14.0 steps in front of BACK HASH (HS)
5	8	SIDE 1: 2.0 steps inside 40 yd In	14.0 steps in front of BACK HASH (HS)
6	16	SIDE 1: 2.0 steps outside 50 yd In	4.0 steps behind FRONT HASH (HS)
7	8	SIDE 1: 2.75 steps inside 45 yd In	3.25 steps behind FRONT HASH (HS)
8	40	SIDE 1: 2.75 steps inside 45 yd In	3.25 steps behind FRONT HASH (HS)
9	16	SIDE 2: 1.0 steps outside 45 yd In	6.75 steps in front of FRONT HASH (HS)
10	16	SIDE 2: 1.25 steps inside 40 yd In	12.5 steps in front of FRONT HASH (HS)
11	16	SIDE 2: 1.75 steps outside 40 yd In	10.25 steps behind FRONT SIDELINE
12	8	SIDE 2: 1.75 steps outside 40 yd In	10.25 steps behind FRONT SIDELINE
13	8	SIDE 2: 1.75 steps outside 40 yd In	10.25 steps behind FRONT SIDELINE
14	12	SIDE 2: 0.75 steps inside 35 yd In	5.5 steps behind FRONT SIDELINE
15	12	SIDE 2: 0.75 steps inside 35 yd In	5.5 steps behind FRONT SIDELINE
16	24	SIDE 2: 2.75 steps outside 45 yd In	12.0 steps in front of FRONT HASH (HS)
17	8	SIDE 2: 2.75 steps outside 45 yd In	12.0 steps in front of FRONT HASH (HS)
18	16	SIDE 2: 2.75 steps outside 35 yd In	12.0 steps in front of FRONT HASH (HS)
19	16	SIDE 2: 2.75 steps outside 30 yd In	8.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 2.25 steps inside 25 yd In	9.0 steps behind FRONT SIDELINE

### Performer: Symbol: U Label: 2 ID:563650346963400 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 2: 2.25 steps inside 25 yd In	9.0 steps behind FRONT SIDELINE
21	16	SIDE 2: 2.0 steps outside 25 yd In	12.0 steps behind FRONT SIDELINE
22	8	SIDE 2: 2.0 steps outside 25 yd In	12.0 steps behind FRONT SIDELINE
23	8	SIDE 2: 2.25 steps outside 30 yd In	11.0 steps in front of FRONT HASH (HS)
24	8	SIDE 2: 2.25 steps outside 30 yd In	11.0 steps in front of FRONT HASH (HS)
25	12	SIDE 2: 2.25 steps outside 30 yd In	11.0 steps in front of FRONT HASH (HS)
26	10	SIDE 2: 2.25 steps outside 30 yd In	11.0 steps in front of FRONT HASH (HS)
27	8	SIDE 2: 2.25 steps outside 30 yd In	11.0 steps in front of FRONT HASH (HS)
28	12	SIDE 2: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
29	4	SIDE 2: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
30	4	SIDE 2: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
31	4	SIDE 2: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
32	4	SIDE 2: 4.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
33	4	SIDE 2: 4.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
34	14	SIDE 2: 4.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
35	12	SIDE 2: 3.0 steps inside 30 yd In	6.25 steps in front of FRONT HASH (HS)

Performer: Symbol: U Label: 2 ID:563650346963400 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 3.0 steps inside 30 yd In	6.25 steps in front of FRONT HASH (HS)
36	8	SIDE 2: 3.0 steps inside 30 yd In	6.25 steps in front of FRONT HASH (HS)
37	16	SIDE 2: 4.0 steps outside 40 yd In	On FRONT HASH (HS)
38	16	SIDE 2: 4.0 steps outside 30 yd In	8.0 steps in front of FRONT HASH (HS)
39	16	SIDE 2: 4.0 steps outside 30 yd In	8.0 steps behind FRONT HASH (HS)
40	20	SIDE 2: 4.0 steps outside 30 yd In	8.0 steps behind FRONT HASH (HS)
41	16	SIDE 2: On 25 yd In	12.0 steps in front of BACK HASH (HS)
42	16	SIDE 2: On 20 yd In	8.0 steps behind FRONT HASH (HS)
43	12	SIDE 2: 1.5 steps inside 20 yd In	1.75 steps in front of FRONT HASH (HS)
44	16	SIDE 2: 3.25 steps outside 25 yd In	11.0 steps behind FRONT SIDELINE
45	16	SIDE 2: 1.0 steps inside 25 yd In	9.0 steps in front of FRONT HASH (HS)
46	8	SIDE 2: 0.75 steps inside 25 yd In	2.75 steps in front of FRONT HASH (HS)

Perfo	rmer:	Symbol: U Label: 2 ID:5636503469	63400 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 0.75 steps inside 25 yd In	2.75 steps in front of FRONT HASH (HS)
47	17	SIDE 2: 3.75 steps inside 35 yd In	On FRONT HASH (HS)
48	8	SIDE 2: 3.75 steps inside 35 yd In	On FRONT HASH (HS)
49	9	SIDE 2: 3.75 steps inside 35 yd In	On FRONT HASH (HS)
50	8	SIDE 2: 3.75 steps inside 35 yd In	On FRONT HASH (HS)
51	8	SIDE 2: 3.75 steps inside 35 yd In	On FRONT HASH (HS)
52	20	SIDE 2: On 45 yd In	On FRONT HASH (HS)
53	16	SIDE 2: On 45 yd In	On FRONT HASH (HS)
54	8	SIDE 2: On 45 yd In	On FRONT HASH (HS)
55	16	SIDE 2: On 45 yd In	On FRONT HASH (HS)
56	16	SIDE 2: On 45 yd In	On FRONT HASH (HS)
57	8	SIDE 2: 2.0 steps outside 45 yd In	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 2.0 steps outside 45 yd In	4.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: 2.0 steps outside 45 yd In	4.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 4.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 2.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 2.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: 2.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: 4.0 steps outside 50 yd In	2.0 steps in front of FRONT HASH (HS)
65	18	SIDE 2: 4.0 steps outside 50 yd In	2.0 steps in front of FRONT HASH (HS)

Perfo	rmer:	Symbol: T Label: 14 ID:56323739508	34600 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 1.0 steps outside 30 yd In	10.0 steps behind FRONT HASH (HS)
2	8	SIDE 2: 1.0 steps outside 30 yd In	10.0 steps behind FRONT HASH (HS)
3	8	SIDE 2: 1.0 steps outside 30 yd In	10.0 steps behind FRONT HASH (HS)
4	8	SIDE 2: On 25 yd In	12.0 steps in front of BACK HASH (HS)
5	8	SIDE 2: On 25 yd In	12.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: On 30 yd In	6.0 steps in front of FRONT HASH (HS)
7	8	SIDE 2: 3.75 steps outside 30 yd In	3.25 steps behind FRONT HASH (HS)
8	40	SIDE 2: 3.75 steps outside 30 yd In	3.25 steps behind FRONT HASH (HS)
9	16	SIDE 2: 1.5 steps inside 25 yd In	13.0 steps in front of FRONT HASH (HS)
10	16	SIDE 2: On 20 yd In	12.0 steps behind FRONT SIDELINE
11	16	SIDE 2: On 20 yd In	8.0 steps in front of FRONT HASH (HS)
12	8	SIDE 2: On 25 yd In	8.0 steps in front of FRONT HASH (HS)
13	8	SIDE 2: On 25 yd In	12.0 steps in front of FRONT HASH (HS)
14	12	SIDE 2: 2.5 steps outside 30 yd In	8.25 steps in front of FRONT HASH (HS)
15	12	SIDE 2: 2.5 steps outside 30 yd In	8.25 steps in front of FRONT HASH (HS)
16	24	SIDE 2: 4.0 steps outside 35 yd In	4.0 steps behind FRONT HASH (HS)
17	8	SIDE 2: 4.0 steps outside 35 yd In	4.0 steps behind FRONT HASH (HS)
18	16	SIDE 2: On 40 yd In	4.0 steps behind FRONT HASH (HS)
19	16	SIDE 2: 3.0 steps inside 40 yd In	1.5 steps behind FRONT HASH (HS)
20	16	SIDE 2: 1.5 steps inside 40 yd In	6.25 steps in front of FRONT HASH (HS)

### Performer: Symbol: T Label: 14 ID:563237395084600 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

Set	Count	S SIDE I-SIDE Z	FRONT-BACK
20	0	SIDE 2: 1.5 steps inside 40 yd In	6.25 steps in front of FRONT HASH (HS)
21	16	SIDE 2: 3.0 steps inside 35 yd In	13.0 steps behind FRONT HASH (HS)
22	8	SIDE 2: 3.0 steps inside 35 yd In	13.0 steps behind FRONT HASH (HS)
23	8	SIDE 2: 3.0 steps inside 35 yd In	13.0 steps behind FRONT HASH (HS)
24	8	SIDE 2: 3.0 steps inside 35 yd In	13.0 steps behind FRONT HASH (HS)
25	12	SIDE 2: 4.0 steps inside 40 yd In	11.5 steps behind FRONT HASH (HS)
26	10	SIDE 2: 4.0 steps inside 40 yd In	11.5 steps behind FRONT HASH (HS)
27	8	SIDE 2: 4.0 steps inside 40 yd In	11.5 steps behind FRONT HASH (HS)
28	12	SIDE 2: On 40 yd In	12.0 steps behind FRONT HASH (HS)
29	4	SIDE 2: On 40 yd In	12.0 steps behind FRONT HASH (HS)
30	4	SIDE 2: On 40 yd In	12.0 steps behind FRONT HASH (HS)
31	4	SIDE 2: On 40 yd In	12.0 steps behind FRONT HASH (HS)
32	4	SIDE 2: 4.0 steps outside 40 yd In	12.0 steps behind FRONT HASH (HS)
33	4	SIDE 2: 4.0 steps outside 40 yd In	12.0 steps behind FRONT HASH (HS)
34	14	SIDE 2: 4.0 steps outside 40 yd In	12.0 steps behind FRONT HASH (HS)
35	12	SIDE 2: 2.75 steps outside 35 yd In	10.5 steps behind FRONT HASH (HS)

Performer: Symbol: T Label: 14 ID:563237395084600 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 2.75 steps outside 35 yd In	10.5 steps behind FRONT HASH (HS)
36	8	SIDE 2: 2.75 steps outside 35 yd In	10.5 steps behind FRONT HASH (HS)
37	16	SIDE 2: 4.0 steps outside 30 yd In	6.75 steps behind FRONT HASH (HS)
38	16	SIDE 2: 2.0 steps inside 30 yd In	2.75 steps behind FRONT HASH (HS)
39	16	SIDE 2: 2.0 steps inside 30 yd In	13.25 steps in front of FRONT HASH (HS)
40	20	SIDE 2: 2.0 steps inside 30 yd In	13.25 steps in front of FRONT HASH (HS)
41	16	SIDE 2: 4.0 steps outside 25 yd In	12.0 steps behind FRONT SIDELINE
42	16	SIDE 2: On 25 yd In	6.0 steps in front of FRONT HASH (HS)
43	12	SIDE 2: 2.0 steps inside 20 yd In	3.75 steps in front of FRONT HASH (HS)
44	16	SIDE 2: 1.5 steps outside 25 yd In	9.75 steps behind FRONT SIDELINE
45	16	SIDE 2: 2.0 steps inside 25 yd In	11.25 steps in front of FRONT HASH (HS)
46	8	SIDE 2: 0.25 steps inside 25 yd In	5.25 steps in front of FRONT HASH (HS)

Performer:		Symbol: T Label: 14 ID:563	237395084600 Drill: 2024 Grafton Pt4
Set	Coun	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 0.25 steps inside 25 yo	I In 5.25 steps in front of FRONT HASH (HS)
47	17	SIDE 2: 2.0 steps outside 35 yo	In 12.0 steps behind FRONT HASH (HS)
48	8	SIDE 2: On 45 yd In	12.0 steps behind FRONT HASH (HS)
49	9	SIDE 2: On 45 yd In	12.0 steps behind FRONT HASH (HS)
50	8	SIDE 1: On 45 yd In	12.0 steps behind FRONT HASH (HS)
51	8	SIDE 1: On 40 yd In	On FRONT HASH (HS)
52	20	SIDE 1: 4.0 steps inside 35 yd	n 4.0 steps in front of FRONT HASH (HS)
53	16	SIDE 1: 4.0 steps inside 35 yd	n 4.0 steps in front of FRONT HASH (HS)
54	8	SIDE 1: 4.0 steps inside 35 yd	n 4.0 steps in front of FRONT HASH (HS)
55	16	SIDE 1: 4.0 steps inside 35 yd	n 4.0 steps in front of FRONT HASH (HS)
56	16	SIDE 1: 4.0 steps inside 35 yd	n 4.0 steps in front of FRONT HASH (HS)
57	8	SIDE 1: 4.0 steps inside 35 yd	n 4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: On 35 yd In	4.0 steps behind FRONT HASH (HS)
59	8	SIDE 1: 4.0 steps inside 30 yd	n 4.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 4.0 steps inside 30 yd	n 4.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 4.0 steps inside 30 yd	n 4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 4.0 steps inside 30 yd	n 8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: 4.0 steps inside 30 yd	n 8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: On 30 yd In	8.0 steps in front of FRONT HASH (HS)
65	18	SIDE 1: On 30 yd In	8.0 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: M Label: 4 ID:563237395082	600 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 3.0 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
2	8	SIDE 2: 3.0 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
3	8	SIDE 2: 3.0 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
4	8	SIDE 2: 3.0 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
5	8	SIDE 2: 3.0 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
6	16	SIDE 2: 3.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
7	8	SIDE 2: 1.25 steps outside 40 yd In	11.25 steps behind FRONT SIDELINE
8	40	SIDE 2: 1.25 steps outside 40 yd In	11.25 steps behind FRONT SIDELINE
9	16	SIDE 2: 2.0 steps outside 50 yd In	12.75 steps behind FRONT SIDELINE
10	16	SIDE 2: 0.25 steps inside 40 yd In	7.25 steps behind FRONT SIDELINE
11	16	SIDE 2: 2.75 steps outside 35 yd In	8.0 steps behind FRONT SIDELINE
12	8	SIDE 2: 2.75 steps outside 35 yd In	8.0 steps behind FRONT SIDELINE
13	8	SIDE 2: 2.75 steps outside 35 yd In	8.0 steps behind FRONT SIDELINE
14	12	SIDE 2: 3.0 steps inside 25 yd In	6.75 steps behind FRONT SIDELINE
15	12	SIDE 2: 3.0 steps inside 25 yd In	6.75 steps behind FRONT SIDELINE
16	24	SIDE 2: 2.75 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
17	8	SIDE 2: 2.75 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
18	16	SIDE 2: 2.75 steps outside 30 yd In	12.0 steps behind FRONT SIDELINE
19	16	SIDE 2: 2.75 steps outside 25 yd In	12.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 2.5 steps inside 20 yd In	13.5 steps in front of FRONT HASH (HS)

### Performer: Symbol: M Label: 4 ID:563237395082600 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 2: 2.5 steps inside 20 yd In	13.5 steps in front of FRONT HASH (HS)
21	16	SIDE 2: 2.0 steps outside 40 yd In	7.5 steps in front of FRONT HASH (HS)
22	8	SIDE 2: 2.0 steps outside 40 yd In	7.5 steps in front of FRONT HASH (HS)
23	8	SIDE 2: 2.0 steps outside 40 yd In	7.5 steps in front of FRONT HASH (HS)
24	8	SIDE 2: 2.0 steps outside 40 yd In	7.5 steps in front of FRONT HASH (HS)
25	12	SIDE 2: 2.0 steps outside 40 yd In	7.5 steps in front of FRONT HASH (HS)
26	10	SIDE 2: 2.0 steps outside 40 yd In	7.5 steps in front of FRONT HASH (HS)
27	8	SIDE 2: 2.0 steps outside 40 yd In	7.5 steps in front of FRONT HASH (HS)
28	12	SIDE 2: On 40 yd In	4.0 steps behind FRONT HASH (HS)
29	4	SIDE 2: On 40 yd In	4.0 steps behind FRONT HASH (HS)
30	4	SIDE 2: On 40 yd In	4.0 steps behind FRONT HASH (HS)
31	4	SIDE 2: On 40 yd In	4.0 steps behind FRONT HASH (HS)
32	4	SIDE 2: 4.0 steps outside 40 yd In	4.0 steps behind FRONT HASH (HS)
33	4	SIDE 2: 4.0 steps outside 40 yd In	4.0 steps behind FRONT HASH (HS)
34	14	SIDE 2: 4.0 steps outside 40 yd In	4.0 steps behind FRONT HASH (HS)
35	12	SIDE 2: On 35 vd In	11 25 steps behind FRONT HASH (HS)

Performer: Symbol: M Label: 4 ID:563237395082600 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: On 35 yd In	11.25 steps behind FRONT HASH (HS)
36	8	SIDE 2: On 35 yd In	11.25 steps behind FRONT HASH (HS)
37	16	SIDE 2: 4.0 steps outside 30 yd In	10.0 steps behind FRONT HASH (HS)
38	16	SIDE 2: 2.0 steps inside 30 yd In	6.0 steps behind FRONT HASH (HS)
39	16	SIDE 2: 2.0 steps inside 30 yd In	10.0 steps in front of FRONT HASH (HS)
40	20	SIDE 2: 2.0 steps inside 30 yd In	10.0 steps in front of FRONT HASH (HS)
41	16	SIDE 2: 2.0 steps inside 20 yd In	12.0 steps behind FRONT SIDELINE
42	16	SIDE 2: On 25 yd In	8.0 steps in front of FRONT HASH (HS)
43	12	SIDE 2: 3.0 steps inside 20 yd In	5.5 steps in front of FRONT HASH (HS)
44	16	SIDE 2: 0.5 steps inside 25 yd In	8.75 steps behind FRONT SIDELINE
45	16	SIDE 2: 3.25 steps inside 25 yd In	13.25 steps in front of FRONT HASH (HS)
46	8	SIDE 2: 0.75 steps inside 25 yd In	7.75 steps in front of FRONT HASH (HS)

Perfo		Symbol: M Label: 4 ID:56323739508 s SIDE 1-SIDE 2	32600 Drill: 2024 Grafton Pt4 FRONT-BACK
46	0	SIDE 2: 0.75 steps inside 25 yd In	7.75 steps in front of FRONT HASH (HS)
47	17	SIDE 2: 2.0 steps inside 35 yd In	9.0 steps in front of FRONT HASH (HS)
48	8	SIDE 2: 2.0 steps inside 35 yd In	9.0 steps in front of FRONT HASH (HS)
49	9	SIDE 2: 2.0 steps inside 35 yd In	9.0 steps in front of FRONT HASH (HS)
50	8	SIDE 2: 2.0 steps inside 35 yd In	9.0 steps in front of FRONT HASH (HS)
51	8	SIDE 2: 2.0 steps inside 35 yd In	9.0 steps in front of FRONT HASH (HS)
52	20	SIDE 2: 4.0 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
53	16	SIDE 2: 4.0 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
54	8	SIDE 2: 4.0 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
55	16	SIDE 2: 4.0 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
56	16	SIDE 2: 4.0 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
57	8	SIDE 2: 4.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 4.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: 4.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 4.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 4.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 4.0 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: 4.0 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: 2.5 steps outside 45 yd In	6.0 steps in front of FRONT HASH (HS)
65	18	SIDE 2: 2.5 steps outside 45 yd In	6.0 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: T Label: 12 ID:56323739508	34400 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 4.0 steps outside 25 yd In	7.0 steps behind FRONT HASH (HS)
2	8	SIDE 2: 4.0 steps outside 25 yd In	7.0 steps behind FRONT HASH (HS)
3	8	SIDE 2: 4.0 steps outside 25 yd In	7.0 steps behind FRONT HASH (HS)
4	8	SIDE 2: 4.0 steps outside 25 yd In	12.0 steps in front of BACK HASH (HS)
5	8	SIDE 2: 4.0 steps outside 25 yd In	12.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 4.0 steps outside 30 yd In	6.0 steps in front of FRONT HASH (HS)
7	8	SIDE 2: 2.25 steps inside 25 yd In	1.25 steps in front of FRONT HASH (HS)
8	40	SIDE 2: 2.25 steps inside 25 yd In	1.25 steps in front of FRONT HASH (HS)
9	16	SIDE 2: 3.0 steps outside 30 yd In	12.0 steps behind FRONT SIDELINE
10	16	SIDE 2: On 25 yd In	12.0 steps behind FRONT SIDELINE
11	16	SIDE 2: 4.0 steps outside 25 yd In	8.0 steps in front of FRONT HASH (HS)
12	8	SIDE 2: 4.0 steps outside 30 yd In	8.0 steps in front of FRONT HASH (HS)
13	8	SIDE 2: 4.0 steps outside 30 yd In	12.0 steps in front of FRONT HASH (HS)
14	12	SIDE 2: 1.0 steps inside 30 yd In	12.5 steps in front of FRONT HASH (HS)
15	12	SIDE 2: 1.0 steps inside 30 yd In	12.5 steps in front of FRONT HASH (HS)
16	24	SIDE 2: On 35 yd In	On FRONT HASH (HS)
17	8	SIDE 2: On 35 yd In	On FRONT HASH (HS)
18	16	SIDE 2: 2.75 steps outside 40 yd In	On FRONT HASH (HS)
19	16	SIDE 2: 1.5 steps outside 40 yd In	3.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 2.0 steps outside 40 yd In	3.25 steps in front of FRONT HASH (HS)

### Performer: Symbol: T Label: 12 ID:563237395084400 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 2: 2.0 steps outside 40 yd In	3.25 steps in front of FRONT HASH (HS)
21	16	SIDE 2: 1.0 steps inside 35 yd In	13.0 steps behind FRONT HASH (HS)
22	8	SIDE 2: 1.0 steps inside 35 yd In	13.0 steps behind FRONT HASH (HS)
23	8	SIDE 2: 1.0 steps inside 35 yd In	13.0 steps behind FRONT HASH (HS)
24	8	SIDE 2: 1.0 steps inside 35 yd In	13.0 steps behind FRONT HASH (HS)
25	12	SIDE 2: 1.25 steps outside 40 yd In	9.25 steps behind FRONT HASH (HS)
26	10	SIDE 2: 1.25 steps outside 40 yd In	9.25 steps behind FRONT HASH (HS)
27	8	SIDE 2: 1.25 steps outside 40 yd In	9.25 steps behind FRONT HASH (HS)
28	12	SIDE 2: On 35 yd In	12.0 steps behind FRONT HASH (HS)
29	4	SIDE 2: On 35 yd In	12.0 steps behind FRONT HASH (HS)
30	4	SIDE 2: On 35 yd In	12.0 steps behind FRONT HASH (HS)
31	4	SIDE 2: On 35 yd In	12.0 steps behind FRONT HASH (HS)
32	4	SIDE 2: 4.0 steps outside 35 yd In	12.0 steps behind FRONT HASH (HS)
33	4	SIDE 2: 4.0 steps outside 35 yd In	12.0 steps behind FRONT HASH (HS)
34	14	SIDE 2: 4.0 steps outside 35 yd In	12.0 steps behind FRONT HASH (HS)
35	12	SIDE 2: 2.5 steps inside 25 vd In	4.5 steps behind FRONT HASH (HS)

Performer: Symbol: T Label: 12 ID:563237395084400 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK	
35	0	SIDE 2: 2.5 steps inside 25 yd In	4.5 steps behind FRONT HASH (HS)	
36	8	SIDE 2: 2.5 steps inside 25 yd In	4.5 steps behind FRONT HASH (HS)	
37	16	SIDE 2: 4.0 steps outside 30 yd In	3.25 steps behind FRONT HASH (HS)	
38	16	SIDE 2: 2.0 steps inside 30 yd In	0.75 steps in front of FRONT HASH (HS)	
39	16	SIDE 2: 2.0 steps inside 30 yd In	11.25 steps behind FRONT SIDELINE	
40	20	SIDE 2: 2.0 steps inside 30 yd In	11.25 steps behind FRONT SIDELINE	
41	16	SIDE 2: 2.0 steps outside 25 yd In	12.0 steps behind FRONT SIDELINE	
42	16	SIDE 2: On 25 yd In	10.0 steps in front of FRONT HASH (HS)	
43	12	SIDE 2: 3.75 steps outside 25 yd In	7.25 steps in front of FRONT HASH (HS)	
44	16	SIDE 2: 2.75 steps inside 25 yd In	8.0 steps behind FRONT SIDELINE	
45	16	SIDE 2: 3.25 steps outside 30 yd In	13.0 steps behind FRONT SIDELINE	
46	8	SIDE 2: 1.5 steps inside 25 yd In	10.25 steps in front of FRONT HASH (HS)	
Perfo	Performer: Symbol: T Label: 12 ID:563237395084400 Drill: 2024 Grafton Pt4			
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK	

Performer:		Symbol: T Label: 12 ID:563237395084	400 Drill: 2024 Grafton Pt4
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 1.5 steps inside 25 yd In	10.25 steps in front of FRONT HASH (HS)
47	17	SIDE 2: 2.0 steps inside 30 yd In	12.0 steps behind FRONT HASH (HS)
48	8	SIDE 2: 4.0 steps outside 45 yd In	12.0 steps behind FRONT HASH (HS)
49	9	SIDE 2: 4.0 steps outside 45 yd In	12.0 steps behind FRONT HASH (HS)
50	8	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT HASH (HS)
51	8	SIDE 1: 4.0 steps inside 40 yd In	On FRONT HASH (HS)
52	20	SIDE 1: 4.0 steps inside 40 yd In	4.0 steps in front of FRONT HASH (HS)
53	16	SIDE 1: 4.0 steps inside 40 yd In	4.0 steps in front of FRONT HASH (HS)
54	8	SIDE 1: 4.0 steps inside 40 yd In	4.0 steps in front of FRONT HASH (HS)
55	16	SIDE 1: 4.0 steps inside 40 yd In	4.0 steps in front of FRONT HASH (HS)
56	16	SIDE 1: 4.0 steps inside 40 yd In	4.0 steps in front of FRONT HASH (HS)
57	8	SIDE 1: 4.0 steps inside 40 yd In	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: 4.0 steps inside 40 yd In	4.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: On 40 yd In	2.0 steps behind FRONT HASH (HS)
60	8	SIDE 1: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: 3.0 steps outside 40 yd In	On FRONT HASH (HS)
65	18	SIDE 1: 3.0 steps outside 40 yd In	On FRONT HASH (HS)

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: T Label: 1 ID:56323739508290	00 Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 3.0 steps inside 30 yd In	5.0 steps behind FRONT HASH (HS)
2	8	SIDE 2: 3.0 steps inside 30 yd In	5.0 steps behind FRONT HASH (HS)
3	8	SIDE 2: 3.0 steps inside 30 yd In	5.0 steps behind FRONT HASH (HS)
4	8	SIDE 2: On 25 yd In	10.0 steps behind FRONT HASH (HS)
5	8	SIDE 2: On 25 yd In	10.0 steps behind FRONT HASH (HS)
6	16	SIDE 2: On 30 yd In	12.0 steps in front of FRONT HASH (HS)
7	8	SIDE 2: 0.75 steps outside 35 yd In	10.0 steps behind FRONT SIDELINE
8	40	SIDE 2: 0.75 steps outside 35 yd In	10.0 steps behind FRONT SIDELINE
9	16	SIDE 2: 1.0 steps outside 45 yd In	11.5 steps behind FRONT SIDELINE
10	16	SIDE 2: On 30 yd In	6.0 steps behind FRONT SIDELINE
11	16	SIDE 2: On 25 yd In	10.0 steps behind FRONT SIDELINE
12	8	SIDE 2: On 20 yd In	10.0 steps behind FRONT SIDELINE
13	8	SIDE 2: 2.0 steps outside 20 yd In	12.0 steps in front of FRONT HASH (HS)
14	12	SIDE 2: 1.25 steps inside 20 yd In	7.75 steps in front of FRONT HASH (HS)
15	12	SIDE 2: 1.25 steps inside 20 yd In	7.75 steps in front of FRONT HASH (HS)
16	24	SIDE 2: On 30 yd In	12.0 steps in front of FRONT HASH (HS)
17	8	SIDE 2: On 30 yd In	12.0 steps in front of FRONT HASH (HS)
18	16	SIDE 2: On 20 yd In	12.0 steps in front of FRONT HASH (HS)
19	16	SIDE 2: On 15 yd In	8.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 2.25 steps inside 25 yd In	0.25 steps in front of FRONT HASH (HS)

## Performer: Symbol: T Label: 1 ID:563237395082900 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK 0. 25 steps in front of FPONT HAS

20	0	SIDE 2: 2.25 steps inside 25 yd In	0.25 steps in front of FRONT HASH (HS)
21	16	SIDE 2: 3.0 steps inside 20 yd In	10.0 steps behind FRONT HASH (HS)
22	8	SIDE 2: 3.0 steps inside 20 yd In	10.0 steps behind FRONT HASH (HS)
23	8	SIDE 2: 3.0 steps inside 20 yd In	10.0 steps behind FRONT HASH (HS)
24	8	SIDE 2: 3.0 steps inside 20 yd In	10.0 steps behind FRONT HASH (HS)
25	12	SIDE 2: 3.0 steps inside 30 yd In	1.75 steps behind FRONT HASH (HS)
26	10	SIDE 2: 3.0 steps inside 30 yd In	1.75 steps behind FRONT HASH (HS)
27	8	SIDE 2: 3.0 steps inside 30 yd In	1.75 steps behind FRONT HASH (HS)
28	12	SIDE 2: On 30 yd In	4.0 steps behind FRONT HASH (HS)
29	4	SIDE 2: On 30 yd In	4.0 steps behind FRONT HASH (HS)
30	4	SIDE 2: On 30 yd In	4.0 steps behind FRONT HASH (HS)
31	4	SIDE 2: On 30 yd In	4.0 steps behind FRONT HASH (HS)
32	4	SIDE 2: 4.0 steps outside 30 yd In	4.0 steps behind FRONT HASH (HS)
33	4	SIDE 2: 4.0 steps outside 30 yd In	4.0 steps behind FRONT HASH (HS)
34	14	SIDE 2: 4.0 steps outside 30 yd In	4.0 steps behind FRONT HASH (HS)
35	12	SIDE 2: 2.75 steps inside 25 yd In	6.75 steps in front of FRONT HASH (HS)

Performer: Symbol: T Label: 1 ID:563237395082900 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 2.75 steps inside 25 yd In	6.75 steps in front of FRONT HASH (HS)
36	8	SIDE 2: 2.75 steps inside 25 yd In	6.75 steps in front of FRONT HASH (HS)
37	16	SIDE 2: On 25 yd In	On FRONT HASH (HS)
38	16	SIDE 2: 2.0 steps outside 30 yd In	4.0 steps in front of FRONT HASH (HS)
39	16	SIDE 2: 2.0 steps outside 30 yd In	8.0 steps behind FRONT SIDELINE
40	20	SIDE 2: 2.0 steps outside 30 yd In	8.0 steps behind FRONT SIDELINE
41	16	SIDE 2: On 20 yd In	12.0 steps behind FRONT SIDELINE
42	16	SIDE 2: On 25 yd In	12.0 steps in front of FRONT HASH (HS)
43	12	SIDE 2: 2.25 steps outside 25 yd In	8.75 steps in front of FRONT HASH (HS)
44	16	SIDE 2: 3.0 steps outside 30 yd In	7.25 steps behind FRONT SIDELINE
45	16	SIDE 2: 1.5 steps outside 30 yd In	11.5 steps behind FRONT SIDELINE
46	8	SIDE 2: 2.75 steps inside 25 yd In	12.5 steps in front of FRONT HASH (HS)

Perfo	rmer:	Symbol: T Label: 1 ID:5632	37395082900 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 2.75 steps inside 25 y	d In 12.5 steps in front of FRONT HASH (HS)
47	17	SIDE 2: 2.0 steps outside 30 y	d In 12.0 steps behind FRONT HASH (HS)
48	8	SIDE 2: On 40 yd In	12.0 steps behind FRONT HASH (HS)
49	9	SIDE 2: On 40 yd In	12.0 steps behind FRONT HASH (HS)
50	8	SIDE 2: On 50 yd In	12.0 steps behind FRONT HASH (HS)
51	8	SIDE 1: On 45 yd In	On FRONT HASH (HS)
52	20	SIDE 1: 4.0 steps inside 45 yd	In 4.0 steps in front of FRONT HASH (HS)
53	16	SIDE 1: 4.0 steps inside 45 yd	In 4.0 steps in front of FRONT HASH (HS)
54	8	SIDE 1: 4.0 steps inside 45 yd	In 4.0 steps in front of FRONT HASH (HS)
55	16	SIDE 1: 4.0 steps inside 45 yd	In 4.0 steps in front of FRONT HASH (HS)
56	16	SIDE 1: 4.0 steps inside 45 yd	In 4.0 steps in front of FRONT HASH (HS)
57	8	SIDE 1: 4.0 steps inside 45 yd	In 4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: 4.0 steps inside 45 yd	In 4.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: 4.0 steps inside 45 yd	In 4.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 4.0 steps inside 45 yd	In On FRONT HASH (HS)
61	8	SIDE 1: 4.0 steps inside 45 yd	In 4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 4.0 steps inside 45 yd	In 8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: 4.0 steps inside 45 yd	In 8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: 2.0 steps inside 45 yd	In 2.5 steps behind FRONT HASH (HS)
65	18	SIDE 1: 2.0 steps inside 45 yd	In 2.5 steps behind FRONT HASH (HS)

Performer:	in "2024 GRAFTON"

rmer:	Symbol: T Label: 7 ID:5632373950836	00 Drill: 2024 GRAFTON PT1.3dj
Coun	ts SIDE 1-SIDE 2	FRONT-BACK
0	SIDE 2: 3.0 steps outside 25 yd In	2.0 steps behind FRONT HASH (HS)
8	SIDE 2: 3.0 steps outside 25 yd In	2.0 steps behind FRONT HASH (HS)
8	SIDE 2: 3.0 steps outside 25 yd In	2.0 steps behind FRONT HASH (HS)
8	SIDE 2: 3.0 steps outside 25 yd In	13.0 steps behind FRONT HASH (HS)
8	SIDE 2: 3.0 steps outside 25 yd In	13.0 steps behind FRONT HASH (HS)
16	SIDE 2: 3.0 steps outside 30 yd In	9.0 steps in front of FRONT HASH (HS)
8	SIDE 2: 1.75 steps inside 25 yd In	13.5 steps in front of FRONT HASH (HS)
40	SIDE 2: 1.75 steps inside 25 yd In	13.5 steps in front of FRONT HASH (HS)
16	SIDE 2: 0.75 steps inside 35 yd In	10.25 steps behind FRONT SIDELINE
16	SIDE 2: 4.0 steps outside 25 yd In	6.0 steps behind FRONT SIDELINE
16	SIDE 2: 2.0 steps inside 20 yd In	10.0 steps behind FRONT SIDELINE
8	SIDE 2: 2.0 steps inside 15 yd In	10.0 steps behind FRONT SIDELINE
8	SIDE 2: On 15 yd In	12.0 steps in front of FRONT HASH (HS)
12	SIDE 2: 2.0 steps inside 20 yd In	12.5 steps behind FRONT SIDELINE
12	SIDE 2: 2.0 steps inside 20 yd In	12.5 steps behind FRONT SIDELINE
24	SIDE 2: 2.75 steps outside 35 yd In	12.0 steps behind FRONT SIDELINE
8	SIDE 2: 2.75 steps outside 35 yd In	12.0 steps behind FRONT SIDELINE
16	SIDE 2: 2.75 steps outside 25 yd In	12.0 steps behind FRONT SIDELINE
16	SIDE 2: 2.75 steps outside 20 yd In	12.0 steps in front of FRONT HASH (HS)
16	SIDE 2: 3.0 steps outside 25 yd In	4.75 steps in front of FRONT HASH (HS)
	Count 0 8 8 8 8 8 16 8 40 16 16 16 22 4 8 16 16	Counts SIDE 1-SIDE 2  0 SIDE 2: 3.0 steps outside 25 yd In  8 SIDE 2: 3.0 steps outside 25 yd In  8 SIDE 2: 3.0 steps outside 25 yd In  8 SIDE 2: 3.0 steps outside 25 yd In  8 SIDE 2: 3.0 steps outside 25 yd In  8 SIDE 2: 3.0 steps outside 25 yd In  8 SIDE 2: 3.0 steps outside 25 yd In  16 SIDE 2: 3.0 steps outside 30 yd In  8 SIDE 2: 1.75 steps inside 25 yd In  40 SIDE 2: 1.75 steps inside 25 yd In  16 SIDE 2: 0.75 steps inside 25 yd In  16 SIDE 2: 4.0 steps outside 25 yd In  16 SIDE 2: 2.0 steps inside 20 yd In  8 SIDE 2: 2.0 steps inside 15 yd In  8 SIDE 2: 0n 15 yd In  12 SIDE 2: 2.0 steps inside 20 yd In  12 SIDE 2: 2.0 steps inside 20 yd In  13 SIDE 2: 2.75 steps outside 35 yd In  14 SIDE 2: 2.75 steps outside 35 yd In  15 SIDE 2: 2.75 steps outside 25 yd In  16 SIDE 2: 2.75 steps outside 25 yd In  16 SIDE 2: 2.75 steps outside 25 yd In

### Performer: Symbol: T Label: 7 ID:563237395083600 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 2: 3.0 steps outside 25 yd In	4.75 steps in front of FRONT HASH (HS)
21	16	SIDE 2: 4.0 steps outside 25 yd In	8.0 steps behind FRONT HASH (HS)
22	8	SIDE 2: 4.0 steps outside 25 yd In	8.0 steps behind FRONT HASH (HS)
23	8	SIDE 2: 4.0 steps outside 25 yd In	8.0 steps behind FRONT HASH (HS)
24	8	SIDE 2: 4.0 steps outside 25 yd In	8.0 steps behind FRONT HASH (HS)
25	12	SIDE 2: 3.0 steps outside 30 yd In	4.25 steps in front of FRONT HASH (HS)
26	10	SIDE 2: 3.0 steps outside 30 yd In	4.25 steps in front of FRONT HASH (HS)
27	8	SIDE 2: 3.0 steps outside 30 yd In	4.25 steps in front of FRONT HASH (HS)
28	12	SIDE 2: On 30 yd In	8.0 steps in front of FRONT HASH (HS)
29	4	SIDE 2: On 30 yd In	8.0 steps in front of FRONT HASH (HS)
30	4	SIDE 2: On 30 yd In	8.0 steps in front of FRONT HASH (HS)
31	4	SIDE 2: On 30 yd In	8.0 steps in front of FRONT HASH (HS)
32	4	SIDE 2: 4.0 steps outside 30 yd In	8.0 steps in front of FRONT HASH (HS)
33	4	SIDE 2: 4.0 steps outside 30 yd In	8.0 steps in front of FRONT HASH (HS)
34	14	SIDE 2: 4.0 steps outside 30 yd In	8.0 steps in front of FRONT HASH (HS)
35	12	SIDE 2: 3.75 steps outside 30 yd In	9.5 steps in front of FRONT HASH (HS)

Performer: Symbol: T Label: 7 ID:563237395083600 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 3.75 steps outside 30 yd In	9.5 steps in front of FRONT HASH (HS)
36	8	SIDE 2: 3.75 steps outside 30 yd In	9.5 steps in front of FRONT HASH (HS)
37	16	SIDE 2: 4.0 steps inside 25 yd In	On FRONT HASH (HS)
38	16	SIDE 2: 2.0 steps inside 30 yd In	4.0 steps in front of FRONT HASH (HS)
39	16	SIDE 2: 2.0 steps inside 30 yd In	8.0 steps behind FRONT SIDELINE
40	20	SIDE 2: 2.0 steps inside 30 yd In	8.0 steps behind FRONT SIDELINE
41	16	SIDE 2: On 25 yd In	12.0 steps behind FRONT SIDELINE
42	16	SIDE 2: On 25 yd In	14.0 steps behind FRONT SIDELINE
43	12	SIDE 2: 0.75 steps outside 25 yd In	10.25 steps in front of FRONT HASH (HS)
44	16	SIDE 2: 1.0 steps outside 30 yd In	6.75 steps behind FRONT SIDELINE
45	16	SIDE 2: 0.5 steps inside 30 yd In	10.25 steps behind FRONT SIDELINE
46	8	SIDE 2: 3.75 steps outside 30 yd In	13.5 steps behind FRONT SIDELINE
		0     7         7	000 D.W. 0004 D. K. D.A

Perfo	rmer:	Symbol: T Label: 7 ID:5633	237395083600 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 3.75 steps outside 30	yd In 13.5 steps behind FRONT SIDELINE
47	17	SIDE 2: On 35 yd In	10.0 steps behind FRONT HASH (HS)
48	8	SIDE 2: On 35 yd In	10.0 steps behind FRONT HASH (HS)
49	9	SIDE 2: 2.0 steps inside 45 yd	In 10.0 steps behind FRONT HASH (HS)
50	8	SIDE 1: 2.0 steps outside 45 y	d In 10.0 steps behind FRONT HASH (HS)
51	8	SIDE 1: 2.0 steps outside 40 y	d In 2.0 steps in front of FRONT HASH (HS)
52	20	SIDE 1: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
53	16	SIDE 1: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
54	8	SIDE 1: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
55	16	SIDE 1: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
56	16	SIDE 1: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
57	8	SIDE 1: 2.0 steps inside 35 yd	In 8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: 2.0 steps inside 35 yd	In 8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: 2.0 steps inside 35 yd	In 8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 2.0 steps inside 35 yd	In 8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 2.0 steps inside 35 yd	In 8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 2.0 steps inside 35 yd	In 12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: 2.0 steps inside 35 yd	In 12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: 3.75 steps inside 35 y	d In 12.5 steps in front of FRONT HASH (HS)
65	18	SIDE 1: 3.75 steps inside 35 y	d In 12.5 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: T Label: 11 ID:563237395084	300 Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: On 20 yd In	10.0 steps behind FRONT HASH (HS)
2	8	SIDE 2: On 20 yd In	10.0 steps behind FRONT HASH (HS)
3	8	SIDE 2: On 20 yd In	10.0 steps behind FRONT HASH (HS)
4	8	SIDE 2: 2.0 steps inside 20 yd In	12.0 steps in front of BACK HASH (HS)
5	8	SIDE 2: 2.0 steps inside 20 yd In	12.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 2.0 steps inside 25 yd In	6.0 steps in front of FRONT HASH (HS)
7	8	SIDE 2: 1.5 steps inside 25 yd In	3.75 steps in front of FRONT HASH (HS)
8	40	SIDE 2: 1.5 steps inside 25 yd In	3.75 steps in front of FRONT HASH (HS)
9	16	SIDE 2: 0.75 steps outside 30 yd In	11.0 steps behind FRONT SIDELINE
10	16	SIDE 2: 4.0 steps outside 30 yd In	12.0 steps behind FRONT SIDELINE
11	16	SIDE 2: 2.0 steps outside 25 yd In	8.0 steps in front of FRONT HASH (HS)
12	8	SIDE 2: 2.0 steps outside 30 yd In	8.0 steps in front of FRONT HASH (HS)
13	8	SIDE 2: 2.0 steps outside 30 yd In	12.0 steps in front of FRONT HASH (HS)
14	12	SIDE 2: 2.5 steps inside 30 yd In	13.25 steps behind FRONT SIDELINE
15	12	SIDE 2: 2.5 steps inside 30 yd In	13.25 steps behind FRONT SIDELINE
16	24	SIDE 2: 4.0 steps outside 40 yd In	4.0 steps in front of FRONT HASH (HS)
17	8	SIDE 2: 4.0 steps outside 40 yd In	4.0 steps in front of FRONT HASH (HS)
18	16	SIDE 2: 2.75 steps inside 35 yd In	4.0 steps in front of FRONT HASH (HS)
19	16	SIDE 2: 1.25 steps inside 35 yd In	6.5 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 2.0 steps inside 35 yd In	1.0 steps in front of FRONT HASH (HS)

### Performer: Symbol: T Label: 11 ID:563237395084300 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 2: 2.0 steps inside 35 yd In	1.0 steps in front of FRONT HASH (HS)
21	16	SIDE 2: 1.0 steps outside 35 yd In	13.0 steps behind FRONT HASH (HS)
22	8	SIDE 2: 1.0 steps outside 35 yd In	13.0 steps behind FRONT HASH (HS)
23	8	SIDE 2: 1.0 steps outside 35 yd In	13.0 steps behind FRONT HASH (HS)
24	8	SIDE 2: 1.0 steps outside 35 yd In	13.0 steps behind FRONT HASH (HS)
25	12	SIDE 2: 2.0 steps inside 35 yd In	6.5 steps behind FRONT HASH (HS)
26	10	SIDE 2: 2.0 steps inside 35 yd In	6.5 steps behind FRONT HASH (HS)
27	8	SIDE 2: 2.0 steps inside 35 yd In	6.5 steps behind FRONT HASH (HS)
28	12	SIDE 2: On 35 yd In	4.0 steps behind FRONT HASH (HS)
29	4	SIDE 2: On 35 yd In	4.0 steps behind FRONT HASH (HS)
30	4	SIDE 2: On 35 yd In	4.0 steps behind FRONT HASH (HS)
31	4	SIDE 2: On 35 yd In	4.0 steps behind FRONT HASH (HS)
32	4	SIDE 2: 4.0 steps outside 35 yd In	4.0 steps behind FRONT HASH (HS)
33	4	SIDE 2: 4.0 steps outside 35 yd In	4.0 steps behind FRONT HASH (HS)
34	14	SIDE 2: 4.0 steps outside 35 yd In	4.0 steps behind FRONT HASH (HS)
35	12	SIDE 2: 3.0 steps outside 30 vd In	6.5 steps behind FRONT HASH (HS)

Performer: Symbol: T Label: 11 ID:563237395084300 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 3.0 steps outside 30 yd In	6.5 steps behind FRONT HASH (HS)
36	8	SIDE 2: 3.0 steps outside 30 yd In	6.5 steps behind FRONT HASH (HS)
37	16	SIDE 2: On 25 yd In	3.25 steps behind FRONT HASH (HS)
38	16	SIDE 2: 2.0 steps outside 30 yd In	0.75 steps in front of FRONT HASH (HS)
39	16	SIDE 2: 2.0 steps outside 30 yd In	11.25 steps behind FRONT SIDELINE
40	20	SIDE 2: 2.0 steps outside 30 yd In	11.25 steps behind FRONT SIDELINE
41	16	SIDE 2: 2.0 steps outside 20 yd In	12.0 steps behind FRONT SIDELINE
42	16	SIDE 2: On 25 yd In	12.0 steps behind FRONT SIDELINE
43	12	SIDE 2: 1.0 steps inside 25 yd In	11.5 steps in front of FRONT HASH (HS)
44	16	SIDE 2: 1.25 steps inside 30 yd In	6.25 steps behind FRONT SIDELINE
45	16	SIDE 2: 2.75 steps inside 30 yd In	9.25 steps behind FRONT SIDELINE
46	8	SIDE 2: 2.0 steps outside 30 yd In	11.75 steps behind FRONT SIDELINE

Performer:		Symbol: T Label: 11 ID:56323739508	34300 Drill: 2024 Grafton Pt4
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 2.0 steps outside 30 yd In	11.75 steps behind FRONT SIDELINE
47	17	SIDE 2: 4.0 steps outside 35 yd In	10.0 steps behind FRONT HASH (HS)
48	8	SIDE 2: 4.0 steps outside 35 yd In	10.0 steps behind FRONT HASH (HS)
49	9	SIDE 2: 2.0 steps outside 45 yd In	10.0 steps behind FRONT HASH (HS)
50	8	SIDE 1: 2.0 steps inside 45 yd In	10.0 steps behind FRONT HASH (HS)
51	8	SIDE 1: 2.0 steps inside 40 yd In	2.0 steps in front of FRONT HASH (HS)
52	20	SIDE 1: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
53	16	SIDE 1: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
54	8	SIDE 1: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
55	16	SIDE 1: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
56	16	SIDE 1: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
57	8	SIDE 1: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: On 40 yd In	2.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 4.0 steps inside 40 yd In	4.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 4.0 steps inside 40 yd In	4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 4.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: 4.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: 1.0 steps outside 40 yd In	4.0 steps in front of FRONT HASH (HS)
65	18	SIDE 1: 1.0 steps outside 40 yd In	4.0 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: M Label: 3 ID:56323739508	32500 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 2.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
2	8	SIDE 2: 2.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
3	8	SIDE 2: 2.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
4	8	SIDE 2: 3.0 steps inside 45 yd In	8.0 steps behind FRONT HASH (HS)
5	8	SIDE 2: 3.0 steps inside 45 yd In	8.0 steps behind FRONT HASH (HS)
6	16	SIDE 2: 3.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
7	8	SIDE 2: 1.0 steps inside 40 yd In	12.0 steps behind FRONT SIDELINE
8	40	SIDE 2: 1.0 steps inside 40 yd In	12.0 steps behind FRONT SIDELINE
9	16	SIDE 1: 0.25 steps outside 50 yd In	13.0 steps behind FRONT SIDELINE
10	16	SIDE 2: 2.25 steps inside 40 yd In	8.5 steps behind FRONT SIDELINE
11	16	SIDE 2: On 35 yd In	8.0 steps behind FRONT SIDELINE
12	8	SIDE 2: On 35 yd In	8.0 steps behind FRONT SIDELINE
13	8	SIDE 2: On 35 yd In	8.0 steps behind FRONT SIDELINE
14	12	SIDE 2: 2.25 steps outside 30 yd In	6.25 steps behind FRONT SIDELINE
15	12	SIDE 2: 2.25 steps outside 30 yd In	6.25 steps behind FRONT SIDELINE
16	24	SIDE 2: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
17	8	SIDE 2: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
18	16	SIDE 2: On 30 yd In	12.0 steps in front of FRONT HASH (HS)
19	16	SIDE 2: On 25 yd In	8.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 2.75 steps inside 20 yd In	12.25 steps behind FRONT SIDELINE

### Performer: Symbol: M Label: 3 ID:563237395082500 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 2: 2.75 steps inside 20 yd In	12.25 steps behind FRONT SIDELINE
21	16	SIDE 2: 3.75 steps outside 40 yd In	9.25 steps in front of FRONT HASH (HS)
22	8	SIDE 2: 3.75 steps outside 40 yd In	9.25 steps in front of FRONT HASH (HS)
23	8	SIDE 2: 3.75 steps outside 40 yd In	9.25 steps in front of FRONT HASH (HS)
24	8	SIDE 2: 3.75 steps outside 40 yd In	9.25 steps in front of FRONT HASH (HS)
25	12	SIDE 2: 3.75 steps outside 40 yd In	9.25 steps in front of FRONT HASH (HS)
26	10	SIDE 2: 3.75 steps outside 40 yd In	9.25 steps in front of FRONT HASH (HS)
27	8	SIDE 2: 3.75 steps outside 40 yd In	9.25 steps in front of FRONT HASH (HS)
28	12	SIDE 2: On 40 yd In	On FRONT HASH (HS)
29	4	SIDE 2: On 40 yd In	On FRONT HASH (HS)
30	4	SIDE 2: On 40 yd In	On FRONT HASH (HS)
31	4	SIDE 2: On 40 yd In	On FRONT HASH (HS)
32	4	SIDE 2: On 40 yd In	On FRONT HASH (HS)
33	4	SIDE 2: On 40 yd In	4.0 steps behind FRONT HASH (HS)
34	14	SIDE 2: On 40 yd In	4.0 steps behind FRONT HASH (HS)
35	12	SIDE 2: 1.75 steps outside 40 vd In	12.0 steps behind FRONT HASH (HS)

Performer: Symbol: M Label: 3 ID:563237395082500 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK	
35	0	SIDE 2: 1.75 steps outside 40 yd In	12.0 steps behind FRONT HASH (HS)	
36	8	SIDE 2: 1.75 steps outside 40 yd In	12.0 steps behind FRONT HASH (HS)	
37	16	SIDE 2: On 30 yd In	10.0 steps behind FRONT HASH (HS)	
38	16	SIDE 2: 2.0 steps outside 35 yd In	6.0 steps behind FRONT HASH (HS)	
39	16	SIDE 2: 2.0 steps outside 35 yd In	10.0 steps in front of FRONT HASH (HS)	
40	20	SIDE 2: 2.0 steps outside 35 yd In	10.0 steps in front of FRONT HASH (HS)	
41	16	SIDE 2: 2.0 steps inside 25 yd In	12.0 steps behind FRONT SIDELINE	
42	16	SIDE 2: On 25 yd In	10.0 steps behind FRONT SIDELINE	
43	12	SIDE 2: 2.75 steps inside 25 yd In	12.75 steps in front of FRONT HASH (HS)	
44	16	SIDE 2: 3.5 steps inside 30 yd In	5.75 steps behind FRONT SIDELINE	
45	16	SIDE 2: 3.25 steps outside 35 yd In	8.25 steps behind FRONT SIDELINE	
46	8	SIDE 2: On 30 yd In	10.25 steps behind FRONT SIDELINE	
Perfor	Performer: Symbol: M Label: 3 ID:563237395082500 Drill: 2024 Grafton Pt4			
Set		s SIDE 1-SIDE 2	FRONT-BACK	

Perfor	mer:	Symbol: M Label: 3 ID:56323739	95082500 Drill: 2024 Grafton Pt4
Set	Coun	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: On 30 yd In	10.25 steps behind FRONT SIDELINE
47	17	SIDE 2: 2.0 steps outside 40 yd In	9.0 steps in front of FRONT HASH (HS)
48	8	SIDE 2: 2.0 steps outside 40 yd In	9.0 steps in front of FRONT HASH (HS)
49	9	SIDE 2: 2.0 steps outside 40 yd In	9.0 steps in front of FRONT HASH (HS)
50	8	SIDE 2: 2.0 steps outside 40 yd In	9.0 steps in front of FRONT HASH (HS)
51	8	SIDE 2: 2.0 steps outside 40 yd In	9.0 steps in front of FRONT HASH (HS)
52	20	SIDE 2: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
53	16	SIDE 2: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
54	8	SIDE 2: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
55	16	SIDE 2: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
56	16	SIDE 2: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
57	8	SIDE 2: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: 1.25 steps inside 45 yd In	4.75 steps in front of FRONT HASH (HS)
65	18	SIDE 2: 1.25 steps inside 45 yd In	4.75 steps in front of FRONT HASH (HS)

Performer: ii	n "2024 GRAFTON"
---------------	------------------

Perfo	rmer:	Symbol: T Label: 8 ID:56323739508370	00 Drill: 2024 GRAFTON PT1.3dj
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 2.0 steps outside 20 yd In	3.0 steps behind FRONT HASH (HS)
2	8	SIDE 2: 2.0 steps outside 20 yd In	3.0 steps behind FRONT HASH (HS)
3	8	SIDE 2: 2.0 steps outside 20 yd In	3.0 steps behind FRONT HASH (HS)
4	8	SIDE 2: 3.0 steps inside 20 yd In	13.0 steps behind FRONT HASH (HS)
5	8	SIDE 2: 3.0 steps inside 20 yd In	13.0 steps behind FRONT HASH (HS)
6	16	SIDE 2: 3.0 steps inside 25 yd In	9.0 steps in front of FRONT HASH (HS)
7	8	SIDE 2: 1.0 steps inside 25 yd In	11.25 steps in front of FRONT HASH (HS)
8	40	SIDE 2: 1.0 steps inside 25 yd In	11.25 steps in front of FRONT HASH (HS)
9	16	SIDE 2: 1.75 steps outside 35 yd In	10.25 steps behind FRONT SIDELINE
10	16	SIDE 2: 2.0 steps inside 20 yd In	9.0 steps behind FRONT SIDELINE
11	16	SIDE 2: 2.0 steps inside 20 yd In	10.0 steps in front of FRONT HASH (HS)
12	8	SIDE 2: 1.0 steps outside 25 yd In	10.0 steps in front of FRONT HASH (HS)
13	8	SIDE 2: 2.0 steps outside 25 yd In	12.0 steps in front of FRONT HASH (HS)
14	12	SIDE 2: 3.25 steps inside 25 yd In	6.5 steps in front of FRONT HASH (HS)
15	12	SIDE 2: 3.25 steps inside 25 yd In	6.5 steps in front of FRONT HASH (HS)
16	24	SIDE 2: 2.75 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
17	8	SIDE 2: 2.75 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
18	16	SIDE 2: 2.75 steps inside 25 yd In	12.0 steps in front of FRONT HASH (HS)
19	16	SIDE 2: 2.75 steps inside 20 yd In	8.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 3.25 steps inside 30 yd In	0.75 steps behind FRONT HASH (HS)

#### Performer: Symbol: T Label: 8 ID:563237395083700 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK 0.75 steps behind FRONT HASH (HS) 20 0 SIDE 2: 3.25 steps inside 30 yd In 21 16 SIDE 2: 2.0 steps inside 35 yd In 12.0 steps in front of BACK HASH (HS) 22 8 SIDE 2: 2.0 steps inside 35 yd In 12.0 steps in front of BACK HASH (HS) 23 8 SIDE 2: 2.0 steps inside 35 yd In 12.0 steps in front of BACK HASH (HS) SIDE 2: 2.0 steps inside 35 yd In 24 12.0 steps in front of BACK HASH (HS) 25 SIDE 2: 1.25 steps inside 40 yd In 10.5 steps behind FRONT HASH (HS) 26 SIDE 2: 1.25 steps inside 40 yd In 10.5 steps behind FRONT HASH (HS) 27 SIDE 2: 1.25 steps inside 40 yd In 10.5 steps behind FRONT HASH (HS) 12 SIDE 2: On 35 yd In 28 12.0 steps in front of BACK HASH (HS) 29 SIDE 2: On 35 yd In 12.0 steps in front of BACK HASH (HS) 30 SIDE 2: On 35 yd In 12.0 steps in front of BACK HASH (HS) 31 4 SIDE 2: On 35 yd In 12.0 steps in front of BACK HASH (HS) 32 SIDE 2: On 35 yd In 12.0 steps in front of BACK HASH (HS) 33 SIDE 2: On 35 yd In 12.0 steps behind FRONT HASH (HS) 34 14 SIDE 2: On 35 yd In 12.0 steps behind FRONT HASH (HS) 12 SIDE 2: 0.5 steps outside 30 yd In 8.0 steps behind FRONT HASH (HS)

Performer: Symbol: T Label: 8 ID:563237395083700 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 0.5 steps outside 30 yd In	8.0 steps behind FRONT HASH (HS)
36	8	SIDE 2: 0.5 steps outside 30 yd In	8.0 steps behind FRONT HASH (HS)
37	16	SIDE 2: On 25 yd In	6.75 steps behind FRONT HASH (HS)
38	16	SIDE 2: 2.0 steps outside 30 yd In	2.75 steps behind FRONT HASH (HS)
39	16	SIDE 2: 2.0 steps outside 30 yd In	13.25 steps in front of FRONT HASH (HS)
40	20	SIDE 2: 2.0 steps outside 30 yd In	13.25 steps in front of FRONT HASH (HS)
41	16	SIDE 2: 4.0 steps outside 20 yd In	12.0 steps behind FRONT SIDELINE
42	16	SIDE 2: On 25 yd In	8.0 steps behind FRONT SIDELINE
43	12	SIDE 2: 3.5 steps outside 30 yd In	14.0 steps in front of FRONT HASH (HS)
44	16	SIDE 2: 2.25 steps outside 35 yd In	5.5 steps behind FRONT SIDELINE
45	16	SIDE 2: 1.0 steps outside 35 yd In	7.5 steps behind FRONT SIDELINE
46	8	SIDE 2: 2.5 steps inside 30 yd In	9.25 steps behind FRONT SIDELINE
Perfo	rmer:	Symbol: T Label: 8 ID:5632373950837	700 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
16	0	CIDE 2: 2 E atono incido 20 vd la	0.25 stope behind EDONT SIDELINE

Perfo	rmer:	Symbol: T Label: 8 ID:5632	237395083700 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 2.5 steps inside 30 yd	In 9.25 steps behind FRONT SIDELINE
47	17	SIDE 2: On 30 yd In	10.0 steps behind FRONT HASH (HS)
48	8	SIDE 2: On 30 yd In	10.0 steps behind FRONT HASH (HS)
49	9	SIDE 2: 2.0 steps inside 40 yd	In 10.0 steps behind FRONT HASH (HS)
50	8	SIDE 1: 2.0 steps outside 50 y	d In 10.0 steps behind FRONT HASH (HS)
51	8	SIDE 1: 2.0 steps outside 45 y	d In 2.0 steps in front of FRONT HASH (HS)
52	20	SIDE 1: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
53	16	SIDE 1: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
54	8	SIDE 1: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
55	16	SIDE 1: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
56	16	SIDE 1: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
57	8	SIDE 1: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 4.0 steps inside 45 yd	In 4.0 steps in front of FRONT HASH (HS)
61	8	On 50 yd In	4.0 steps in front of FRONT HASH (HS)
62	8	On 50 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	On 50 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: 4.0 steps inside 45 yd	In 2.0 steps in front of FRONT HASH (HS)
65	18	SIDE 1: 4.0 steps inside 45 yd	In 2.0 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: M Label: 5 ID:563237395083	2700 Drill: 2024 GRAFTON PT1.3dj
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 3.0 steps outside 45 yd In	4.0 steps in front of FRONT HASH (HS)
2	8	SIDE 2: 3.0 steps outside 45 yd In	4.0 steps in front of FRONT HASH (HS)
3	8	SIDE 2: 3.0 steps outside 45 yd In	4.0 steps in front of FRONT HASH (HS)
4	8	SIDE 2: On 45 yd In	8.0 steps behind FRONT HASH (HS)
5	8	SIDE 2: On 45 yd In	8.0 steps behind FRONT HASH (HS)
6	16	SIDE 2: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
7	8	SIDE 2: 3.75 steps outside 40 yd In	10.5 steps behind FRONT SIDELINE
8	40	SIDE 2: 3.75 steps outside 40 yd In	10.5 steps behind FRONT SIDELINE
9	16	SIDE 2: 3.5 steps inside 45 yd In	12.25 steps behind FRONT SIDELINE
10	16	SIDE 2: 1.75 steps outside 40 yd In	6.0 steps behind FRONT SIDELINE
11	16	SIDE 2: 2.75 steps inside 30 yd In	8.0 steps behind FRONT SIDELINE
12	8	SIDE 2: 2.75 steps inside 30 yd In	8.0 steps behind FRONT SIDELINE
13	8	SIDE 2: 2.75 steps inside 30 yd In	8.0 steps behind FRONT SIDELINE
14	12	SIDE 2: 0.5 steps inside 25 yd In	7.5 steps behind FRONT SIDELINE
15	12	SIDE 2: 0.5 steps inside 25 yd In	7.5 steps behind FRONT SIDELINE
16	24	SIDE 2: 2.75 steps outside 40 yd In	12.0 steps in front of FRONT HASH (HS)
17	8	SIDE 2: 2.75 steps outside 40 yd In	12.0 steps in front of FRONT HASH (HS)
18	16	SIDE 2: 2.75 steps outside 30 yd In	12.0 steps in front of FRONT HASH (HS)
19	16	SIDE 2: 2.75 steps outside 25 yd In	8.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 2.5 steps inside 20 yd In	11.25 steps in front of FRONT HASH (HS)

### Performer: Symbol: M Label: 5 ID:563237395082700 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 2: 2.5 steps inside 20 yd In	11.25 steps in front of FRONT HASH (HS)
21	16	SIDE 2: 0.75 steps outside 40 yd In	5.25 steps in front of FRONT HASH (HS)
22	8	SIDE 2: 0.75 steps outside 40 yd In	5.25 steps in front of FRONT HASH (HS)
23	8	SIDE 2: 0.75 steps outside 40 yd In	5.25 steps in front of FRONT HASH (HS)
24	8	SIDE 2: 0.75 steps outside 40 yd In	5.25 steps in front of FRONT HASH (HS)
25	12	SIDE 2: 0.75 steps outside 40 yd In	5.25 steps in front of FRONT HASH (HS)
26	10	SIDE 2: 0.75 steps outside 40 yd In	5.25 steps in front of FRONT HASH (HS)
27	8	SIDE 2: 0.75 steps outside 40 yd In	5.25 steps in front of FRONT HASH (HS)
28	12	SIDE 2: On 40 yd In	8.0 steps behind FRONT HASH (HS)
29	4	SIDE 2: On 40 yd In	8.0 steps behind FRONT HASH (HS)
30	4	SIDE 2: On 40 yd In	8.0 steps behind FRONT HASH (HS)
31	4	SIDE 2: On 40 yd In	8.0 steps behind FRONT HASH (HS)
32	4	SIDE 2: On 40 yd In	8.0 steps behind FRONT HASH (HS)
33	4	SIDE 2: On 40 yd In	12.0 steps behind FRONT HASH (HS)
34	14	SIDE 2: On 40 yd In	12.0 steps behind FRONT HASH (HS)
35	12	SIDE 2: 3.0 steps inside 35 vd In	11 75 steps behind FRONT HASH (HS)

Performer: Symbol: M Label: 5 ID:563237395082700 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 3.0 steps inside 35 yd In	11.75 steps behind FRONT HASH (HS)
36	8	SIDE 2: 3.0 steps inside 35 yd In	11.75 steps behind FRONT HASH (HS)
37	16	SIDE 2: On 30 yd In	6.75 steps behind FRONT HASH (HS)
38	16	SIDE 2: 2.0 steps outside 35 yd In	2.75 steps behind FRONT HASH (HS)
39	16	SIDE 2: 2.0 steps outside 35 yd In	13.25 steps in front of FRONT HASH (HS)
40	20	SIDE 2: 2.0 steps outside 35 yd In	13.25 steps in front of FRONT HASH (HS)
41	16	SIDE 2: 4.0 steps outside 30 yd In	12.0 steps behind FRONT SIDELINE
42	16	SIDE 2: On 25 yd In	6.0 steps behind FRONT SIDELINE
43	12	SIDE 2: 1.75 steps outside 30 yd In	13.0 steps behind FRONT SIDELINE
44	16	SIDE 2: On 35 yd In	5.25 steps behind FRONT SIDELINE
45	16	SIDE 2: 1.25 steps inside 35 yd In	7.0 steps behind FRONT SIDELINE
46	8	SIDE 2: 3.25 steps outside 35 yd In	8.5 steps behind FRONT SIDELINE

Perfo	rmer:	Symbol: M Label: 5	ID:56323739508270	00 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2		FRONT-BACK
46	0	SIDE 2: 3.25 steps outs	side 35 yd In	8.5 steps behind FRONT SIDELINE
47	17	SIDE 2: 2.0 steps inside	e 40 yd In	9.0 steps in front of FRONT HASH (HS)
48	8	SIDE 2: 2.0 steps inside	e 40 yd In	9.0 steps in front of FRONT HASH (HS)
49	9	SIDE 2: 2.0 steps inside	e 40 yd In	9.0 steps in front of FRONT HASH (HS)
50	8	SIDE 2: 2.0 steps inside	e 40 yd In	9.0 steps in front of FRONT HASH (HS)
51	8	SIDE 2: 2.0 steps inside	e 40 yd In	9.0 steps in front of FRONT HASH (HS)
52	20	SIDE 2: 4.0 steps inside	e 45 yd In	12.0 steps in front of FRONT HASH (HS)
53	16	SIDE 2: 4.0 steps inside	e 45 yd In	12.0 steps in front of FRONT HASH (HS)
54	8	SIDE 2: 4.0 steps inside	e 45 yd In	12.0 steps in front of FRONT HASH (HS)
55	16	SIDE 2: 4.0 steps inside	e 45 yd In	12.0 steps in front of FRONT HASH (HS)
56	16	SIDE 2: 4.0 steps inside	e 45 yd In	12.0 steps in front of FRONT HASH (HS)
57	8	SIDE 2: 4.0 steps inside	e 45 yd In	8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 4.0 steps inside	e 45 yd In	8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: 4.0 steps inside	e 45 yd In	8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 4.0 steps inside	e 45 yd In	8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 4.0 steps inside	e 45 yd In	8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 4.0 steps inside	e 45 yd In	12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: 4.0 steps inside	e 45 yd In	12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: 3.0 steps outsi	de 50 yd In	4.25 steps in front of FRONT HASH (HS)
65	18	SIDE 2: 3.0 steps outside	de 50 yd In	4.25 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: T Label: 6 ID:5632373950835	00 Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 4.0 steps outside 30 yd In	4.0 steps behind FRONT HASH (HS)
2	8	SIDE 2: 4.0 steps outside 30 yd In	4.0 steps behind FRONT HASH (HS)
3	8	SIDE 2: 4.0 steps outside 30 yd In	4.0 steps behind FRONT HASH (HS)
4	8	SIDE 2: 1.0 steps outside 25 yd In	13.0 steps behind FRONT HASH (HS)
5	8	SIDE 2: 1.0 steps outside 25 yd In	13.0 steps behind FRONT HASH (HS)
6	16	SIDE 2: 1.0 steps outside 30 yd In	9.0 steps in front of FRONT HASH (HS)
7	8	SIDE 2: 3.25 steps inside 25 yd In	12.5 steps behind FRONT SIDELINE
8	40	SIDE 2: 3.25 steps inside 25 yd In	12.5 steps behind FRONT SIDELINE
9	16	SIDE 2: 3.0 steps inside 35 yd In	10.25 steps behind FRONT SIDELINE
10	16	SIDE 2: 2.0 steps outside 25 yd In	9.0 steps behind FRONT SIDELINE
11	16	SIDE 2: 3.25 steps inside 20 yd In	12.0 steps in front of FRONT HASH (HS)
12	8	SIDE 2: 2.75 steps outside 25 yd In	12.0 steps in front of FRONT HASH (HS)
13	8	SIDE 2: 4.0 steps outside 25 yd In	12.0 steps in front of FRONT HASH (HS)
14	12	SIDE 2: 0.75 steps inside 25 yd In	5.5 steps in front of FRONT HASH (HS)
15	12	SIDE 2: 0.75 steps inside 25 yd In	5.5 steps in front of FRONT HASH (HS)
16	24	SIDE 2: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
17	8	SIDE 2: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
18	16	SIDE 2: On 25 yd In	12.0 steps in front of FRONT HASH (HS)
19	16	SIDE 2: On 20 yd In	8.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 1.0 steps inside 30 yd In	0.75 steps behind FRONT HASH (HS)

# Performer: Symbol: T Label: 6 ID:563237395083500 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK 20 0 SIDE 2: 1.0 steps inside 30 yd ln 0.75 steps behind FRONT HASH

20	0	SIDE 2: 1.0 steps inside 30 yd In	0.75 steps behind FRONT HASH (HS)
21	16	SIDE 2: On 35 yd In	12.0 steps in front of BACK HASH (HS)
22	8	SIDE 2: On 35 yd In	12.0 steps in front of BACK HASH (HS)
23	8	SIDE 2: On 35 yd In	12.0 steps in front of BACK HASH (HS)
24	8	SIDE 2: On 35 yd In	12.0 steps in front of BACK HASH (HS)
25	12	SIDE 2: 3.75 steps outside 40 yd In	8.0 steps behind FRONT HASH (HS)
26	10	SIDE 2: 3.75 steps outside 40 yd In	8.0 steps behind FRONT HASH (HS)
27	8	SIDE 2: 3.75 steps outside 40 yd In	8.0 steps behind FRONT HASH (HS)
28	12	SIDE 2: On 35 yd In	8.0 steps behind FRONT HASH (HS)
29	4	SIDE 2: On 35 yd In	8.0 steps behind FRONT HASH (HS)
30	4	SIDE 2: On 35 yd In	8.0 steps behind FRONT HASH (HS)
31	4	SIDE 2: On 35 yd In	8.0 steps behind FRONT HASH (HS)
32	4	SIDE 2: On 35 yd In	8.0 steps behind FRONT HASH (HS)
33	4	SIDE 2: On 35 yd In	4.0 steps behind FRONT HASH (HS)
34	14	SIDE 2: On 35 yd In	4.0 steps behind FRONT HASH (HS)
35	12	SIDE 2: 2.25 steps inside 30 yd In	9.25 steps behind FRONT HASH (HS)

Performer: Symbol: T Label: 6 ID:563237395083500 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 2.25 steps inside 30 yd In	9.25 steps behind FRONT HASH (HS)
36	8	SIDE 2: 2.25 steps inside 30 yd In	9.25 steps behind FRONT HASH (HS)
37	16	SIDE 2: On 25 yd In	10.0 steps behind FRONT HASH (HS)
38	16	SIDE 2: 2.0 steps outside 30 yd In	6.0 steps behind FRONT HASH (HS)
39	16	SIDE 2: 2.0 steps outside 30 yd In	10.0 steps in front of FRONT HASH (HS)
40	20	SIDE 2: 2.0 steps outside 30 yd In	10.0 steps in front of FRONT HASH (HS)
41	16	SIDE 2: 2.0 steps inside 15 yd In	12.0 steps behind FRONT SIDELINE
42	16	SIDE 2: On 25 yd In	4.0 steps behind FRONT SIDELINE
43	12	SIDE 2: 0.25 steps inside 30 yd In	12.0 steps behind FRONT SIDELINE
44	16	SIDE 2: 2.25 steps inside 35 yd In	5.0 steps behind FRONT SIDELINE
45	16	SIDE 2: 3.75 steps inside 35 yd In	6.5 steps behind FRONT SIDELINE
46	8	SIDE 2: 0.75 steps outside 35 yd In	7.75 steps behind FRONT SIDELINE

Perfo Set	rmer: Count	Symbol: T Label: 6 ID:56323739508: ts SIDE 1-SIDE 2	3500 Drill: 2024 Grafton Pt4 FRONT-BACK
46	0	SIDE 2: 0.75 steps outside 35 yd In	7.75 steps behind FRONT SIDELINE
47	17	SIDE 2: 4.0 steps outside 30 yd In	10.0 steps behind FRONT HASH (HS)
48	8	SIDE 2: 4.0 steps outside 30 yd In	10.0 steps behind FRONT HASH (HS)
49	9	SIDE 2: 2.0 steps outside 40 yd In	10.0 steps behind FRONT HASH (HS)
50	8	SIDE 2: 2.0 steps outside 50 yd In	10.0 steps behind FRONT HASH (HS)
51	8	SIDE 1: 2.0 steps inside 45 yd In	2.0 steps in front of FRONT HASH (HS)
52	20	SIDE 1: On 50 yd In	4.0 steps in front of FRONT HASH (HS)
53	16	SIDE 1: On 50 yd In	4.0 steps in front of FRONT HASH (HS)
54	8	SIDE 1: On 50 yd In	4.0 steps in front of FRONT HASH (HS)
55	16	SIDE 1: On 50 yd In	4.0 steps in front of FRONT HASH (HS)
56	16	SIDE 1: On 50 yd In	4.0 steps in front of FRONT HASH (HS)
57	8	SIDE 1: On 50 yd In	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: On 50 yd In	4.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: On 50 yd In	4.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 4.0 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
61	8	SIDE 1: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: On 45 yd In	7.0 steps behind FRONT HASH (HS)
65	18	SIDE 1: On 45 yd In	7.0 steps behind FRONT HASH (HS)

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: T Label: 3 ID:5632373950832	00 Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 1.0 steps outside 25 yd In	5.0 steps in front of FRONT HASH (HS)
2	8	SIDE 2: 1.0 steps outside 25 yd In	5.0 steps in front of FRONT HASH (HS)
3	8	SIDE 2: 1.0 steps outside 25 yd In	5.0 steps in front of FRONT HASH (HS)
4	8	SIDE 2: 4.0 steps outside 25 yd In	10.0 steps behind FRONT HASH (HS)
5	8	SIDE 2: 4.0 steps outside 25 yd In	10.0 steps behind FRONT HASH (HS)
6	16	SIDE 2: 4.0 steps outside 30 yd In	12.0 steps in front of FRONT HASH (HS)
7	8	SIDE 2: 2.25 steps inside 30 yd In	10.25 steps behind FRONT SIDELINE
8	40	SIDE 2: 2.25 steps inside 30 yd In	10.25 steps behind FRONT SIDELINE
9	16	SIDE 2: 2.25 steps inside 40 yd In	10.75 steps behind FRONT SIDELINE
10	16	SIDE 2: 4.0 steps outside 30 yd In	6.0 steps behind FRONT SIDELINE
11	16	SIDE 2: 2.0 steps outside 25 yd In	10.0 steps behind FRONT SIDELINE
12	8	SIDE 2: 2.0 steps outside 20 yd In	10.0 steps behind FRONT SIDELINE
13	8	SIDE 2: 4.0 steps outside 20 yd In	12.0 steps in front of FRONT HASH (HS)
14	12	SIDE 2: 0.5 steps inside 20 yd In	10.25 steps in front of FRONT HASH (HS)
15	12	SIDE 2: 0.5 steps inside 20 yd In	10.25 steps in front of FRONT HASH (HS)
16	24	SIDE 2: On 30 yd In	12.0 steps behind FRONT SIDELINE
17	8	SIDE 2: On 30 yd In	12.0 steps behind FRONT SIDELINE
18	16	SIDE 2: On 20 yd In	12.0 steps behind FRONT SIDELINE
19	16	SIDE 2: On 15 yd In	12.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 0.25 steps inside 25 yd In	1.5 steps in front of FRONT HASH (HS)

### Performer: Symbol: T Label: 3 ID:563237395083200 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK SIDE 2: 0.25 steps inside 25 yd In 1.5 steps in front of FRONT HASH (HS) 20 0 21 16 SIDE 2: 1.0 steps inside 20 yd In 10.0 steps behind FRONT HASH (HS) 22 8 SIDE 2: 1.0 steps inside 20 yd In 10.0 steps behind FRONT HASH (HS) 23 8 SIDE 2: 1.0 steps inside 20 yd In 10.0 steps behind FRONT HASH (HS) SIDE 2: 1.0 steps inside 20 yd In 10.0 steps behind FRONT HASH (HS) 24 25 12 SIDE 2: 1.0 steps inside 30 yd In On FRONT HASH (HS) 26 10 SIDE 2: 1.0 steps inside 30 yd In On FRONT HASH (HS) 27 8 SIDE 2: 1.0 steps inside 30 yd In On FRONT HASH (HS) 12 SIDE 2: On 30 yd In 28 On FRONT HASH (HS) 29 4 SIDE 2: On 30 yd In On FRONT HASH (HS) 30 4 SIDE 2: On 30 yd In On FRONT HASH (HS) 4 SIDE 2: On 30 yd In 31 On FRONT HASH (HS) 32 4 SIDE 2: On 30 yd In On FRONT HASH (HS) 33 4 SIDE 2: On 30 yd In 4.0 steps behind FRONT HASH (HS) 34 14 SIDE 2: On 30 yd In 4.0 steps behind FRONT HASH (HS) 12 SIDE 2: 1.0 steps inside 25 yd In 2.0 steps behind FRONT HASH (HS)

Performer: Symbol: T Label: 3 ID:563237395083200 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

024 GRAFTON"

Perfo	Performer: i				
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK		
35	0	SIDE 2: 1.0 steps inside 25 yd In	2.0 steps behind FRONT HASH (HS)		
36	8	SIDE 2: 1.0 steps inside 25 yd In	2.0 steps behind FRONT HASH (HS)		
37	16	SIDE 2: On 30 yd In	3.25 steps behind FRONT HASH (HS)		
38	16	SIDE 2: 2.0 steps outside 35 yd In	0.75 steps in front of FRONT HASH (HS)		
39	16	SIDE 2: 2.0 steps outside 35 yd In	11.25 steps behind FRONT SIDELINE		
40	20	SIDE 2: 2.0 steps outside 35 yd In	11.25 steps behind FRONT SIDELINE		
41	16	SIDE 2: 2.0 steps outside 30 yd In	12.0 steps behind FRONT SIDELINE		
42	16	SIDE 2: On 35 yd In	6.0 steps in front of FRONT HASH (HS)		
43	12	SIDE 2: 2.0 steps inside 30 yd In	11.0 steps behind FRONT SIDELINE		
44	16	SIDE 2: 3.5 steps outside 40 yd In	5.0 steps behind FRONT SIDELINE		
45	16	SIDE 2: 2.0 steps outside 40 yd In	6.0 steps behind FRONT SIDELINE		
46	8	SIDE 2: 1.5 steps inside 35 yd In	7.0 steps behind FRONT SIDELINE		
Perfo	rmer:	Symbol: T Label: 3 ID:5632373950	83200 Drill: 2024 Grafton Pt4		
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK		
46	0	SIDE 2: 1.5 steps inside 35 yd In	7.0 steps behind FRONT SIDELINE		
47	17	SIDE 2: 2.0 steps outside 35 yd In	8.0 steps behind FRONT HASH (HS)		
48	8	SIDE 2: On 45 yd In	8.0 steps behind FRONT HASH (HS)		
49	9	SIDE 2: On 45 yd In	8.0 steps behind FRONT HASH (HS)		
50	8	SIDE 1: On 45 yd In	8.0 steps behind FRONT HASH (HS)		

Set	Counts	S SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 1.5 steps inside 35 yd In	7.0 steps behind FRONT SIDELINE
47	17	SIDE 2: 2.0 steps outside 35 yd In	8.0 steps behind FRONT HASH (HS)
48	8	SIDE 2: On 45 yd In	8.0 steps behind FRONT HASH (HS)
49	9	SIDE 2: On 45 yd In	8.0 steps behind FRONT HASH (HS)
50	8	SIDE 1: On 45 yd In	8.0 steps behind FRONT HASH (HS)
51	8	SIDE 1: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
52	20	SIDE 1: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
53	16	SIDE 1: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
54	8	SIDE 1: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
55	16	SIDE 1: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
56	16	SIDE 1: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
57	8	SIDE 1: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: 2.25 steps inside 35 yd In	13.75 steps in front of FRONT HASH (HS)
65	18	SIDE 1: 2.25 steps inside 35 yd In	13.75 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
Performer:	III 2024 GRAFION

Perfo	rmer:	Symbol: M Label: 1 ID:563237395082	300 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 4.0 steps inside 45 yd In	1.0 steps in front of FRONT HASH (HS)
2	8	SIDE 1: 4.0 steps inside 45 yd In	1.0 steps in front of FRONT HASH (HS)
3	8	SIDE 1: 4.0 steps inside 45 yd In	1.0 steps in front of FRONT HASH (HS)
4	8	SIDE 2: 2.0 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
5	8	SIDE 2: 2.0 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
6	16	SIDE 2: 2.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
7	8	SIDE 2: 2.5 steps outside 45 yd In	13.75 steps in front of FRONT HASH (HS)
8	40	SIDE 2: 2.5 steps outside 45 yd In	13.75 steps in front of FRONT HASH (HS)
9	16	SIDE 1: 3.0 steps inside 45 yd In	14.0 steps behind FRONT SIDELINE
10	16	SIDE 2: 3.25 steps outside 45 yd In	12.5 steps behind FRONT SIDELINE
11	16	SIDE 2: 2.75 steps outside 40 yd In	8.0 steps behind FRONT SIDELINE
12	8	SIDE 2: 2.75 steps outside 40 yd In	8.0 steps behind FRONT SIDELINE
13	8	SIDE 2: 2.75 steps outside 40 yd In	8.0 steps behind FRONT SIDELINE
14	12	SIDE 2: 3.25 steps inside 30 yd In	5.25 steps behind FRONT SIDELINE
15	12	SIDE 2: 3.25 steps inside 30 yd In	5.25 steps behind FRONT SIDELINE
16	24	SIDE 2: 2.75 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
17	8	SIDE 2: 2.75 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
18	16	SIDE 2: 2.75 steps inside 30 yd In	12.0 steps in front of FRONT HASH (HS)
19	16	SIDE 2: 2.75 steps inside 25 yd In	8.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 2.5 steps outside 25 yd In	9.0 steps behind FRONT SIDELINE

### Set Counts SIDE 1-SIDE 2 FRONT-BACK SIDE 2: 2.5 steps outside 25 yd In 20 0 9.0 steps behind FRONT SIDELINE 21 16 SIDE 2: On 35 yd In 12.0 steps in front of FRONT HASH (HS) 22 8 SIDE 2: On 35 yd In 12.0 steps in front of FRONT HASH (HS) 23 8 SIDE 2: On 35 yd In 12.0 steps in front of FRONT HASH (HS) SIDE 2: On 35 yd In 24 12.0 steps in front of FRONT HASH (HS) 25 12 SIDE 2: On 35 yd In 12.0 steps in front of FRONT HASH (HS) 26 SIDE 2: On 35 yd In 12.0 steps in front of FRONT HASH (HS) 27 SIDE 2: On 35 yd In 12.0 steps in front of FRONT HASH (HS) 28 12 SIDE 2: On 40 yd In 8.0 steps in front of FRONT HASH (HS) 29 SIDE 2: On 40 yd In 8.0 steps in front of FRONT HASH (HS) 30 SIDE 2: On 40 yd In 8.0 steps in front of FRONT HASH (HS) 4 SIDE 2: On 40 yd In 31 8.0 steps in front of FRONT HASH (HS) 32 SIDE 2: 4.0 steps inside 35 yd In 8.0 steps in front of FRONT HASH (HS) 33 SIDE 2: 4.0 steps outside 40 yd In 8.0 steps in front of FRONT HASH (HS)

8.0 steps in front of FRONT HASH (HS)

8.0 steps in front of FRONT HASH (HS)

Performer: Symbol: M Label: 1 ID:563237395082300 Drill: 2024 GRAFTON PT2

Performer: Symbol: M Label: 1 ID:563237395082300 Drill: 2024 GRAFTON PT3

SIDE 2: 4.0 steps outside 40 yd In

12 SIDE 2: 4.0 steps outside 40 yd In

Printed: Sun. Jul 7, 2024 at 12:18 PM

14

34

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 4.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
36	8	SIDE 2: 4.0 steps outside 35 yd In	12.0 steps behind FRONT SIDELINE
37	16	SIDE 2: On 35 yd In	On FRONT HASH (HS)
38	16	SIDE 2: 2.0 steps outside 40 yd In	4.0 steps in front of FRONT HASH (HS)
39	16	SIDE 2: 2.0 steps outside 40 yd In	8.0 steps behind FRONT SIDELINE
40	20	SIDE 2: 2.0 steps outside 40 yd In	8.0 steps behind FRONT SIDELINE
41	16	SIDE 2: On 40 yd In	12.0 steps behind FRONT SIDELINE
42	16	SIDE 2: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
43	12	SIDE 2: 4.0 steps inside 30 yd In	10.0 steps behind FRONT SIDELINE
44	16	SIDE 2: 1.25 steps outside 40 yd In	5.0 steps behind FRONT SIDELINE
45	16	SIDE 2: 0.25 steps inside 40 yd In	5.75 steps behind FRONT SIDELINE
46	8	SIDE 2: 4.0 steps outside 40 yd In	6.5 steps behind FRONT SIDELINE
	rmer:	Symbol: M   abol: 1   ID:563237305083	2300 Drill: 2024 Grafton Pt4

Perfo		Symbol: M Label: 1 ID:563237395082	
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 4.0 steps outside 40 yd In	6.5 steps behind FRONT SIDELINE
47	17	SIDE 2: 2.0 steps outside 45 yd In	9.0 steps in front of FRONT HASH (HS)
48	8	SIDE 2: 2.0 steps outside 45 yd In	9.0 steps in front of FRONT HASH (HS)
49	9	SIDE 2: 2.0 steps outside 45 yd In	9.0 steps in front of FRONT HASH (HS)
50	8	SIDE 2: 2.0 steps outside 45 yd In	9.0 steps in front of FRONT HASH (HS)
51	8	SIDE 2: 2.0 steps outside 45 yd In	9.0 steps in front of FRONT HASH (HS)
52	20	On 50 yd In	12.0 steps in front of FRONT HASH (HS)
53	16	On 50 yd In	12.0 steps in front of FRONT HASH (HS)
54	8	On 50 yd In	12.0 steps in front of FRONT HASH (HS)
55	16	On 50 yd In	12.0 steps in front of FRONT HASH (HS)
56	16	On 50 yd In	12.0 steps in front of FRONT HASH (HS)
57	8	SIDE 2: On 50 yd In	8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: On 50 yd In	8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: On 50 yd In	8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: On 50 yd In	8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: On 50 yd In	8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: On 50 yd In	12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: On 50 yd In	12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: 1.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
65	18	SIDE 1: 1.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"

Dailly 2024 CD A ETON DT4 24:

12.0 steps in front of FRONT HASH (HS)

Perfo	rmer:	Symbol: T Label: 9 ID:563237395083	800 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 1.0 steps outside 15 yd In	11.0 steps behind FRONT HASH (HS)
2	8	SIDE 2: 1.0 steps outside 15 yd In	11.0 steps behind FRONT HASH (HS)
3	8	SIDE 2: 1.0 steps outside 15 yd In	11.0 steps behind FRONT HASH (HS)
4	8	SIDE 2: 1.0 steps inside 20 yd In	13.0 steps behind FRONT HASH (HS)
5	8	SIDE 2: 1.0 steps inside 20 yd In	13.0 steps behind FRONT HASH (HS)
6	16	SIDE 2: 1.0 steps inside 25 yd In	9.0 steps in front of FRONT HASH (HS)
7	8	SIDE 2: 1.0 steps inside 25 yd In	8.75 steps in front of FRONT HASH (HS)
8	40	SIDE 2: 1.0 steps inside 25 yd In	8.75 steps in front of FRONT HASH (HS)
9	16	SIDE 2: 4.0 steps inside 30 yd In	10.5 steps behind FRONT SIDELINE
10	16	SIDE 2: On 20 yd In	6.0 steps behind FRONT SIDELINE
11	16	SIDE 2: On 20 yd In	10.0 steps behind FRONT SIDELINE
12	8	SIDE 2: On 15 yd In	10.0 steps behind FRONT SIDELINE
13	8	SIDE 2: 2.0 steps outside 15 yd In	12.0 steps in front of FRONT HASH (HS)
14	12	SIDE 2: 3.75 steps inside 20 yd In	10.25 steps behind FRONT SIDELINE
15	12	SIDE 2: 3.75 steps inside 20 yd In	10.25 steps behind FRONT SIDELINE
16	24	SIDE 2: On 35 yd In	12.0 steps behind FRONT SIDELINE
17	8	SIDE 2: On 35 yd In	12.0 steps behind FRONT SIDELINE
18	16	SIDE 2: On 25 yd In	12.0 steps behind FRONT SIDELINE
19	16	SIDE 2: On 20 yd In	12.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 4.0 steps outside 25 yd In	6.75 steps in front of FRONT HASH (HS)

Desferment Comball T. Labelt O. ID-502222205002000

### Performer: Symbol: T Label: 9 ID:563237395083800 Drill: 2024 GRAFTON PT2 Counts SIDE 1-SIDE 2 FRONT-BACK SIDE 2: 4.0 steps outside 25 yd In 20 0 6.75 steps in front of FRONT HASH (HS) 16 SIDE 2: 2.0 steps inside 20 yd In 8.0 steps behind FRONT HASH (HS) 21 22 8 SIDE 2: 2.0 steps inside 20 yd In 8.0 steps behind FRONT HASH (HS) 23 8 SIDE 2: 2.0 steps inside 20 yd In 8.0 steps behind FRONT HASH (HS) SIDE 2: 2.0 steps inside 20 yd In 24 8.0 steps behind FRONT HASH (HS) 25 12 SIDE 2: 1.0 steps outside 30 yd In 2.0 steps in front of FRONT HASH (HS) 26 SIDE 2: 1.0 steps outside 30 yd In 2.0 steps in front of FRONT HASH (HS) 27 8 SIDE 2: 1.0 steps outside 30 yd In 2.0 steps in front of FRONT HASH (HS) 12 SIDE 2: On 30 yd In 4.0 steps in front of FRONT HASH (HS) 28 29 SIDE 2: On 30 yd In 4.0 steps in front of FRONT HASH (HS) 30 SIDE 2: On 30 yd In 4.0 steps in front of FRONT HASH (HS) 31 4 SIDE 2: On 30 yd In 4.0 steps in front of FRONT HASH (HS) 32 4 SIDE 2: On 30 yd In 4.0 steps in front of FRONT HASH (HS) 33 SIDE 2: On 30 yd In 8.0 steps in front of FRONT HASH (HS) 34 SIDE 2: On 30 yd In 8.0 steps in front of FRONT HASH (HS) 14

Performer: Symbol: T Label: 9 ID:563237395083800 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

12 SIDE 2: 2.0 steps outside 30 yd In

Performer: in "2024 GRAFTON"

1 61101	mici.		III 2024 OIM
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 2.0 steps outside 30 yd In	12.0 steps in front of FRONT HASH (HS)
36	8	SIDE 2: 2.0 steps outside 30 yd In	12.0 steps in front of FRONT HASH (HS)
37	16	SIDE 2: On 30 yd In	On FRONT HASH (HS)
38	16	SIDE 2: 2.0 steps outside 35 yd In	4.0 steps in front of FRONT HASH (HS)
39	16	SIDE 2: 2.0 steps outside 35 yd In	8.0 steps behind FRONT SIDELINE
40	20	SIDE 2: 2.0 steps outside 35 yd In	8.0 steps behind FRONT SIDELINE
41	16	SIDE 2: On 30 yd In	12.0 steps behind FRONT SIDELINE
42	16	SIDE 2: On 35 yd In	10.0 steps in front of FRONT HASH (HS)
43	12	SIDE 2: 2.25 steps outside 35 yd In	9.0 steps behind FRONT SIDELINE
44	16	SIDE 2: 1.0 steps inside 40 yd In	5.0 steps behind FRONT SIDELINE
45	16	SIDE 2: 2.75 steps inside 40 yd In	5.75 steps behind FRONT SIDELINE
46	8	SIDE 2: 1.5 steps outside 40 yd In	6.0 steps behind FRONT SIDELINE
Perfo	rmer:	Symbol: T Label: 9 ID:56323739508	3800 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 1.5 steps outside 40 yd In	6.0 steps behind FRONT SIDELINE
47	17	SIDE 2: 2.0 steps inside 30 yd In	8.0 steps behind FRONT HASH (HS)
48	8	SIDE 2: 4.0 steps inside 40 yd In	8.0 steps behind FRONT HASH (HS)
49	9	SIDE 2: 4.0 steps inside 40 yd In	8.0 steps behind FRONT HASH (HS)
50	8	SIDE 1: 4.0 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
51	8	SIDE 1: 4.0 steps outside 45 yd In	4.0 steps in front of FRONT HASH (HS)
52	20	SIDE 1: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
53	16	SIDE 1: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
54	8	SIDE 1: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
55	16	SIDE 1: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
56	16	SIDE 1: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
57	8	SIDE 1: 2.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: 2.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: 2.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 2.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 2.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 2.0 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: 2.0 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: 2.0 steps inside 40 yd In	7.75 steps in front of FRONT HASH (HS)
65	18	SIDE 1: 2.0 steps inside 40 yd In	7.75 steps in front of FRONT HASH (HS)

Performer: ii	n "2024 GRAFTON"
---------------	------------------

Perfo	rmer:	Symbol: T Label: 4 ID:5632373950833	00 Drill: 2024 GRAFTON PT1.3dj
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 1.0 steps inside 20 yd In	3.0 steps in front of FRONT HASH (HS)
2	8	SIDE 2: 1.0 steps inside 20 yd In	3.0 steps in front of FRONT HASH (HS)
3	8	SIDE 2: 1.0 steps inside 20 yd In	3.0 steps in front of FRONT HASH (HS)
4	8	SIDE 2: 2.0 steps inside 20 yd In	10.0 steps behind FRONT HASH (HS)
5	8	SIDE 2: 2.0 steps inside 20 yd In	10.0 steps behind FRONT HASH (HS)
6	16	SIDE 2: 2.0 steps inside 25 yd In	12.0 steps in front of FRONT HASH (HS)
7	8	SIDE 2: 0.25 steps outside 30 yd In	10.5 steps behind FRONT SIDELINE
8	40	SIDE 2: 0.25 steps outside 30 yd In	10.5 steps behind FRONT SIDELINE
9	16	SIDE 2: 0.25 steps outside 40 yd In	10.5 steps behind FRONT SIDELINE
10	16	SIDE 2: 2.0 steps inside 25 yd In	9.0 steps behind FRONT SIDELINE
11	16	SIDE 2: 3.25 steps outside 25 yd In	14.0 steps behind FRONT SIDELINE
12	8	SIDE 2: 3.75 steps inside 20 yd In	14.0 steps behind FRONT SIDELINE
13	8	SIDE 2: 2.0 steps inside 20 yd In	12.0 steps in front of FRONT HASH (HS)
14	12	SIDE 2: 2.0 steps outside 25 yd In	5.25 steps in front of FRONT HASH (HS)
15	12	SIDE 2: 2.0 steps outside 25 yd In	5.25 steps in front of FRONT HASH (HS)
16	24	SIDE 2: 2.75 steps outside 35 yd In	12.0 steps in front of FRONT HASH (HS)
17	8	SIDE 2: 2.75 steps outside 35 yd In	12.0 steps in front of FRONT HASH (HS)
18	16	SIDE 2: 2.75 steps outside 25 yd In	12.0 steps in front of FRONT HASH (HS)
19	16	SIDE 2: 2.75 steps outside 20 yd In	8.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 1.25 steps outside 30 yd In	0.75 steps behind FRONT HASH (HS)

### Set Counts SIDE 1-SIDE 2 FRONT-BACK 0.75 steps behind FRONT HASH (HS) 20 0 SIDE 2: 1.25 steps outside 30 yd In 21 16 SIDE 2: 1.0 steps outside 25 yd In 10.0 steps behind FRONT HASH (HS) 22 8 SIDE 2: 1.0 steps outside 25 yd In 10.0 steps behind FRONT HASH (HS) 23 8 SIDE 2: 1.0 steps outside 25 yd In 10.0 steps behind FRONT HASH (HS) 24 SIDE 2: 1.0 steps outside 25 yd In 25 12 SIDE 2: 0.5 steps outside 35 yd In 26 SIDE 2: 0.5 steps outside 35 yd In

Drill: 2024 GRAFTON PT2

4.0 steps in front of FRONT HASH (HS)

Performer: Symbol: T Label: 4 ID:563237395083300

12 SIDE 2: 1.5 steps inside 25 yd In

10.0 steps behind FRONT HASH (HS) 5.0 steps behind FRONT HASH (HS) 5.0 steps behind FRONT HASH (HS) 27 SIDE 2: 0.5 steps outside 35 yd In 5.0 steps behind FRONT HASH (HS) 12 SIDE 2: On 30 yd In 28 12.0 steps behind FRONT HASH (HS) 29 SIDE 2: On 30 yd In 12.0 steps behind FRONT HASH (HS) 30 SIDE 2: On 30 yd In 12.0 steps behind FRONT HASH (HS) 31 4 SIDE 2: On 30 yd In 12.0 steps behind FRONT HASH (HS) 32 SIDE 2: 4.0 steps outside 30 yd In 12.0 steps behind FRONT HASH (HS) 33 SIDE 2: 4.0 steps outside 30 yd In 12.0 steps behind FRONT HASH (HS) 34 SIDE 2: 4.0 steps outside 30 yd In 12.0 steps behind FRONT HASH (HS) 14

Performer: Symbol: T Label: 4 ID:563237395083300 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Perfo	rmer:		in "2
Set	Counts	SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 1.5 steps inside 25 yd In	4.0 steps in front of FRONT HASH (HS)
36	8	SIDE 2: 1.5 steps inside 25 yd In	4.0 steps in front of FRONT HASH (HS)
37	16	SIDE 2: On 35 yd In	3.25 steps behind FRONT HASH (HS)
38	16	SIDE 2: 2.0 steps outside 40 yd In	0.75 steps in front of FRONT HASH (HS)
39	16	SIDE 2: 2.0 steps outside 40 yd In	11.25 steps behind FRONT SIDELINE
40	20	SIDE 2: 2.0 steps outside 40 yd In	11.25 steps behind FRONT SIDELINE
41	16	SIDE 2: 2.0 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
42	16	SIDE 2: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
43	12	SIDE 2: 0.25 steps outside 35 yd In	8.0 steps behind FRONT SIDELINE
44	16	SIDE 2: 3.25 steps inside 40 yd In	5.25 steps behind FRONT SIDELINE
45	16	SIDE 2: 3.0 steps outside 45 yd In	5.5 steps behind FRONT SIDELINE
46	8	SIDE 2: 1.0 steps inside 40 yd In	5.75 steps behind FRONT SIDELINE
Perfo	ormer: S	Symbol: T Label: 4 ID:5632373950833	Drill: 2024 Grafton Pt4
Set	Counts	SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 1.0 steps inside 40 yd In	5.75 steps behind FRONT SIDELINE
47	17	SIDE 2: 2.0 steps outside 30 yd In	8.0 steps behind FRONT HASH (HS)
40	0	0105 0 0 40 11	0.0 -4 b -b :l EDONT LIA (LIO)

1 0110	mici.	Oyinbon i Laben 4 10.00020100000	Jim. 2024 Granton i t4
Set	Counts	S SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 1.0 steps inside 40 yd In	5.75 steps behind FRONT SIDELINE
47	17	SIDE 2: 2.0 steps outside 30 yd In	8.0 steps behind FRONT HASH (HS)
48	8	SIDE 2: On 40 yd In	8.0 steps behind FRONT HASH (HS)
49	9	SIDE 2: On 40 yd In	8.0 steps behind FRONT HASH (HS)
50	8	On 50 yd In	8.0 steps behind FRONT HASH (HS)
51	8	SIDE 1: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
52	20	SIDE 1: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
53	16	SIDE 1: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
54	8	SIDE 1: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
55	16	SIDE 1: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
56	16	SIDE 1: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
57	8	SIDE 1: 2.0 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: 2.0 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: 2.0 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 2.0 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 2.0 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 2.0 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: 2.0 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: 1.25 steps inside 45 yd In	4.75 steps in front of FRONT HASH (HS)
65	18	SIDE 1: 1.25 steps inside 45 yd In	4.75 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Performer:		Symbol: M Label: 6 ID:563237395082	2800 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 2.0 steps inside 40 yd In	9.0 steps in front of FRONT HASH (HS)
2	8	SIDE 2: 2.0 steps inside 40 yd In	9.0 steps in front of FRONT HASH (HS)
3	8	SIDE 2: 2.0 steps inside 40 yd In	9.0 steps in front of FRONT HASH (HS)
4	8	SIDE 2: On 45 yd In	4.0 steps behind FRONT HASH (HS)
5	8	SIDE 2: On 45 yd In	4.0 steps behind FRONT HASH (HS)
6	16	SIDE 2: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
7	8	SIDE 2: 1.75 steps inside 35 yd In	10.25 steps behind FRONT SIDELINE
8	40	SIDE 2: 1.75 steps inside 35 yd In	10.25 steps behind FRONT SIDELINE
9	16	SIDE 2: 1.25 steps inside 45 yd In	11.75 steps behind FRONT SIDELINE
10	16	SIDE 2: 4.0 steps outside 40 yd In	5.0 steps behind FRONT SIDELINE
11	16	SIDE 2: On 30 yd In	8.0 steps behind FRONT SIDELINE
12	8	SIDE 2: On 30 yd In	8.0 steps behind FRONT SIDELINE
13	8	SIDE 2: On 30 yd In	8.0 steps behind FRONT SIDELINE
14	12	SIDE 2: 2.0 steps outside 25 yd In	8.5 steps behind FRONT SIDELINE
15	12	SIDE 2: 2.0 steps outside 25 yd In	8.5 steps behind FRONT SIDELINE
16	24	SIDE 2: 2.75 steps inside 35 yd In	12.0 steps behind FRONT SIDELINE
17	8	SIDE 2: 2.75 steps inside 35 yd In	12.0 steps behind FRONT SIDELINE
18	16	SIDE 2: 2.75 steps inside 25 yd In	12.0 steps behind FRONT SIDELINE
19	16	SIDE 2: 2.75 steps inside 20 yd In	12.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 3.25 steps inside 20 yd In	9.0 steps in front of FRONT HASH (HS)

### Performer: Symbol: M Label: 6 ID:563237395082800 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 2: 3.25 steps inside 20 yd In	9.0 steps in front of FRONT HASH (HS)
21	16	SIDE 2: 0.25 steps outside 40 yd In	2.75 steps in front of FRONT HASH (HS)
22	8	SIDE 2: 0.25 steps outside 40 yd In	2.75 steps in front of FRONT HASH (HS)
23	8	SIDE 2: 0.25 steps outside 40 yd In	2.75 steps in front of FRONT HASH (HS)
24	8	SIDE 2: 0.25 steps outside 40 yd In	2.75 steps in front of FRONT HASH (HS)
25	12	SIDE 2: 0.25 steps outside 40 yd In	2.75 steps in front of FRONT HASH (HS)
26	10	SIDE 2: 0.25 steps outside 40 yd In	2.75 steps in front of FRONT HASH (HS)
27	8	SIDE 2: 0.25 steps outside 40 yd In	2.75 steps in front of FRONT HASH (HS)
28	12	SIDE 2: On 45 yd In	4.0 steps behind FRONT HASH (HS)
29	4	SIDE 2: On 45 yd In	4.0 steps behind FRONT HASH (HS)
30	4	SIDE 2: On 45 yd In	4.0 steps behind FRONT HASH (HS)
31	4	SIDE 2: 4.0 steps inside 40 yd In	4.0 steps behind FRONT HASH (HS)
32	4	SIDE 2: 4.0 steps inside 40 yd In	4.0 steps behind FRONT HASH (HS)
33	4	SIDE 2: 4.0 steps outside 45 yd In	4.0 steps behind FRONT HASH (HS)
34	14	SIDE 2: 4.0 steps outside 45 yd In	4.0 steps behind FRONT HASH (HS)
35	12	SIDE 2: 4.0 steps outside 45 yd In	10.5 steps behind FRONT HASH (HS)

Performer: Symbol: M Label: 6 ID:563237395082800 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

FRONT-BACK
10.5 steps behind FRONT HASH (HS)
10.5 steps behind FRONT HASH (HS)
10.0 steps behind FRONT HASH (HS)
6.0 steps behind FRONT HASH (HS)
10.0 steps in front of FRONT HASH (HS)
10.0 steps in front of FRONT HASH (HS)
12.0 steps behind FRONT SIDELINE
14.0 steps behind FRONT SIDELINE
7.25 steps behind FRONT SIDELINE
5.25 steps behind FRONT SIDELINE
5.5 steps behind FRONT SIDELINE
5.5 steps behind FRONT SIDELINE
7

Performer:		Symbol: M Label: 6	ID:5632373950828	00 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2		FRONT-BACK
46	0	SIDE 2: 3.75 steps ins	side 40 yd In	5.5 steps behind FRONT SIDELINE
47	17	SIDE 2: 2.0 steps insi	de 45 yd In	9.0 steps in front of FRONT HASH (HS)
48	8	SIDE 2: 2.0 steps insi	de 45 yd In	9.0 steps in front of FRONT HASH (HS)
49	9	SIDE 2: 2.0 steps insi	de 45 yd In	9.0 steps in front of FRONT HASH (HS)
50	8	SIDE 2: 2.0 steps insi	de 45 yd In	9.0 steps in front of FRONT HASH (HS)
51	8	SIDE 2: 2.0 steps insi	de 45 yd In	9.0 steps in front of FRONT HASH (HS)
52	20	SIDE 1: 4.0 steps insi	de 45 yd In	12.0 steps in front of FRONT HASH (HS)
53	16	SIDE 1: 4.0 steps insi	de 45 yd In	12.0 steps in front of FRONT HASH (HS)
54	8	SIDE 1: 4.0 steps insi	de 45 yd In	12.0 steps in front of FRONT HASH (HS)
55	16	SIDE 1: 4.0 steps insi	de 45 yd In	12.0 steps in front of FRONT HASH (HS)
56	16	SIDE 1: 4.0 steps insi	de 45 yd In	12.0 steps in front of FRONT HASH (HS)
57	8	SIDE 1: 4.0 steps insi	de 45 yd In	8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: 4.0 steps insi	de 45 yd In	8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: 4.0 steps insi	de 45 yd In	8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 4.0 steps insi	de 45 yd In	8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 4.0 steps insi	de 45 yd In	8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 4.0 steps insi	de 45 yd In	12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: 4.0 steps insi	de 45 yd In	12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: 3.0 steps insi	de 45 yd In	4.5 steps in front of FRONT HASH (HS)
65	18	SIDE 1: 3.0 steps insi	de 45 yd In	4.5 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: T Label: 10 ID:5632373950	84200 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 4.0 steps outside 20 yd In	13.0 steps behind FRONT HASH (HS)
2	8	SIDE 2: 4.0 steps outside 20 yd In	13.0 steps behind FRONT HASH (HS)
3	8	SIDE 2: 4.0 steps outside 20 yd In	13.0 steps behind FRONT HASH (HS)
4	8	SIDE 2: On 20 yd In	12.0 steps in front of BACK HASH (HS)
5	8	SIDE 2: On 20 yd In	12.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: On 25 yd In	6.0 steps in front of FRONT HASH (HS)
7	8	SIDE 2: 1.0 steps inside 25 yd In	6.25 steps in front of FRONT HASH (HS)
8	40	SIDE 2: 1.0 steps inside 25 yd In	6.25 steps in front of FRONT HASH (HS)
9	16	SIDE 2: 1.5 steps inside 30 yd In	10.75 steps behind FRONT SIDELINE
10	16	SIDE 2: On 30 yd In	12.0 steps behind FRONT SIDELINE
11	16	SIDE 2: On 25 yd In	8.0 steps in front of FRONT HASH (HS)
12	8	SIDE 2: On 30 yd In	8.0 steps in front of FRONT HASH (HS)
13	8	SIDE 2: On 30 yd In	12.0 steps in front of FRONT HASH (HS)
14	12	SIDE 2: 4.0 steps outside 35 yd In	11.0 steps behind FRONT SIDELINE
15	12	SIDE 2: 4.0 steps outside 35 yd In	11.0 steps behind FRONT SIDELINE
16	24	SIDE 2: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
17	8	SIDE 2: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
18	16	SIDE 2: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
19	16	SIDE 2: 3.0 steps inside 30 yd In	8.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 2.5 steps outside 35 yd In	0.25 steps behind FRONT HASH (HS)

### Performer: Symbol: T Label: 10 ID:563237395084200 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

00.	Oouni	O OIDE I OIDE E	THORT BROKE
20	0	SIDE 2: 2.5 steps outside 35 yd In	0.25 steps behind FRONT HASH (HS)
21	16	SIDE 2: 4.0 steps outside 40 yd In	12.0 steps in front of BACK HASH (HS)
22	8	SIDE 2: 4.0 steps outside 40 yd In	12.0 steps in front of BACK HASH (HS)
23	8	SIDE 2: 4.0 steps outside 40 yd In	12.0 steps in front of BACK HASH (HS)
24	8	SIDE 2: 4.0 steps outside 40 yd In	12.0 steps in front of BACK HASH (HS)
25	12	SIDE 2: 1.5 steps outside 45 yd In	12.5 steps behind FRONT HASH (HS)
26	10	SIDE 2: 1.5 steps outside 45 yd In	12.5 steps behind FRONT HASH (HS)
27	8	SIDE 2: 1.5 steps outside 45 yd In	12.5 steps behind FRONT HASH (HS)
28	12	SIDE 2: On 45 yd In	12.0 steps in front of BACK HASH (HS)
29	4	SIDE 2: On 45 yd In	12.0 steps in front of BACK HASH (HS)
30	4	SIDE 2: On 45 yd In	12.0 steps in front of BACK HASH (HS)
31	4	SIDE 2: On 45 yd In	12.0 steps in front of BACK HASH (HS)
32	4	SIDE 2: On 45 yd In	12.0 steps in front of BACK HASH (HS)
33	4	SIDE 2: On 45 yd In	12.0 steps behind FRONT HASH (HS)
34	14	SIDE 2: On 45 yd In	12.0 steps behind FRONT HASH (HS)
35	12	SIDE 2: 1.75 steps outside 45 vd ln	8.5 steps behind FRONT HASH (HS)

Performer: Symbol: T Label: 10 ID:563237395084200 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 1.75 steps outside 45 yd In	8.5 steps behind FRONT HASH (HS)
36	8	SIDE 2: 1.75 steps outside 45 yd In	8.5 steps behind FRONT HASH (HS)
37	16	SIDE 2: On 35 yd In	6.75 steps behind FRONT HASH (HS)
38	16	SIDE 2: 2.0 steps outside 40 yd In	2.75 steps behind FRONT HASH (HS)
39	16	SIDE 2: 2.0 steps outside 40 yd In	13.25 steps in front of FRONT HASH (HS)
40	20	SIDE 2: 2.0 steps outside 40 yd In	13.25 steps in front of FRONT HASH (HS)
41	16	SIDE 2: 4.0 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
42	16	SIDE 2: On 35 yd In	12.0 steps behind FRONT SIDELINE
43	12	SIDE 2: 3.75 steps inside 35 yd In	6.5 steps behind FRONT SIDELINE
44	16	SIDE 2: 0.25 steps outside 45 yd In	5.25 steps behind FRONT SIDELINE
45	16	SIDE 2: 1.75 steps inside 45 yd In	5.25 steps behind FRONT SIDELINE
46	8	SIDE 2: 1.75 steps outside 45 yd In	5.5 steps behind FRONT SIDELINE

Performer:		Symbol: T Label: 10 ID:563237395084	200 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 1.75 steps outside 45 yd In	5.5 steps behind FRONT SIDELINE
47	17	SIDE 2: On 35 yd In	6.0 steps behind FRONT HASH (HS)
48	8	SIDE 2: On 35 yd In	6.0 steps behind FRONT HASH (HS)
49	9	SIDE 2: 2.0 steps inside 45 yd In	6.0 steps behind FRONT HASH (HS)
50	8	SIDE 1: 2.0 steps outside 45 yd In	6.0 steps behind FRONT HASH (HS)
51	8	SIDE 1: 2.0 steps outside 40 yd In	6.0 steps in front of FRONT HASH (HS)
52	20	SIDE 1: 4.0 steps inside 30 yd In	12.0 steps in front of FRONT HASH (HS)
53	16	SIDE 1: 4.0 steps inside 30 yd In	12.0 steps in front of FRONT HASH (HS)
54	8	SIDE 1: 4.0 steps inside 30 yd In	12.0 steps in front of FRONT HASH (HS)
55	16	SIDE 1: 4.0 steps inside 30 yd In	12.0 steps in front of FRONT HASH (HS)
56	16	SIDE 1: 4.0 steps inside 30 yd In	12.0 steps in front of FRONT HASH (HS)
57	8	SIDE 1: 4.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: 4.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: 4.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 4.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 4.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 4.0 steps outside 35 yd In	12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: 4.0 steps outside 35 yd In	12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: On 35 yd In	11.0 steps behind FRONT SIDELINE
65	18	SIDE 1: On 35 yd In	11.0 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: M Label: 2 ID:5632373950824	400 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 3.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
2	8	SIDE 1: 3.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
3	8	SIDE 1: 3.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
4	8	SIDE 2: 2.0 steps outside 50 yd In	4.0 steps behind FRONT HASH (HS)
5	8	SIDE 2: 2.0 steps outside 50 yd In	4.0 steps behind FRONT HASH (HS)
6	16	SIDE 2: 2.0 steps outside 40 yd In	12.0 steps in front of FRONT HASH (HS)
7	8	SIDE 2: 3.25 steps inside 40 yd In	13.25 steps behind FRONT SIDELINE
8	40	SIDE 2: 3.25 steps inside 40 yd In	13.25 steps behind FRONT SIDELINE
9	16	SIDE 1: 2.75 steps outside 50 yd In	13.5 steps behind FRONT SIDELINE
10	16	SIDE 2: 4.0 steps outside 45 yd In	10.25 steps behind FRONT SIDELINE
11	16	SIDE 2: 2.75 steps inside 35 yd In	8.0 steps behind FRONT SIDELINE
12	8	SIDE 2: 2.75 steps inside 35 yd In	8.0 steps behind FRONT SIDELINE
13	8	SIDE 2: 2.75 steps inside 35 yd In	8.0 steps behind FRONT SIDELINE
14	12	SIDE 2: 0.5 steps inside 30 yd In	5.75 steps behind FRONT SIDELINE
15	12	SIDE 2: 0.5 steps inside 30 yd In	5.75 steps behind FRONT SIDELINE
16	24	SIDE 2: On 40 yd In	12.0 steps behind FRONT SIDELINE
17	8	SIDE 2: On 40 yd In	12.0 steps behind FRONT SIDELINE
18	16	SIDE 2: On 30 yd In	12.0 steps behind FRONT SIDELINE
19	16	SIDE 2: On 25 yd In	12.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 3.75 steps inside 20 yd In	10.25 steps behind FRONT SIDELINE

### Performer: Symbol: M Label: 2 ID:563237395082400 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 2: 3.75 steps inside 20 yd In	10.25 steps behind FRONT SIDELINE
21	16	SIDE 2: 2.25 steps inside 35 yd In	10.75 steps in front of FRONT HASH (HS
22	8	SIDE 2: 2.25 steps inside 35 yd In	10.75 steps in front of FRONT HASH (HS
23	8	SIDE 2: 2.25 steps inside 35 yd In	10.75 steps in front of FRONT HASH (HS
24	8	SIDE 2: 2.25 steps inside 35 yd In	10.75 steps in front of FRONT HASH (HS
25	12	SIDE 2: 2.25 steps inside 35 yd In	10.75 steps in front of FRONT HASH (HS
26	10	SIDE 2: 2.25 steps inside 35 yd In	10.75 steps in front of FRONT HASH (HS
27	8	SIDE 2: 2.25 steps inside 35 yd In	10.75 steps in front of FRONT HASH (HS
28	12	SIDE 2: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
29	4	SIDE 2: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
30	4	SIDE 2: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
31	4	SIDE 2: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
32	4	SIDE 2: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
33	4	SIDE 2: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
34	14	SIDE 2: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
35	12	SIDE 2: 1.25 steps inside 40 yd In	11.75 steps behind FRONT HASH (HS)

Performer: Symbol: M Label: 2 ID:563237395082400 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 1.25 steps inside 40 yd In	11.75 steps behind FRONT HASH (HS)
36	8	SIDE 2: 1.25 steps inside 40 yd In	11.75 steps behind FRONT HASH (HS)
37	16	SIDE 2: 4.0 steps inside 30 yd In	6.75 steps behind FRONT HASH (HS)
38	16	SIDE 2: 2.0 steps inside 35 yd In	2.75 steps behind FRONT HASH (HS)
39	16	SIDE 2: 2.0 steps inside 35 yd In	13.25 steps in front of FRONT HASH (HS)
40	20	SIDE 2: 2.0 steps inside 35 yd In	13.25 steps in front of FRONT HASH (HS)
41	16	SIDE 2: 4.0 steps outside 35 yd In	12.0 steps behind FRONT SIDELINE
42	16	SIDE 2: On 35 yd In	10.0 steps behind FRONT SIDELINE
43	12	SIDE 2: 2.25 steps outside 40 yd In	5.75 steps behind FRONT SIDELINE
44	16	SIDE 2: 2.0 steps inside 45 yd In	5.0 steps behind FRONT SIDELINE
45	16	SIDE 2: 3.75 steps outside 50 yd In	5.25 steps behind FRONT SIDELINE
46	8	SIDE 2: 0.75 steps inside 45 yd In	5.5 steps behind FRONT SIDELINE

Perfo		Symbol: M Label: 2 ID:56323739508	
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 0.75 steps inside 45 yd In	5.5 steps behind FRONT SIDELINE
47	17	SIDE 2: 2.0 steps outside 50 yd In	9.0 steps in front of FRONT HASH (HS)
48	8	SIDE 2: 2.0 steps outside 50 yd In	9.0 steps in front of FRONT HASH (HS)
49	9	SIDE 2: 2.0 steps outside 50 yd In	9.0 steps in front of FRONT HASH (HS)
50	8	SIDE 2: 2.0 steps outside 50 yd In	9.0 steps in front of FRONT HASH (HS)
51	8	SIDE 2: 2.0 steps outside 50 yd In	9.0 steps in front of FRONT HASH (HS)
52	20	SIDE 1: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
53	16	SIDE 1: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
54	8	SIDE 1: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
55	16	SIDE 1: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
56	16	SIDE 1: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
57	8	SIDE 1: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: 0.75 steps outside 45 yd In	5.25 steps in front of FRONT HASH (HS)
65	18	SIDE 1: 0.75 steps outside 45 yd In	5.25 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"

Perfo Set		Symbol: T Label: 13 ID:563237395084	4500 Drill: 2024 GRAFTON PT1.3dj FRONT-BACK
1	0	SIDE 2: 1.0 steps inside 25 yd In	8.0 steps behind FRONT HASH (HS)
2	8	SIDE 2: 1.0 steps inside 25 yd In	8.0 steps behind FRONT HASH (HS)
3	8	SIDE 2: 1.0 steps inside 25 yd In	8.0 steps behind FRONT HASH (HS)
4	8	SIDE 2: 2.0 steps outside 25 yd In	12.0 steps in front of BACK HASH (HS)
5	8	SIDE 2: 2.0 steps outside 25 yd In	12.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 2.0 steps outside 30 yd In	6.0 steps in front of FRONT HASH (HS)
7	8	SIDE 2: 3.0 steps inside 25 yd In	1.0 steps behind FRONT HASH (HS)
8	40	SIDE 2: 3.0 steps inside 25 yd In	1.0 steps behind FRONT HASH (HS)
9	16	SIDE 2: 3.0 steps inside 25 yd In	13.25 steps behind FRONT SIDELINE
10	16	SIDE 2: 4.0 steps outside 25 yd In	12.0 steps behind FRONT SIDELINE
11	16	SIDE 2: 2.0 steps inside 20 yd In	8.0 steps in front of FRONT HASH (HS)
12	8	SIDE 2: 2.0 steps inside 25 yd In	8.0 steps in front of FRONT HASH (HS)
13	8	SIDE 2: 2.0 steps inside 25 yd In	12.0 steps in front of FRONT HASH (HS)
14	12	SIDE 2: 0.75 steps outside 30 yd In	10.25 steps in front of FRONT HASH (HS)
15	12	SIDE 2: 0.75 steps outside 30 yd In	10.25 steps in front of FRONT HASH (HS)
16	24	SIDE 2: On 35 yd In	4.0 steps behind FRONT HASH (HS)
17	8	SIDE 2: On 35 yd In	4.0 steps behind FRONT HASH (HS)
18	16	SIDE 2: 4.0 steps outside 45 yd In	4.0 steps behind FRONT HASH (HS)
19	16	SIDE 2: 3.0 steps outside 45 yd In	4.0 steps behind FRONT HASH (HS)
20	16	SIDE 2: 3.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)

### Performer: Symbol: T Label: 13 ID:563237395084500 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

Set	Counts	S SIDE 1-SIDE Z	FRUNT-BACK
20	0	SIDE 2: 3.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
21	16	SIDE 2: 3.0 steps outside 40 yd In	13.0 steps behind FRONT HASH (HS)
22	8	SIDE 2: 3.0 steps outside 40 yd In	13.0 steps behind FRONT HASH (HS)
23	8	SIDE 2: 3.0 steps outside 40 yd In	13.0 steps behind FRONT HASH (HS)
24	8	SIDE 2: 3.0 steps outside 40 yd In	13.0 steps behind FRONT HASH (HS)
25	12	SIDE 2: 1.25 steps inside 45 yd In	13.25 steps behind FRONT HASH (HS)
26	10	SIDE 2: 1.25 steps inside 45 yd In	13.25 steps behind FRONT HASH (HS)
27	8	SIDE 2: 1.25 steps inside 45 yd In	13.25 steps behind FRONT HASH (HS)
28	12	On 50 yd In	12.0 steps behind FRONT HASH (HS)
29	4	On 50 yd In	12.0 steps behind FRONT HASH (HS)
30	4	On 50 yd In	12.0 steps behind FRONT HASH (HS)
31	4	SIDE 2: 4.0 steps outside 50 yd In	12.0 steps behind FRONT HASH (HS)
32	4	SIDE 2: 4.0 steps outside 50 yd In	12.0 steps behind FRONT HASH (HS)
33	4	SIDE 2: 4.0 steps outside 50 yd In	12.0 steps behind FRONT HASH (HS)
34	14	SIDE 2: 4.0 steps outside 50 yd In	12.0 steps behind FRONT HASH (HS)
35	12	SIDE 2: On 45 yd In	6.0 steps behind FRONT HASH (HS)

Performer: Symbol: T Label: 13 ID:563237395084500 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: On 45 yd In	6.0 steps behind FRONT HASH (HS)
36	8	SIDE 2: On 45 yd In	6.0 steps behind FRONT HASH (HS)
37	16	SIDE 2: On 35 yd In	10.0 steps behind FRONT HASH (HS)
38	16	SIDE 2: 2.0 steps outside 40 yd In	6.0 steps behind FRONT HASH (HS)
39	16	SIDE 2: 2.0 steps outside 40 yd In	10.0 steps in front of FRONT HASH (HS)
40	20	SIDE 2: 2.0 steps outside 40 yd In	10.0 steps in front of FRONT HASH (HS)
41	16	SIDE 2: 2.0 steps inside 35 yd In	12.0 steps behind FRONT SIDELINE
42	16	SIDE 2: On 35 yd In	8.0 steps behind FRONT SIDELINE
43	12	SIDE 2: 0.25 steps outside 40 yd In	5.25 steps behind FRONT SIDELINE
44	16	SIDE 2: 3.75 steps outside 50 yd In	5.0 steps behind FRONT SIDELINE
45	16	SIDE 2: 1.5 steps outside 50 yd In	5.25 steps behind FRONT SIDELINE
46	8	SIDE 2: 3.25 steps inside 45 yd In	5.25 steps behind FRONT SIDELINE

Perfo	rmer:	Symbol: T Label: 13 ID:56323739508	34500 Drill: 2024 Grafton Pt4
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 3.25 steps inside 45 yd In	5.25 steps behind FRONT SIDELINE
47	17	SIDE 2: 4.0 steps inside 30 yd In	6.0 steps behind FRONT HASH (HS)
48	8	SIDE 2: 4.0 steps inside 30 yd In	6.0 steps behind FRONT HASH (HS)
49	9	SIDE 2: 2.0 steps outside 45 yd In	6.0 steps behind FRONT HASH (HS)
50	8	SIDE 1: 2.0 steps inside 45 yd In	6.0 steps behind FRONT HASH (HS)
51	8	SIDE 1: 2.0 steps inside 40 yd In	6.0 steps in front of FRONT HASH (HS)
52	20	SIDE 1: 4.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
53	16	SIDE 1: 4.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
54	8	SIDE 1: 4.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
55	16	SIDE 1: 4.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
56	16	SIDE 1: 4.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
57	8	SIDE 1: 2.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: 2.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: 2.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 2.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 2.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 2.0 steps outside 40 yd In	12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: 2.0 steps outside 40 yd In	12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: 1.25 steps outside 40 yd In	9.75 steps in front of FRONT HASH (HS)
65	18	SIDE 1: 1.25 steps outside 40 yd In	9.75 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
Performer:	III ZUZ4 GRAFIUN

Perfo	rmer:	Symbol: T Label: 2 ID:56323739508310	00 Drill: 2024 GRAFTON PT1.3dj
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 2.0 steps outside 30 yd In	1.0 steps in front of FRONT HASH (HS)
2	8	SIDE 2: 2.0 steps outside 30 yd In	1.0 steps in front of FRONT HASH (HS)
3	8	SIDE 2: 2.0 steps outside 30 yd In	1.0 steps in front of FRONT HASH (HS)
4	8	SIDE 2: 2.0 steps outside 25 yd In	10.0 steps behind FRONT HASH (HS)
5	8	SIDE 2: 2.0 steps outside 25 yd In	10.0 steps behind FRONT HASH (HS)
6	16	SIDE 2: 2.0 steps outside 30 yd In	12.0 steps in front of FRONT HASH (HS)
7	8	SIDE 2: 3.25 steps outside 35 yd In	10.0 steps behind FRONT SIDELINE
8	40	SIDE 2: 3.25 steps outside 35 yd In	10.0 steps behind FRONT SIDELINE
9	16	SIDE 2: 3.5 steps outside 45 yd In	11.25 steps behind FRONT SIDELINE
10	16	SIDE 2: 2.0 steps outside 30 yd In	9.0 steps behind FRONT SIDELINE
11	16	SIDE 2: 2.0 steps outside 25 yd In	12.0 steps behind FRONT SIDELINE
12	8	SIDE 2: 2.0 steps inside 20 yd In	12.0 steps behind FRONT SIDELINE
13	8	SIDE 2: On 20 yd In	12.0 steps in front of FRONT HASH (HS)
14	12	SIDE 2: 3.25 steps inside 20 yd In	6.0 steps in front of FRONT HASH (HS)
15	12	SIDE 2: 3.25 steps inside 20 yd In	6.0 steps in front of FRONT HASH (HS)
16	24	SIDE 2: 2.75 steps inside 30 yd In	12.0 steps in front of FRONT HASH (HS)
17	8	SIDE 2: 2.75 steps inside 30 yd In	12.0 steps in front of FRONT HASH (HS)
18	16	SIDE 2: 2.75 steps inside 20 yd In	12.0 steps in front of FRONT HASH (HS)
19	16	SIDE 2: 2.75 steps inside 15 yd In	8.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 3.5 steps outside 30 yd In	0.25 steps behind FRONT HASH (HS)

### Set Counts SIDE 1-SIDE 2 FRONT-BACK SIDE 2: 3.5 steps outside 30 yd In 0.25 steps behind FRONT HASH (HS) 20 0 21 16 SIDE 2: 3.0 steps outside 25 yd In 10.0 steps behind FRONT HASH (HS) 22 8 SIDE 2: 3.0 steps outside 25 yd In 10.0 steps behind FRONT HASH (HS) 23 8 SIDE 2: 3.0 steps outside 25 yd In 10.0 steps behind FRONT HASH (HS) SIDE 2: 3.0 steps outside 25 yd In 10.0 steps behind FRONT HASH (HS) 24 SIDE 2: 2.75 steps outside 35 yd In 25 3.5 steps behind FRONT HASH (HS) 26 SIDE 2: 2.75 steps outside 35 yd In 3.5 steps behind FRONT HASH (HS) 27 SIDE 2: 2.75 steps outside 35 yd In 3.5 steps behind FRONT HASH (HS) 28 12 SIDE 2: On 30 yd In 8.0 steps behind FRONT HASH (HS) 29 SIDE 2: On 30 yd In 8.0 steps behind FRONT HASH (HS) 30 SIDE 2: On 30 yd In 8.0 steps behind FRONT HASH (HS) 31 4 SIDE 2: On 30 yd In 8.0 steps behind FRONT HASH (HS) 32 SIDE 2: On 30 yd In 8.0 steps behind FRONT HASH (HS)

Drill: 2024 GRAFTON PT2

12.0 steps behind FRONT HASH (HS)

12.0 steps behind FRONT HASH (HS)

1.0 steps in front of FRONT HASH (HS)

Performer: Symbol: T Label: 2 ID:563237395083100

SIDE 2: On 30 yd In

SIDE 2: On 30 yd In

12 SIDE 2: 0.75 steps inside 25 yd In

Performer: Symbol: T Label: 2 ID:563237395083100 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

14

33

34

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 0.75 steps inside 25 yd In	1.0 steps in front of FRONT HASH (HS)
36	8	SIDE 2: 0.75 steps inside 25 yd In	1.0 steps in front of FRONT HASH (HS)
37	16	SIDE 2: 4.0 steps inside 30 yd In	3.25 steps behind FRONT HASH (HS)
38	16	SIDE 2: 2.0 steps inside 35 yd In	0.75 steps in front of FRONT HASH (HS
39	16	SIDE 2: 2.0 steps inside 35 yd In	11.25 steps behind FRONT SIDELINE
40	20	SIDE 2: 2.0 steps inside 35 yd In	11.25 steps behind FRONT SIDELINE
41	16	SIDE 2: 2.0 steps outside 35 yd In	12.0 steps behind FRONT SIDELINE
42	16	SIDE 2: On 35 yd In	6.0 steps behind FRONT SIDELINE
43	12	SIDE 2: 2.0 steps inside 40 yd In	5.0 steps behind FRONT SIDELINE
44	16	SIDE 2: 1.5 steps outside 50 yd In	5.0 steps behind FRONT SIDELINE
45	16	SIDE 1: 0.75 steps outside 50 yd In	5.25 steps behind FRONT SIDELINE
46	8	SIDE 2: 2.25 steps outside 50 yd In	5.25 steps behind FRONT SIDELINE

Perfo	rmer:	Symbol: T Label: 2 ID:5632373950831	00 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 2.25 steps outside 50 yd In	5.25 steps behind FRONT SIDELINE
47	17	SIDE 2: On 30 yd In	6.0 steps behind FRONT HASH (HS)
48	8	SIDE 2: On 30 yd In	6.0 steps behind FRONT HASH (HS)
49	9	SIDE 2: 2.0 steps inside 40 yd In	6.0 steps behind FRONT HASH (HS)
50	8	SIDE 1: 2.0 steps outside 50 yd In	6.0 steps behind FRONT HASH (HS)
51	8	SIDE 1: 2.0 steps outside 45 yd In	6.0 steps in front of FRONT HASH (HS)
52	20	SIDE 1: 4.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
53	16	SIDE 1: 4.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
54	8	SIDE 1: 4.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
55	16	SIDE 1: 4.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
56	16	SIDE 1: 4.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
57	8	SIDE 1: 2.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: 2.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: 2.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 2.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 2.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 2.0 steps outside 45 yd In	12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: 2.0 steps outside 45 yd In	12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: 2.5 steps outside 45 yd In	6.0 steps in front of FRONT HASH (HS)
65	18	SIDE 1: 2.5 steps outside 45 yd In	6.0 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: T Label: 5 ID:5632373950834	00 Drill: 2024 GRAFTON PT1.3dj
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: 1.0 steps inside 15 yd In	2.0 steps behind FRONT HASH (HS)
2	8	SIDE 2: 1.0 steps inside 15 yd In	2.0 steps behind FRONT HASH (HS)
3	8	SIDE 2: 1.0 steps inside 15 yd In	2.0 steps behind FRONT HASH (HS)
4	8	SIDE 2: On 20 yd In	10.0 steps behind FRONT HASH (HS)
5	8	SIDE 2: On 20 yd In	10.0 steps behind FRONT HASH (HS)
6	16	SIDE 2: On 25 yd In	12.0 steps in front of FRONT HASH (HS)
7	8	SIDE 2: 2.5 steps outside 30 yd In	11.25 steps behind FRONT SIDELINE
8	40	SIDE 2: 2.5 steps outside 30 yd In	11.25 steps behind FRONT SIDELINE
9	16	SIDE 2: 2.5 steps outside 40 yd In	10.5 steps behind FRONT SIDELINE
10	16	SIDE 2: On 25 yd In	6.0 steps behind FRONT SIDELINE
11	16	SIDE 2: 4.0 steps outside 25 yd In	10.0 steps behind FRONT SIDELINE
12	8	SIDE 2: 4.0 steps outside 20 yd In	10.0 steps behind FRONT SIDELINE
13	8	SIDE 2: 2.0 steps inside 15 yd In	12.0 steps in front of FRONT HASH (HS)
14	12	SIDE 2: 1.0 steps inside 20 yd In	13.0 steps in front of FRONT HASH (HS)
15	12	SIDE 2: 1.0 steps inside 20 yd In	13.0 steps in front of FRONT HASH (HS)
16	24	SIDE 2: 2.75 steps inside 30 yd In	12.0 steps behind FRONT SIDELINE
17	8	SIDE 2: 2.75 steps inside 30 yd In	12.0 steps behind FRONT SIDELINE
18	16	SIDE 2: 2.75 steps inside 20 yd In	12.0 steps behind FRONT SIDELINE
19	16	SIDE 2: 2.75 steps inside 15 yd In	12.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 1.5 steps outside 25 yd In	3.0 steps in front of FRONT HASH (HS)

### Performer: Symbol: T Label: 5 ID:563237395083400 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK SIDE 2: 1.5 steps outside 25 yd In 3.0 steps in front of FRONT HASH (HS) 20 0 21 16 SIDE 2: 2.0 steps outside 25 yd In 8.0 steps behind FRONT HASH (HS) 22 8 SIDE 2: 2.0 steps outside 25 yd In 8.0 steps behind FRONT HASH (HS) 23 8 SIDE 2: 2.0 steps outside 25 yd In 8.0 steps behind FRONT HASH (HS) SIDE 2: 2.0 steps outside 25 yd In 24 8.0 steps behind FRONT HASH (HS) 25 12 SIDE 2: 3.5 steps inside 25 yd In 6.5 steps in front of FRONT HASH (HS) 26 SIDE 2: 3.5 steps inside 25 yd In 6.5 steps in front of FRONT HASH (HS) 27 8 SIDE 2: 3.5 steps inside 25 yd In 6.5 steps in front of FRONT HASH (HS) 12 SIDE 2: On 30 yd In 12.0 steps in front of FRONT HASH (HS) 28 29 4 SIDE 2: On 30 yd In 12.0 steps in front of FRONT HASH (HS) 30 4 SIDE 2: On 30 yd In 12.0 steps in front of FRONT HASH (HS) 31 4 SIDE 2: On 30 yd In 12.0 steps in front of FRONT HASH (HS) 32 4 SIDE 2: On 30 yd In 12.0 steps in front of FRONT HASH (HS) 33 SIDE 2: On 30 yd In 12.0 steps behind FRONT SIDELINE 34 14 SIDE 2: On 30 yd In 12.0 steps behind FRONT SIDELINE 12 SIDE 2: On 30 yd In 12.0 steps behind FRONT SIDELINE

Performer: Symbol: T Label: 5 ID:563237395083400 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: On 30 yd In	12.0 steps behind FRONT SIDELINE
36	8	SIDE 2: On 30 yd In	14.0 steps behind FRONT SIDELINE
37	16	SIDE 2: 4.0 steps inside 30 yd In	On FRONT HASH (HS)
38	16	SIDE 2: 2.0 steps inside 35 yd In	4.0 steps in front of FRONT HASH (HS)
39	16	SIDE 2: 2.0 steps inside 35 yd In	8.0 steps behind FRONT SIDELINE
40	20	SIDE 2: 2.0 steps inside 35 yd In	8.0 steps behind FRONT SIDELINE
41	16	SIDE 2: On 35 yd In	12.0 steps behind FRONT SIDELINE
42	16	SIDE 2: On 35 yd In	4.0 steps behind FRONT SIDELINE
43	12	SIDE 2: 4.0 steps outside 45 yd In	5.0 steps behind FRONT SIDELINE
44	16	SIDE 1: 0.75 steps outside 50 yd In	5.0 steps behind FRONT SIDELINE
45	16	SIDE 1: 3.25 steps outside 50 yd In	5.25 steps behind FRONT SIDELINE
46	8	SIDE 1: 0.25 steps outside 50 yd In	5.25 steps behind FRONT SIDELINE
Desformers Comboli T. Lobell E. ID-EC2227205002400 Drill, 2024 Crefton Dt4			

Perfo	rmer:	Symbol: T Label: 5 ID:5632373950834	100 Drill: 2024 Grafton Pt4
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 0.25 steps outside 50 yd In	5.25 steps behind FRONT SIDELINE
47	17	SIDE 2: 4.0 steps outside 30 yd In	6.0 steps behind FRONT HASH (HS)
48	8	SIDE 2: 4.0 steps outside 30 yd In	6.0 steps behind FRONT HASH (HS)
49	9	SIDE 2: 2.0 steps outside 40 yd In	6.0 steps behind FRONT HASH (HS)
50	8	SIDE 2: 2.0 steps outside 50 yd In	6.0 steps behind FRONT HASH (HS)
51	8	SIDE 1: 2.0 steps inside 45 yd In	6.0 steps in front of FRONT HASH (HS)
52	20	SIDE 1: 4.0 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
53	16	SIDE 1: 4.0 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
54	8	SIDE 1: 4.0 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
55	16	SIDE 1: 4.0 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
56	16	SIDE 1: 4.0 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
57	8	SIDE 1: 2.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: 2.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: 2.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 2.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 2.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 2.0 steps outside 50 yd In	12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: 2.0 steps outside 50 yd In	12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: 3.0 steps outside 50 yd In	4.25 steps in front of FRONT HASH (HS)
65	18	SIDE 1: 3.0 steps outside 50 yd In	4.25 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: C Label: 3 ID:563237395079	200 Drill: 2024 GRAFTON PT1.3dj
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 1.0 steps inside 30 yd In	2.0 steps behind FRONT SIDELINE
2	8	SIDE 1: 1.0 steps inside 30 yd In	2.0 steps behind FRONT SIDELINE
3	8	SIDE 1: 4.0 steps inside 25 yd In	3.5 steps behind FRONT SIDELINE
4	8	SIDE 1: 4.0 steps inside 25 yd In	3.5 steps behind FRONT SIDELINE
5	8	SIDE 1: 4.0 steps inside 25 yd In	3.5 steps behind FRONT SIDELINE
6	16	SIDE 1: 0.5 steps inside 20 yd In	3.5 steps in front of FRONT HASH (HS)
7	8	SIDE 1: 3.25 steps outside 25 yd In	4.25 steps behind FRONT HASH (HS)
8	40	SIDE 1: 3.25 steps outside 25 yd In	4.25 steps behind FRONT HASH (HS)
9	16	SIDE 1: 2.0 steps inside 25 yd In	6.0 steps behind FRONT HASH (HS)
10	16	SIDE 1: 2.0 steps inside 30 yd In	14.0 steps in front of BACK HASH (HS)
11	16	SIDE 1: 2.0 steps inside 30 yd In	10.0 steps behind FRONT HASH (HS)
12	8	SIDE 1: 2.0 steps inside 35 yd In	10.0 steps behind FRONT HASH (HS)
13	8	SIDE 1: 2.0 steps inside 35 yd In	12.0 steps behind FRONT HASH (HS)
14	12	SIDE 1: 3.5 steps outside 40 yd In	7.25 steps behind FRONT HASH (HS)
15	12	SIDE 1: 3.5 steps outside 40 yd In	7.25 steps behind FRONT HASH (HS)
16	24	SIDE 1: 2.75 steps inside 40 yd In	12.0 steps behind FRONT HASH (HS)
17	8	SIDE 1: 2.75 steps inside 40 yd In	12.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: 2.75 steps inside 30 yd In	12.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: 2.75 steps inside 25 yd In	8.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 1.75 steps outside 20 yd In	4.0 steps behind FRONT HASH (HS)

### Performer: Symbol: C Label: 3 ID:563237395079200 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK SIDE 1: 1.75 steps outside 20 yd In 4.0 steps behind FRONT HASH (HS) 20 0 21 16 SIDE 1: 4.0 steps inside 20 yd In 2.0 steps behind FRONT HASH (HS) 22 8 SIDE 1: 4.0 steps inside 20 yd In 2.0 steps behind FRONT HASH (HS) 23 8 SIDE 1: 4.0 steps inside 20 yd In 2.0 steps behind FRONT HASH (HS) SIDE 1: 2.75 steps outside 25 yd In 8.5 steps behind FRONT HASH (HS) 24 25 SIDE 1: 2.75 steps outside 25 yd In 8.5 steps behind FRONT HASH (HS) 26 SIDE 1: 2.75 steps outside 25 yd In 8.5 steps behind FRONT HASH (HS) 27 SIDE 1: On 15 yd In 8.0 steps behind FRONT HASH (HS) 28 SIDE 1: On 15 yd In 8.0 steps behind FRONT HASH (HS) 29 SIDE 1: On 15 yd In 8.0 steps behind FRONT HASH (HS) 30 SIDE 1: On 15 yd In 8.0 steps behind FRONT HASH (HS) 4 SIDE 1: On 15 yd In 31 8.0 steps behind FRONT HASH (HS) 32 SIDE 1: On 15 yd In 8.0 steps behind FRONT HASH (HS) 33 SIDE 1: On 15 yd In 4.0 steps behind FRONT HASH (HS) 34 14 SIDE 1: On 15 yd In 4.0 steps behind FRONT HASH (HS) 12 SIDE 1: 2.0 steps outside 20 yd In 3.75 steps behind FRONT HASH (HS)

Performer: Symbol: C Label: 3 ID:563237395079200 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 2.0 steps outside 20 yd In	3.75 steps behind FRONT HASH (HS)
36	8	SIDE 1: 2.0 steps outside 20 yd In	3.75 steps behind FRONT HASH (HS)
37	16	SIDE 1: 2.0 steps inside 20 yd In	On FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps inside 20 yd In	12.0 steps behind FRONT SIDELINE
39	16	SIDE 1: 4.0 steps inside 25 yd In	8.0 steps behind FRONT SIDELINE
40	20	SIDE 1: 4.0 steps inside 25 yd In	8.0 steps behind FRONT SIDELINE
41	16	SIDE 1: 4.0 steps inside 35 yd In	4.0 steps behind FRONT SIDELINE
42	16	SIDE 1: 4.0 steps inside 35 yd In	4.0 steps behind FRONT SIDELINE
43	12	SIDE 1: 4.0 steps inside 35 yd In	4.0 steps behind FRONT SIDELINE
44	16	SIDE 1: 3.0 steps outside 50 yd In	5.0 steps behind FRONT SIDELINE
45	16	SIDE 1: 2.5 steps inside 45 yd In	5.25 steps behind FRONT SIDELINE
46	8	SIDE 1: 2.75 steps outside 50 yd In	5.25 steps behind FRONT SIDELINE

Perfo	rmer:	Symbol: C Label: 3	ID:56323739507920	00 D	rill: 2024 Grafton Pt4
Set	Count	ts SIDE 1-SIDE 2		FRON	T-BACK
46	0	SIDE 1: 2.75 steps out	side 50 yd In	5.25 st	eps behind FRONT SIDELINE
47	17	SIDE 1: 2.0 steps outs	ide 50 yd In	10.0 st	eps behind FRONT SIDELINE
48	8	SIDE 2: 2.0 steps insid	le 40 yd In	10.0 st	eps behind FRONT SIDELINE
49	9	SIDE 2: 2.0 steps insid	le 40 yd In	10.0 st	eps behind FRONT SIDELINE
50	8	SIDE 2: 2.0 steps insid	le 30 yd In	10.0 st	eps behind FRONT SIDELINE
51	8	SIDE 2: 2.0 steps insid	le 30 yd In	10.0 st	eps behind FRONT SIDELINE
52	20	SIDE 2: 4.0 steps outs	ide 35 yd In	12.0 st	eps in front of FRONT HASH (HS)
53	16	SIDE 2: 4.0 steps outs	ide 35 yd In	12.0 st	eps in front of FRONT HASH (HS)
54	8	SIDE 2: 4.0 steps outs	ide 35 yd In	12.0 st	eps in front of FRONT HASH (HS)
55	16	SIDE 2: 4.0 steps outs	ide 35 yd In	12.0 st	eps in front of FRONT HASH (HS)
56	16	SIDE 2: 4.0 steps outs	ide 35 yd In	12.0 st	eps in front of FRONT HASH (HS)
57	8	SIDE 2: 4.0 steps insid	le 30 yd In	8.0 ste	ps in front of FRONT HASH (HS)
58	8	SIDE 2: 4.0 steps insid	le 30 yd In	8.0 ste	ps in front of FRONT HASH (HS)
59	8	SIDE 2: 4.0 steps insid	le 30 yd In	8.0 ste	ps in front of FRONT HASH (HS)
60	8	SIDE 2: 4.0 steps insid	le 30 yd In	8.0 ste	ps in front of FRONT HASH (HS)
61	8	SIDE 2: 4.0 steps insid	le 30 yd In	8.0 ste	ps in front of FRONT HASH (HS)
62	8	SIDE 2: 4.0 steps insid	le 30 yd In	12.0 st	eps in front of FRONT HASH (HS)
63	8	SIDE 2: 4.0 steps insid	le 30 yd In	12.0 st	eps in front of FRONT HASH (HS)
64	16	SIDE 2: 1.25 steps ins	ide 35 yd In	12.5 st	eps behind FRONT SIDELINE
65	18	SIDE 2: 1.25 steps ins	ide 35 yd In	12.5 st	eps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"
Performer:	III 2024 GRAFION

Perfo	ormer:	Symbol: C Label: 2 ID:563237395079 <sup>-1</sup> s SIDE 1-SIDE 2	100 Drill: 2024 GRAFTON PT1.3dj FRONT-BACK
1	0	SIDE 1: 2.0 steps outside 35 yd In	1.0 steps behind FRONT SIDELINE
2	8	SIDE 1: 2.0 steps outside 35 yd In	1.0 steps behind FRONT SIDELINE
3	8	SIDE 1: 2.0 steps outside 30 yd In	3.25 steps behind FRONT SIDELINE
4	8	SIDE 1: 2.0 steps outside 30 yd In	3.25 steps behind FRONT SIDELINE
5	8	SIDE 1: 2.0 steps outside 30 yd In	3.25 steps behind FRONT SIDELINE
6	16	SIDE 1: On 20 yd In	6.0 steps in front of FRONT HASH (HS)
7	8	SIDE 1: 2.75 steps inside 20 yd In	2.75 steps behind FRONT HASH (HS)
8	40	SIDE 1: 2.75 steps inside 20 yd In	2.75 steps behind FRONT HASH (HS)
9	16	SIDE 1: 2.0 steps outside 25 yd In	6.0 steps behind FRONT HASH (HS)
10	16	SIDE 1: 2.0 steps outside 30 yd In	14.0 steps in front of BACK HASH (HS)
11	16	SIDE 1: On 30 yd In	10.0 steps behind FRONT HASH (HS)
12	8	SIDE 1: On 35 yd In	10.0 steps behind FRONT HASH (HS)
13	8	SIDE 1: On 35 yd In	12.0 steps behind FRONT HASH (HS)
14	12	SIDE 1: 3.5 steps inside 35 yd In	9.75 steps behind FRONT HASH (HS)
15	12	SIDE 1: 3.5 steps inside 35 yd In	9.75 steps behind FRONT HASH (HS)
16	24	SIDE 1: 2.75 steps inside 40 yd In	8.0 steps behind FRONT HASH (HS)
17	8	SIDE 1: 2.75 steps inside 40 yd In	8.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: 2.75 steps inside 30 yd In	8.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: 2.75 steps inside 25 yd In	4.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 1.5 steps inside 30 yd In	7.75 steps in front of FRONT HASH (HS)

### Performer: Symbol: C Label: 2 ID:563237395079100 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 1: 1.5 steps inside 30 yd In	7.75 steps in front of FRONT HASH (HS)
21	16	SIDE 1: 4.0 steps inside 30 yd In	6.0 steps in front of FRONT HASH (HS)
22	8	SIDE 1: 4.0 steps inside 30 yd In	6.0 steps in front of FRONT HASH (HS)
23	8	SIDE 1: 4.0 steps inside 30 yd In	6.0 steps in front of FRONT HASH (HS)
24	8	SIDE 1: 1.75 steps outside 30 yd In	3.5 steps in front of FRONT HASH (HS)
25	12	SIDE 1: 1.75 steps outside 30 yd In	3.5 steps in front of FRONT HASH (HS)
26	10	SIDE 1: 1.75 steps outside 30 yd In	3.5 steps in front of FRONT HASH (HS)
27	8	SIDE 1: On 20 yd In	On FRONT HASH (HS)
28	12	SIDE 1: On 20 yd In	On FRONT HASH (HS)
29	4	SIDE 1: On 20 yd In	On FRONT HASH (HS)
30	4	SIDE 1: On 20 yd In	On FRONT HASH (HS)
31	4	SIDE 1: On 20 yd In	On FRONT HASH (HS)
32	4	SIDE 1: On 20 yd In	On FRONT HASH (HS)
33	4	SIDE 1: On 20 yd In	4.0 steps behind FRONT HASH (HS)
34	14	SIDE 1: On 20 yd In	4.0 steps behind FRONT HASH (HS)
35	12	SIDE 1: 2.5 steps outside 25 vd In	9.0 steps behind FRONT HASH (HS)

Performer: Symbol: C Label: 2 ID:563237395079100 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 2.5 steps outside 25 yd In	9.0 steps behind FRONT HASH (HS)
36	8	SIDE 1: 2.5 steps outside 25 yd In	9.0 steps behind FRONT HASH (HS)
37	16	SIDE 1: 2.0 steps outside 25 yd In	On FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps outside 25 yd In	12.0 steps behind FRONT SIDELINE
39	16	SIDE 1: 4.0 steps inside 25 yd In	11.0 steps behind FRONT SIDELINE
40	20	SIDE 1: 4.0 steps inside 25 yd In	11.0 steps behind FRONT SIDELINE
41	16	SIDE 1: 2.0 steps inside 35 yd In	7.0 steps behind FRONT SIDELINE
42	16	SIDE 1: 2.0 steps inside 35 yd In	7.0 steps behind FRONT SIDELINE
43	12	SIDE 1: 2.0 steps inside 35 yd In	7.0 steps behind FRONT SIDELINE
44	16	SIDE 1: 2.75 steps inside 45 yd In	5.25 steps behind FRONT SIDELINE
45	16	SIDE 1: On 45 yd In	5.25 steps behind FRONT SIDELINE
46	8	SIDE 1: 2.5 steps inside 45 yd In	5.25 steps behind FRONT SIDELINE

Performer:		Symbol: C Label: 2 ID:5632373950791	00 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 2.5 steps inside 45 yd In	5.25 steps behind FRONT SIDELINE
47	17	On 50 yd In	8.0 steps behind FRONT SIDELINE
48	8	On 50 yd In	8.0 steps behind FRONT SIDELINE
49	9	SIDE 2: On 40 yd In	8.0 steps behind FRONT SIDELINE
50	8	SIDE 2: On 40 yd In	8.0 steps behind FRONT SIDELINE
51	8	SIDE 2: On 30 yd In	8.0 steps behind FRONT SIDELINE
52	20	SIDE 2: 4.0 steps outside 35 yd In	12.0 steps behind FRONT SIDELINE
53	16	SIDE 2: 4.0 steps outside 35 yd In	12.0 steps behind FRONT SIDELINE
54	8	SIDE 2: 4.0 steps outside 35 yd In	12.0 steps behind FRONT SIDELINE
55	16	SIDE 2: 4.0 steps outside 35 yd In	12.0 steps behind FRONT SIDELINE
56	16	SIDE 2: 4.0 steps outside 35 yd In	12.0 steps behind FRONT SIDELINE
57	8	SIDE 2: 2.0 steps inside 30 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: 2.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 2.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 2.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 2.0 steps inside 35 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 2: 2.0 steps inside 35 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 2: On 30 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 2: On 30 yd In	8.0 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: F Label: 9 ID:5636503469646	Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 2.0 steps outside 30 yd In	10.0 steps in front of BACK HASH (HS)
2	8	SIDE 1: 2.0 steps outside 30 yd In	10.0 steps in front of BACK HASH (HS)
3	8	SIDE 1: 2.0 steps outside 30 yd In	10.0 steps in front of BACK HASH (HS)
4	8	SIDE 1: 3.0 steps outside 35 yd In	6.0 steps in front of BACK HASH (HS)
5	8	SIDE 1: 3.0 steps outside 35 yd In	6.0 steps in front of BACK HASH (HS)
6	16	SIDE 1: 2.0 steps outside 50 yd In	10.0 steps in front of BACK HASH (HS)
7	8	SIDE 2: 3.5 steps outside 50 yd In	9.5 steps in front of BACK HASH (HS)
8	40	SIDE 2: 3.5 steps outside 50 yd In	9.5 steps in front of BACK HASH (HS)
9	16	SIDE 1: On 45 yd In	14.0 steps in front of BACK HASH (HS)
10	16	SIDE 1: On 40 yd In	6.0 steps behind FRONT HASH (HS)
11	16	SIDE 1: On 40 yd In	4.0 steps behind FRONT HASH (HS)
12	8	SIDE 1: On 35 yd In	4.0 steps behind FRONT HASH (HS)
13	8	SIDE 1: 2.0 steps inside 35 yd In	On FRONT HASH (HS)
14	12	SIDE 1: 1.25 steps outside 40 yd In	2.0 steps behind FRONT HASH (HS)
15	12	SIDE 1: 1.25 steps outside 40 yd In	2.0 steps behind FRONT HASH (HS)
16	24	SIDE 1: 2.75 steps outside 45 yd In	12.0 steps behind FRONT HASH (HS)
17	8	SIDE 1: 2.75 steps outside 45 yd In	12.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: 2.75 steps outside 35 yd In	12.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: 2.75 steps outside 30 yd In	8.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 0.25 steps outside 20 yd In	5.5 steps behind FRONT HASH (HS)

### Performer: Symbol: F Label: 9 ID:563650346964600 Drill: 2024 GRAFTON PT2 Counts SIDE 1-SIDE 2 FRONT-BACK Set 20 0 SIDE 1: 0.25 steps outside 20 yd In 5.5 steps behind FRONT HASH (HS) 16 SIDE 1: 1.0 steps inside 25 yd In 21 14.0 steps in front of BACK HASH (HS) 22 8 SIDE 1: 1.0 steps inside 25 yd In 14.0 steps in front of BACK HASH (HS) 23 8 SIDE 1: 1.0 steps inside 25 yd In 14.0 steps in front of BACK HASH (HS) 24 SIDE 1: 1.5 steps inside 25 yd In 11.5 steps behind FRONT HASH (HS) 25 12 SIDE 1: 1.5 steps inside 25 yd In 11.5 steps behind FRONT HASH (HS) 26 SIDE 1: 1.5 steps inside 25 yd In 11.5 steps behind FRONT HASH (HS) 27 8 SIDE 1: On 15 yd In 12.0 steps in front of BACK HASH (HS) 12 SIDE 1: On 15 yd In 28 12.0 steps in front of BACK HASH (HS) 29 SIDE 1: On 15 yd In 12.0 steps in front of BACK HASH (HS) 30 SIDE 1: On 15 yd In 12.0 steps in front of BACK HASH (HS) 31 4 SIDE 1: On 15 yd In 12.0 steps in front of BACK HASH (HS) 32 SIDE 1: On 15 yd In 12.0 steps in front of BACK HASH (HS) 33 SIDE 1: On 15 yd In 12.0 steps behind FRONT HASH (HS) 12.0 steps behind FRONT HASH (HS) 34 SIDE 1: On 15 yd In 14 12 SIDE 1: 0.25 steps outside 20 yd In 5.25 steps behind FRONT HASH (HS)

Performer: Symbol: F Label: 9 ID:563650346964600 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 0.25 steps outside 20 yd In	5.25 steps behind FRONT HASH (HS)
36	8	SIDE 1: 0.25 steps outside 20 yd In	5.25 steps behind FRONT HASH (HS)
37	16	SIDE 1: 2.0 steps inside 20 yd In	3.0 steps behind FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps inside 20 yd In	13.0 steps in front of FRONT HASH (HS)
39	16	SIDE 1: On 25 yd In	8.0 steps behind FRONT SIDELINE
40	20	SIDE 1: On 25 yd In	8.0 steps behind FRONT SIDELINE
41	16	SIDE 1: On 35 yd In	4.0 steps behind FRONT SIDELINE
42	16	SIDE 1: On 35 yd In	4.0 steps behind FRONT SIDELINE
43	12	SIDE 1: On 35 yd In	4.0 steps behind FRONT SIDELINE
44	16	SIDE 1: 0.5 steps inside 45 yd In	5.5 steps behind FRONT SIDELINE
45	16	SIDE 1: 2.25 steps outside 45 yd In	5.25 steps behind FRONT SIDELINE
46	8	SIDE 1: On 45 yd In	5.25 steps behind FRONT SIDELINE
Perfo	rmer:	Symbol: F Label: 9 ID:56365034696	64600 Drill: 2024 Grafton Pt4

Perfo		Symbol: F Label: 9 ID:5636503469646	
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: On 45 yd In	5.25 steps behind FRONT SIDELINE
47	17	SIDE 1: 2.0 steps outside 50 yd In	6.0 steps behind FRONT SIDELINE
48	8	SIDE 2: 2.0 steps inside 40 yd In	6.0 steps behind FRONT SIDELINE
49	9	SIDE 2: 2.0 steps inside 40 yd In	6.0 steps behind FRONT SIDELINE
50	8	SIDE 2: 2.0 steps inside 30 yd In	6.0 steps behind FRONT SIDELINE
51	8	SIDE 2: 2.0 steps inside 30 yd In	6.0 steps behind FRONT SIDELINE
52	20	SIDE 2: 4.0 steps outside 35 yd In	8.0 steps behind FRONT SIDELINE
53	16	SIDE 2: 4.0 steps outside 35 yd In	8.0 steps behind FRONT SIDELINE
54	8	SIDE 2: 4.0 steps outside 35 yd In	8.0 steps behind FRONT SIDELINE
55	16	SIDE 2: 4.0 steps outside 35 yd In	8.0 steps behind FRONT SIDELINE
56	16	SIDE 2: 4.0 steps outside 35 yd In	8.0 steps behind FRONT SIDELINE
57	8	SIDE 2: 4.0 steps inside 30 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: On 35 yd In	14.0 steps behind FRONT SIDELINE
59	8	SIDE 2: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: On 35 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 2: On 35 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 2: 3.0 steps outside 30 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 2: 3.0 steps outside 30 yd In	8.0 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: F Label: 11 ID:56365034696	34800 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 1.0 steps inside 35 yd In	3.0 steps in front of BACK HASH (HS)
2	8	SIDE 1: 1.0 steps inside 35 yd In	3.0 steps in front of BACK HASH (HS)
3	8	SIDE 1: 1.0 steps inside 35 yd In	3.0 steps in front of BACK HASH (HS)
4	8	SIDE 1: 3.0 steps inside 35 yd In	6.0 steps in front of BACK HASH (HS)
5	8	SIDE 1: 3.0 steps inside 35 yd In	6.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 4.0 steps outside 50 yd In	10.0 steps in front of BACK HASH (HS)
7	8	SIDE 2: 0.5 steps outside 45 yd In	9.0 steps in front of BACK HASH (HS)
8	40	SIDE 2: 0.5 steps outside 45 yd In	9.0 steps in front of BACK HASH (HS)
9	16	SIDE 1: 2.75 steps outside 50 yd In	14.0 steps in front of BACK HASH (HS)
10	16	SIDE 1: 2.75 steps outside 45 yd In	6.0 steps behind FRONT HASH (HS)
11	16	SIDE 1: 2.75 steps outside 45 yd In	4.0 steps behind FRONT HASH (HS)
12	8	SIDE 1: 2.75 steps outside 40 yd In	4.0 steps behind FRONT HASH (HS)
13	8	SIDE 1: 2.0 steps outside 40 yd In	On FRONT HASH (HS)
14	12	SIDE 1: 2.0 steps inside 40 yd In	2.5 steps in front of FRONT HASH (HS)
15	12	SIDE 1: 2.0 steps inside 40 yd In	2.5 steps in front of FRONT HASH (HS)
16	24	SIDE 1: On 45 yd In	12.0 steps behind FRONT HASH (HS)
17	8	SIDE 1: On 45 yd In	12.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: On 35 yd In	12.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: On 30 yd In	8.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 1.75 steps inside 20 yd In	7.0 steps behind FRONT HASH (HS)

### Performer: Symbol: F Label: 11 ID:563650346964800 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 1: 1.75 steps inside 20 yd In	7.0 steps behind FRONT HASH (HS)
21	16	SIDE 1: 3.0 steps inside 25 yd In	14.0 steps in front of BACK HASH (HS)
22	8	SIDE 1: 3.0 steps inside 25 yd In	14.0 steps in front of BACK HASH (HS)
23	8	SIDE 1: 3.0 steps inside 25 yd In	14.0 steps in front of BACK HASH (HS)
24	8	SIDE 1: 1.25 steps outside 30 yd In	12.5 steps behind FRONT HASH (HS)
25	12	SIDE 1: 1.25 steps outside 30 yd In	12.5 steps behind FRONT HASH (HS)
26	10	SIDE 1: 1.25 steps outside 30 yd In	12.5 steps behind FRONT HASH (HS)
27	8	SIDE 1: On 25 yd In	8.0 steps behind FRONT HASH (HS)
28	12	SIDE 1: On 25 yd In	8.0 steps behind FRONT HASH (HS)
29	4	SIDE 1: On 25 yd In	8.0 steps behind FRONT HASH (HS)
30	4	SIDE 1: On 25 yd In	8.0 steps behind FRONT HASH (HS)
31	4	SIDE 1: On 25 yd In	8.0 steps behind FRONT HASH (HS)
32	4	SIDE 1: On 25 yd In	8.0 steps behind FRONT HASH (HS)
33	4	SIDE 1: On 25 yd In	4.0 steps behind FRONT HASH (HS)
34	14	SIDE 1: On 25 yd In	4.0 steps behind FRONT HASH (HS)
35	12	SIDE 1: 1.5 steps outside 30 yd In	11.25 steps behind FRONT HASH (HS)

Performer: Symbol: F Label: 11 ID:563650346964800 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 1.5 steps outside 30 yd In	11.25 steps behind FRONT HASH (HS)
36	8	SIDE 1: 1.5 steps outside 30 yd In	11.25 steps behind FRONT HASH (HS)
37	16	SIDE 1: 2.0 steps inside 25 yd In	On FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps inside 25 yd In	12.0 steps behind FRONT SIDELINE
39	16	SIDE 1: 4.0 steps inside 25 yd In	14.0 steps behind FRONT SIDELINE
40	20	SIDE 1: 4.0 steps inside 25 yd In	14.0 steps behind FRONT SIDELINE
41	16	SIDE 1: On 35 yd In	10.0 steps behind FRONT SIDELINE
42	16	SIDE 1: On 35 yd In	10.0 steps behind FRONT SIDELINE
43	12	SIDE 1: On 35 yd In	10.0 steps behind FRONT SIDELINE
44	16	SIDE 1: 1.75 steps outside 45 yd In	5.5 steps behind FRONT SIDELINE
45	16	SIDE 1: 3.25 steps inside 40 yd In	5.25 steps behind FRONT SIDELINE
46	8	SIDE 1: 2.5 steps outside 45 yd In	5.25 steps behind FRONT SIDELINE
Dorfo	rmor.	Symbol: E   Jabol: 11   ID:5636503460	6/800 Drill: 202/ Grafton Pt/

	rmer:	Symbol: F Label: 11	
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 2.5 steps outsid	e 45 yd In 5.25 steps behind FRONT SIDELINE
47	17	On 50 yd In	4.0 steps behind FRONT SIDELINE
48	8	On 50 yd In	4.0 steps behind FRONT SIDELINE
49	9	SIDE 2: On 40 yd In	4.0 steps behind FRONT SIDELINE
50	8	SIDE 2: On 40 yd In	4.0 steps behind FRONT SIDELINE
51	8	SIDE 2: On 30 yd In	4.0 steps behind FRONT SIDELINE
52	20	SIDE 2: On 30 yd In	On FRONT SIDELINE
53	16	SIDE 2: On 30 yd In	On FRONT SIDELINE
54	8	SIDE 2: On 30 yd In	On FRONT SIDELINE
55	16	SIDE 2: On 30 yd In	On FRONT SIDELINE
56	16	SIDE 2: On 30 yd In	On FRONT SIDELINE
57	8	SIDE 2: On 30 yd In	On FRONT SIDELINE
58	8	SIDE 2: On 30 yd In	On FRONT SIDELINE
59	8	SIDE 2: On 30 yd In	On FRONT SIDELINE
60	8	SIDE 2: On 30 yd In	On FRONT SIDELINE
61	8	SIDE 2: On 30 yd In	On FRONT SIDELINE
62	8	SIDE 2: On 30 yd In	On FRONT SIDELINE
63	8	SIDE 2: On 30 yd In	8.0 steps behind FRONT SIDELINE
64	16	SIDE 2: On 30 yd In	10.0 steps behind FRONT HASH (HS)
65	18	SIDE 2: On 30 yd In	12.0 steps behind BACK HASH (HS)

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: C Label: 5 ID:563237395079	400 Drill: 2024 GRAFTON PT1.3dj
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 1.0 steps inside 20 yd In	3.0 steps behind FRONT SIDELINE
2	8	SIDE 1: 1.0 steps inside 20 yd In	3.0 steps behind FRONT SIDELINE
3	8	SIDE 1: 0.25 steps inside 25 yd In	5.25 steps behind FRONT SIDELINE
4	8	SIDE 1: 0.25 steps inside 25 yd In	5.25 steps behind FRONT SIDELINE
5	8	SIDE 1: 0.25 steps inside 25 yd In	5.25 steps behind FRONT SIDELINE
6	16	SIDE 1: 2.75 steps inside 20 yd In	1.0 steps behind FRONT HASH (HS)
7	8	SIDE 1: 1.25 steps inside 25 yd In	6.25 steps behind FRONT HASH (HS)
8	40	SIDE 1: 1.25 steps inside 25 yd In	6.25 steps behind FRONT HASH (HS)
9	16	SIDE 1: On 20 yd In	8.0 steps behind FRONT HASH (HS)
10	16	SIDE 1: On 25 yd In	12.0 steps in front of BACK HASH (HS)
11	16	SIDE 1: 4.0 steps inside 25 yd In	10.0 steps behind FRONT HASH (HS)
12	8	SIDE 1: 4.0 steps inside 30 yd In	10.0 steps behind FRONT HASH (HS)
13	8	SIDE 1: 4.0 steps inside 30 yd In	12.0 steps behind FRONT HASH (HS)
14	12	SIDE 1: 0.25 steps outside 35 yd In	13.5 steps behind FRONT HASH (HS)
15	12	SIDE 1: 0.25 steps outside 35 yd In	13.5 steps behind FRONT HASH (HS)
16	24	SIDE 1: On 40 yd In	8.0 steps behind FRONT HASH (HS)
17	8	SIDE 1: On 40 yd In	8.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: On 30 yd In	8.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: On 25 yd In	4.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: On 30 yd In	9.75 steps in front of FRONT HASH (HS)

### Performer: Symbol: C Label: 5 ID:563237395079400 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

Set	Count	S SIDE 1-SIDE 2	FRONT-BACK
20	0	SIDE 1: On 30 yd In	9.75 steps in front of FRONT HASH (HS)
21	16	SIDE 1: 2.0 steps inside 30 yd In	6.0 steps in front of FRONT HASH (HS)
22	8	SIDE 1: 2.0 steps inside 30 yd In	6.0 steps in front of FRONT HASH (HS)
23	8	SIDE 1: 2.0 steps inside 30 yd In	6.0 steps in front of FRONT HASH (HS)
24	8	SIDE 1: 2.5 steps inside 25 yd In	0.75 steps in front of FRONT HASH (HS)
25	12	SIDE 1: 2.5 steps inside 25 yd In	0.75 steps in front of FRONT HASH (HS)
26	10	SIDE 1: 2.5 steps inside 25 yd In	0.75 steps in front of FRONT HASH (HS)
27	8	SIDE 1: On 20 yd In	8.0 steps behind FRONT HASH (HS)
28	12	SIDE 1: On 20 yd In	8.0 steps behind FRONT HASH (HS)
29	4	SIDE 1: On 20 yd In	8.0 steps behind FRONT HASH (HS)
30	4	SIDE 1: On 20 yd In	8.0 steps behind FRONT HASH (HS)
31	4	SIDE 1: On 20 yd In	8.0 steps behind FRONT HASH (HS)
32	4	SIDE 1: On 20 yd In	8.0 steps behind FRONT HASH (HS)
33	4	SIDE 1: On 20 yd In	12.0 steps behind FRONT HASH (HS)
34	14	SIDE 1: On 20 yd In	12.0 steps behind FRONT HASH (HS)
35	12	SIDE 1: 0.25 steps outside 25 yd In	10.0 steps behind FRONT HASH (HS)

Performer: Symbol: C Label: 5 ID:563237395079400 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 0.25 steps outside 25 yd In	10.0 steps behind FRONT HASH (HS)
36	8	SIDE 1: 0.25 steps outside 25 yd In	10.0 steps behind FRONT HASH (HS)
37	16	SIDE 1: 2.0 steps outside 25 yd In	3.0 steps behind FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps outside 25 yd In	13.0 steps in front of FRONT HASH (HS)
39	16	SIDE 1: On 25 yd In	11.0 steps behind FRONT SIDELINE
40	20	SIDE 1: On 25 yd In	11.0 steps behind FRONT SIDELINE
41	16	SIDE 1: 2.0 steps outside 35 yd In	7.0 steps behind FRONT SIDELINE
42	16	SIDE 1: 2.0 steps outside 35 yd In	7.0 steps behind FRONT SIDELINE
43	12	SIDE 1: 2.0 steps outside 35 yd In	7.0 steps behind FRONT SIDELINE
44	16	SIDE 1: 3.75 steps outside 45 yd In	5.75 steps behind FRONT SIDELINE
45	16	SIDE 1: 1.0 steps inside 40 yd In	5.25 steps behind FRONT SIDELINE
46	8	SIDE 1: 3.0 steps inside 40 yd In	5.5 steps behind FRONT SIDELINE

Perfo		Symbol: C Label: 5 ID:563237395079 s SIDE 1-SIDE 2	9400 Drill: 2024 Grafton Pt4 FRONT-BACK
46	0	SIDE 1: 3.0 steps inside 40 yd In	5.5 steps behind FRONT SIDELINE
47	17	SIDE 1: 2.0 steps inside 45 yd In	10.0 steps behind FRONT SIDELINE
48	8	SIDE 2: 2.0 steps outside 45 yd In	10.0 steps behind FRONT SIDELINE
49	9	SIDE 2: 2.0 steps outside 45 yd In	10.0 steps behind FRONT SIDELINE
50	8	SIDE 2: 2.0 steps outside 35 yd In	10.0 steps behind FRONT SIDELINE
51	8	SIDE 2: 2.0 steps outside 35 yd In	10.0 steps behind FRONT SIDELINE
52	20	SIDE 2: 4.0 steps outside 40 yd In	12.0 steps in front of FRONT HASH (HS)
53	16	SIDE 2: 4.0 steps outside 40 yd In	12.0 steps in front of FRONT HASH (HS)
54	8	SIDE 2: 4.0 steps outside 40 yd In	12.0 steps in front of FRONT HASH (HS)
55	16	SIDE 2: 4.0 steps outside 40 yd In	12.0 steps in front of FRONT HASH (HS)
56	16	SIDE 2: 4.0 steps outside 40 yd In	12.0 steps in front of FRONT HASH (HS)
57	8	SIDE 2: 4.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 4.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: 4.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 4.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 4.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 4.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: 4.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: 1.25 steps outside 40 yd In	9.75 steps in front of FRONT HASH (HS)
65	18	SIDE 2: 1.25 steps outside 40 yd In	9.75 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
Performer:	III 2024 GRAFION

Performer:		Symbol: A Label: 4 ID:56323739507770	00 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 3.0 steps inside 30 yd In	9.0 steps behind FRONT SIDELINE
2	8	SIDE 1: 3.0 steps inside 30 yd In	9.0 steps behind FRONT SIDELINE
3	8	SIDE 1: 3.0 steps outside 30 yd In	7.5 steps behind FRONT SIDELINE
4	8	SIDE 1: 3.0 steps outside 30 yd In	7.5 steps behind FRONT SIDELINE
5	8	SIDE 1: 3.0 steps outside 30 yd In	7.5 steps behind FRONT SIDELINE
6	16	SIDE 1: 3.25 steps inside 30 yd In	6.0 steps behind FRONT SIDELINE
7	8	SIDE 1: 1.75 steps outside 30 yd In	9.5 steps behind FRONT SIDELINE
8	40	SIDE 1: 1.75 steps outside 30 yd In	9.5 steps behind FRONT SIDELINE
9	16	SIDE 1: 4.0 steps inside 20 yd In	10.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: 4.0 steps inside 20 yd In	2.0 steps behind FRONT HASH (HS)
11	16	SIDE 1: On 25 yd In	4.0 steps behind FRONT HASH (HS)
12	8	SIDE 1: On 20 yd In	4.0 steps behind FRONT HASH (HS)
13	8	SIDE 1: 2.0 steps outside 20 yd In	4.0 steps in front of FRONT HASH (HS)
14	12	SIDE 1: 4.0 steps inside 15 yd In	3.75 steps in front of FRONT HASH (HS)
15	12	SIDE 1: 4.0 steps inside 15 yd In	3.75 steps in front of FRONT HASH (HS)
16	24	SIDE 1: 2.0 steps inside 30 yd In	9.0 steps in front of FRONT HASH (HS)
17	8	SIDE 1: 2.0 steps inside 30 yd In	9.0 steps in front of FRONT HASH (HS)
18	16	SIDE 1: On 40 yd In	9.0 steps in front of FRONT HASH (HS)
19	16	SIDE 1: 3.0 steps inside 40 yd In	11.75 steps in front of FRONT HASH (HS)
20	16	SIDE 1: 3.0 steps outside 40 yd In	13.0 steps in front of FRONT HASH (HS)

### Performer: Symbol: A Label: 4 ID:563237395077700 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 1: 3.0 steps outside 40 yd In	13.0 steps in front of FRONT HASH (HS)
21	16	SIDE 1: On 35 yd In	4.0 steps behind FRONT HASH (HS)
22	8	SIDE 1: On 35 yd In	4.0 steps behind FRONT HASH (HS)
23	8	SIDE 1: On 35 yd In	4.0 steps behind FRONT HASH (HS)
24	8	SIDE 1: 0.5 steps inside 35 yd In	3.25 steps behind FRONT HASH (HS)
25	12	SIDE 1: 0.5 steps inside 35 yd In	3.25 steps behind FRONT HASH (HS)
26	10	SIDE 1: 0.5 steps inside 35 yd In	3.25 steps behind FRONT HASH (HS)
27	8	SIDE 1: On 30 yd In	12.0 steps behind FRONT HASH (HS)
28	12	SIDE 1: On 30 yd In	12.0 steps behind FRONT HASH (HS)
29	4	SIDE 1: On 30 yd In	12.0 steps behind FRONT HASH (HS)
30	4	SIDE 1: 4.0 steps inside 30 yd In	12.0 steps behind FRONT HASH (HS)
31	4	SIDE 1: 4.0 steps inside 30 yd In	12.0 steps behind FRONT HASH (HS)
32	4	SIDE 1: 4.0 steps inside 30 yd In	12.0 steps behind FRONT HASH (HS)
33	4	SIDE 1: 4.0 steps inside 30 yd In	12.0 steps behind FRONT HASH (HS)
34	14	SIDE 1: 4.0 steps inside 30 yd In	12.0 steps behind FRONT HASH (HS)
35	12	SIDE 1: 1.75 steps outside 40 yd In	7.25 steps behind FRONT HASH (HS)

Performer: Symbol: A Label: 4 ID:563237395077700 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 1.75 steps outside 40 yd In	7.25 steps behind FRONT HASH (HS)
36	8	SIDE 1: 1.75 steps outside 40 yd In	7.25 steps behind FRONT HASH (HS)
37	16	SIDE 1: 2.0 steps outside 30 yd In	On FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps outside 30 yd In	12.0 steps behind FRONT SIDELINE
39	16	SIDE 1: 4.0 steps inside 25 yd In	11.0 steps in front of FRONT HASH (HS)
40	20	SIDE 1: 4.0 steps inside 25 yd In	11.0 steps in front of FRONT HASH (HS)
41	16	SIDE 1: 2.0 steps outside 35 yd In	13.0 steps behind FRONT SIDELINE
42	16	SIDE 1: 2.0 steps outside 35 yd In	13.0 steps behind FRONT SIDELINE
43	12	SIDE 1: 2.0 steps outside 35 yd In	13.0 steps behind FRONT SIDELINE
44	16	SIDE 1: 2.0 steps inside 40 yd In	5.75 steps behind FRONT SIDELINE
45	16	SIDE 1: 1.25 steps outside 40 yd In	5.5 steps behind FRONT SIDELINE
46	8	SIDE 1: 0.5 steps inside 40 yd In	5.5 steps behind FRONT SIDELINE

Perfo	rmer:	Symbol: A Label: 4	ID:56323739507770	0 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2		FRONT-BACK
46	0	SIDE 1: 0.5 steps insi	de 40 yd In	5.5 steps behind FRONT SIDELINE
47	17	SIDE 1: 4.0 steps insi	de 45 yd In	8.0 steps behind FRONT SIDELINE
48	8	SIDE 1: 4.0 steps insi	de 45 yd In	8.0 steps behind FRONT SIDELINE
49	9	SIDE 2: 4.0 steps out	side 45 yd In	8.0 steps behind FRONT SIDELINE
50	8	SIDE 2: 4.0 steps out	side 45 yd In	8.0 steps behind FRONT SIDELINE
51	8	SIDE 2: 4.0 steps out	side 35 yd In	8.0 steps behind FRONT SIDELINE
52	20	SIDE 2: On 35 yd In		12.0 steps behind FRONT SIDELINE
53	16	SIDE 2: On 35 yd In		12.0 steps behind FRONT SIDELINE
54	8	SIDE 2: On 35 yd In		12.0 steps behind FRONT SIDELINE
55	16	SIDE 2: On 35 yd In		12.0 steps behind FRONT SIDELINE
56	16	SIDE 2: On 35 yd In		12.0 steps behind FRONT SIDELINE
57	8	SIDE 2: 2.0 steps out	side 35 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: On 35 yd In		12.0 steps behind FRONT SIDELINE
59	8	SIDE 2: 2.0 steps out	side 35 yd In	12.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 2.0 steps out	side 35 yd In	12.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 2.0 steps out	side 35 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 2.0 steps out	side 35 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 2: 2.0 steps out	side 35 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 2: 2.0 steps insi	de 25 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 2: 2.0 steps insi	de 25 yd In	8.0 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"

Dailly 2024 CD AFTON DT4 24:

Perfo	rmer:	Symbol: C Label: 1 ID:56323739507	9000 Drill: 2024 GRAFTON PT1.3dj
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 4.0 steps inside 35 yd In	2.0 steps behind FRONT SIDELINE
2	8	SIDE 1: 4.0 steps inside 35 yd In	2.0 steps behind FRONT SIDELINE
3	8	SIDE 1: On 30 yd In	3.0 steps behind FRONT SIDELINE
4	8	SIDE 1: On 30 yd In	3.0 steps behind FRONT SIDELINE
5	8	SIDE 1: On 30 yd In	3.0 steps behind FRONT SIDELINE
6	16	SIDE 1: 0.25 steps inside 20 yd In	8.5 steps in front of FRONT HASH (HS)
7	8	SIDE 1: 1.5 steps inside 20 yd In	0.5 steps behind FRONT HASH (HS)
8	40	SIDE 1: 1.5 steps inside 20 yd In	0.5 steps behind FRONT HASH (HS)
9	16	SIDE 1: 2.0 steps inside 20 yd In	6.0 steps behind FRONT HASH (HS)
10	16	SIDE 1: 2.0 steps inside 25 yd In	14.0 steps in front of BACK HASH (HS)
11	16	SIDE 1: 2.0 steps outside 30 yd In	10.0 steps behind FRONT HASH (HS)
12	8	SIDE 1: 2.0 steps outside 35 yd In	10.0 steps behind FRONT HASH (HS)
13	8	SIDE 1: 2.0 steps outside 35 yd In	12.0 steps behind FRONT HASH (HS)
14	12	SIDE 1: 2.0 steps inside 35 yd In	12.0 steps behind FRONT HASH (HS)
15	12	SIDE 1: 2.0 steps inside 35 yd In	12.0 steps behind FRONT HASH (HS)
16	24	SIDE 1: On 40 yd In	12.0 steps behind FRONT HASH (HS)
17	8	SIDE 1: On 40 yd In	12.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: On 30 yd In	12.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: On 25 yd In	8.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 3.25 steps outside 20 yd In	2.0 steps behind FRONT HASH (HS)

### Performer: Symbol: C Label: 1 ID:563237395079000 Drill: 2024 GRAFTON PT2 Counts SIDE 1-SIDE 2 FRONT-BACK Set 2.0 steps behind FRONT HASH (HS) 20 0 SIDE 1: 3.25 steps outside 20 yd In 21 16 SIDE 1: 2.0 steps inside 20 yd In 2.0 steps behind FRONT HASH (HS) 22 8 SIDE 1: 2.0 steps inside 20 yd In 2.0 steps behind FRONT HASH (HS) 23 8 SIDE 1: 2.0 steps inside 20 yd In 2.0 steps behind FRONT HASH (HS) 6.5 steps behind FRONT HASH (HS) SIDE 1: 3.5 steps inside 20 yd In 24 25 SIDE 1: 3.5 steps inside 20 yd In 6.5 steps behind FRONT HASH (HS) 26 SIDE 1: 3.5 steps inside 20 yd In 6.5 steps behind FRONT HASH (HS) 27 SIDE 1: On 15 yd In 4.0 steps behind FRONT HASH (HS) 12 SIDE 1: On 15 yd In 4.0 steps behind FRONT HASH (HS) 28 29 SIDE 1: 4.0 steps inside 15 yd In 4.0 steps behind FRONT HASH (HS) 30 SIDE 1: 4.0 steps inside 15 yd In 4.0 steps behind FRONT HASH (HS) 31 SIDE 1: 4.0 steps inside 15 yd In 4.0 steps behind FRONT HASH (HS) 32 SIDE 1: 4.0 steps inside 15 yd In 4.0 steps behind FRONT HASH (HS) 33 SIDE 1: 4.0 steps inside 15 yd In 4.0 steps behind FRONT HASH (HS) 34 14 SIDE 1: 4.0 steps inside 15 yd In 4.0 steps behind FRONT HASH (HS) 12 SIDE 1: 1.5 steps inside 20 yd In 6.75 steps behind FRONT HASH (HS)

Performer: Symbol: C Label: 1 ID:563237395079000 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

remoi	renomer.		
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 1.5 steps inside 20 yd In	6.75 steps behind FRONT HASH (HS)
36	8	SIDE 1: 1.5 steps inside 20 yd In	6.75 steps behind FRONT HASH (HS)
37	16	SIDE 1: 2.0 steps inside 20 yd In	6.0 steps behind FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps inside 20 yd In	10.0 steps in front of FRONT HASH (HS)
39	16	SIDE 1: 4.0 steps inside 20 yd In	8.0 steps behind FRONT SIDELINE
40	20	SIDE 1: 4.0 steps inside 20 yd In	8.0 steps behind FRONT SIDELINE
41	16	SIDE 1: 4.0 steps inside 30 yd In	4.0 steps behind FRONT SIDELINE
42	16	SIDE 1: 4.0 steps inside 30 yd In	4.0 steps behind FRONT SIDELINE
43	12	SIDE 1: 4.0 steps inside 30 yd In	4.0 steps behind FRONT SIDELINE
44	16	SIDE 1: 0.25 steps outside 40 yd In	6.0 steps behind FRONT SIDELINE
45	16	SIDE 1: 3.75 steps outside 40 yd In	5.75 steps behind FRONT SIDELINE
46	8	SIDE 1: 2.0 steps outside 40 yd In	5.5 steps behind FRONT SIDELINE
Perfo	rmer:	Symbol: C Label: 1 ID:563237395079	9000 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 2.0 steps outside 40 yd In	5.5 steps behind FRONT SIDELINE

1 0110	mic.	Oyilibol. O Label. 1 15.00020100001	3000 Dilli. 2024 Granton i t4
Set	Counts	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 2.0 steps outside 40 yd In	5.5 steps behind FRONT SIDELINE
47	17	SIDE 1: 2.0 steps inside 45 yd In	6.0 steps behind FRONT SIDELINE
48	8	SIDE 2: 2.0 steps outside 45 yd In	6.0 steps behind FRONT SIDELINE
49	9	SIDE 2: 2.0 steps outside 45 yd In	6.0 steps behind FRONT SIDELINE
50	8	SIDE 2: 2.0 steps outside 35 yd In	6.0 steps behind FRONT SIDELINE
51	8	SIDE 2: 2.0 steps outside 35 yd In	6.0 steps behind FRONT SIDELINE
52	20	SIDE 2: 4.0 steps outside 40 yd In	8.0 steps behind FRONT SIDELINE
53	16	SIDE 2: 4.0 steps outside 40 yd In	8.0 steps behind FRONT SIDELINE
54	8	SIDE 2: 4.0 steps outside 40 yd In	8.0 steps behind FRONT SIDELINE
55	16	SIDE 2: 4.0 steps outside 40 yd In	8.0 steps behind FRONT SIDELINE
56	16	SIDE 2: 4.0 steps outside 40 yd In	8.0 steps behind FRONT SIDELINE
57	8	SIDE 2: 4.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 4.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 4.0 steps outside 45 yd In	12.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 4.0 steps outside 45 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 4.0 steps outside 45 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 2: 4.0 steps outside 45 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 2: 1.0 steps outside 40 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 2: 1.0 steps outside 40 yd In	8.0 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"

Dailly 2024 CD AFTON DT4 24:

11.25 steps behind FRONT HASH (HS)

Perfo	rmer:	Symbol: F Label: 4 ID:56365034696	4000 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 2.0 steps outside 40 yd In	7.0 steps behind FRONT HASH (HS)
2	8	SIDE 1: 2.0 steps outside 40 yd In	7.0 steps behind FRONT HASH (HS)
3	8	SIDE 1: 2.0 steps outside 40 yd In	7.0 steps behind FRONT HASH (HS)
4	8	SIDE 1: On 35 yd In	12.0 steps in front of BACK HASH (HS)
5	8	SIDE 1: On 35 yd In	12.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 1.0 steps outside 50 yd In	12.0 steps behind FRONT HASH (HS)
7	8	SIDE 1: 1.5 steps inside 45 yd In	11.25 steps behind FRONT HASH (HS)
8	40	SIDE 1: 1.5 steps inside 45 yd In	11.25 steps behind FRONT HASH (HS)
9	16	On 50 yd In	8.0 steps behind FRONT HASH (HS)
10	16	SIDE 1: On 45 yd In	On FRONT HASH (HS)
11	16	SIDE 1: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
12	8	On 50 yd In	4.0 steps in front of FRONT HASH (HS)
13	8	On 50 yd In	On FRONT HASH (HS)
14	12	SIDE 2: 0.75 steps outside 45 yd In	On FRONT HASH (HS)
15	12	SIDE 2: 0.75 steps outside 45 yd In	On FRONT HASH (HS)
16	24	SIDE 1: 4.0 steps inside 40 yd In	5.0 steps behind FRONT HASH (HS)
17	8	SIDE 1: 4.0 steps inside 40 yd In	5.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: 1.0 steps inside 35 yd In	5.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: 3.0 steps inside 30 yd In	6.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 2.0 steps outside 25 yd In	8.5 steps behind FRONT HASH (HS)

Desferment Comball F. Labelt 4 ID-562650246064000

### Performer: Symbol: F Label: 4 ID:563650346964000 Drill: 2024 GRAFTON PT2 Counts SIDE 1-SIDE 2 FRONT-BACK 20 0 SIDE 1: 2.0 steps outside 25 yd In 8.5 steps behind FRONT HASH (HS) 21 16 SIDE 1: 3.0 steps outside 30 yd In 14.0 steps in front of BACK HASH (HS) 22 8 SIDE 1: 3.0 steps outside 30 yd In 14.0 steps in front of BACK HASH (HS) 23 8 SIDE 1: 3.0 steps outside 30 yd In 14.0 steps in front of BACK HASH (HS) 24 SIDE 1: 4.0 steps inside 30 yd In 12.0 steps behind FRONT HASH (HS) 25 12 SIDE 1: 4.0 steps inside 30 yd In 12.0 steps behind FRONT HASH (HS) 26 SIDE 1: 4.0 steps inside 30 yd In 12.0 steps behind FRONT HASH (HS) 27 8 SIDE 1: On 25 yd In 12.0 steps in front of BACK HASH (HS) 12 SIDE 1: On 25 yd In 28 12.0 steps in front of BACK HASH (HS) 29 SIDE 1: On 25 yd In 12.0 steps in front of BACK HASH (HS) 30 SIDE 1: On 25 yd In 12.0 steps in front of BACK HASH (HS) 31 4 SIDE 1: On 25 yd In 12.0 steps in front of BACK HASH (HS) 32 SIDE 1: On 25 yd In 12.0 steps in front of BACK HASH (HS) 33 SIDE 1: On 25 yd In 12.0 steps behind FRONT HASH (HS) 34 SIDE 1: On 25 yd In 12.0 steps behind FRONT HASH (HS) 14

Performer: Symbol: F Label: 4 ID:563650346964000 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

12 SIDE 1: 1.0 steps inside 30 yd In

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 1.0 steps inside 30 yd In	11.25 steps behind FRONT HASH (HS)
36	8	SIDE 1: 1.0 steps inside 30 yd In	11.25 steps behind FRONT HASH (HS)
37	16	SIDE 1: 2.0 steps inside 25 yd In	3.0 steps behind FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps inside 25 yd In	13.0 steps in front of FRONT HASH (HS)
39	16	SIDE 1: On 25 yd In	14.0 steps behind FRONT SIDELINE
40	20	SIDE 1: On 25 yd In	14.0 steps behind FRONT SIDELINE
41	16	SIDE 1: 4.0 steps inside 30 yd In	10.0 steps behind FRONT SIDELINE
42	16	SIDE 1: 4.0 steps inside 30 yd In	10.0 steps behind FRONT SIDELINE
43	12	SIDE 1: 4.0 steps inside 30 yd In	10.0 steps behind FRONT SIDELINE
44	16	SIDE 1: 2.5 steps outside 40 yd In	6.0 steps behind FRONT SIDELINE
45	16	SIDE 1: 2.0 steps inside 35 yd In	6.0 steps behind FRONT SIDELINE
46	8	SIDE 1: 3.5 steps inside 35 yd In	5.75 steps behind FRONT SIDELINE

Performer:		Symbol: F Label: 4 ID:5636503469	64000 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 3.5 steps inside 35 yd In	5.75 steps behind FRONT SIDELINE
47	17	SIDE 1: 4.0 steps inside 45 yd In	4.0 steps behind FRONT SIDELINE
48	8	SIDE 1: 4.0 steps inside 45 yd In	4.0 steps behind FRONT SIDELINE
49	9	SIDE 2: 4.0 steps outside 45 yd In	4.0 steps behind FRONT SIDELINE
50	8	SIDE 2: 4.0 steps outside 45 yd In	4.0 steps behind FRONT SIDELINE
51	8	SIDE 2: 4.0 steps outside 35 yd In	4.0 steps behind FRONT SIDELINE
52	20	SIDE 2: On 35 yd In	8.0 steps behind FRONT SIDELINE
53	16	SIDE 2: On 35 yd In	8.0 steps behind FRONT SIDELINE
54	8	SIDE 2: On 35 yd In	8.0 steps behind FRONT SIDELINE
55	16	SIDE 2: On 35 yd In	8.0 steps behind FRONT SIDELINE
56	16	SIDE 2: On 35 yd In	8.0 steps behind FRONT SIDELINE
57	8	SIDE 2: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: On 35 yd In	10.0 steps behind FRONT SIDELINE
59	8	SIDE 2: 4.0 steps outside 35 yd In	12.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 4.0 steps outside 35 yd In	12.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 4.0 steps outside 35 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 4.0 steps outside 35 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 2: 4.0 steps outside 35 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 2: 1.0 steps outside 25 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 2: 1.0 steps outside 25 yd In	8.0 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: E Label: 5 ID:5632594650120	00 Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 1.0 steps inside 30 yd In	9.0 steps behind FRONT HASH (HS)
2	8	SIDE 1: 1.0 steps inside 30 yd In	9.0 steps behind FRONT HASH (HS)
3	8	SIDE 1: 3.0 steps outside 30 yd In	3.5 steps behind FRONT HASH (HS)
4	8	SIDE 1: 3.0 steps outside 30 yd In	3.5 steps behind FRONT HASH (HS)
5	8	SIDE 1: 3.0 steps outside 30 yd In	3.5 steps behind FRONT HASH (HS)
6	16	SIDE 1: 0.25 steps inside 30 yd In	8.0 steps in front of FRONT HASH (HS)
7	8	SIDE 1: 3.25 steps outside 35 yd In	10.0 steps in front of FRONT HASH (HS)
8	40	SIDE 1: 3.25 steps outside 35 yd In	10.0 steps in front of FRONT HASH (HS)
9	16	SIDE 1: 2.0 steps outside 25 yd In	10.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: 2.0 steps outside 25 yd In	2.0 steps behind FRONT HASH (HS)
11	16	SIDE 1: 1.25 steps outside 25 yd In	1.25 steps in front of FRONT HASH (HS)
12	8	SIDE 1: 2.25 steps outside 25 yd In	1.25 steps in front of FRONT HASH (HS)
13	8	SIDE 1: 2.5 steps outside 25 yd In	4.0 steps in front of FRONT HASH (HS)
14	12	SIDE 1: 2.75 steps outside 25 yd In	12.0 steps in front of FRONT HASH (HS)
15	12	SIDE 1: 2.75 steps outside 25 yd In	12.0 steps in front of FRONT HASH (HS)
16	24	SIDE 1: 2.75 steps inside 35 yd In	0.25 steps in front of FRONT HASH (HS)
17	8	SIDE 1: 2.75 steps inside 35 yd In	0.25 steps in front of FRONT HASH (HS)
18	16	SIDE 1: 1.25 steps inside 35 yd In	0.25 steps in front of FRONT HASH (HS)
19	16	SIDE 1: 3.5 steps inside 30 yd In	3.5 steps in front of FRONT HASH (HS)
20	16	SIDE 1: 0.5 steps inside 30 yd In	5.25 steps behind FRONT HASH (HS)

### Performer: Symbol: E Label: 5 ID:563259465012000 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK SIDE 1: 0.5 steps inside 30 yd In 5.25 steps behind FRONT HASH (HS) 20 0 21 16 SIDE 1: 3.0 steps outside 35 yd In 6.0 steps behind FRONT HASH (HS) 22 8 SIDE 1: 3.0 steps outside 35 yd In 6.0 steps behind FRONT HASH (HS) 23 8 SIDE 1: 3.0 steps outside 35 yd In 6.0 steps behind FRONT HASH (HS) SIDE 1: On 35 yd In 24 9.75 steps behind FRONT HASH (HS) 25 SIDE 1: On 35 yd In 9.75 steps behind FRONT HASH (HS) 26 SIDE 1: On 35 yd In 9.75 steps behind FRONT HASH (HS) 27 SIDE 1: On 35 yd In 12.0 steps behind FRONT HASH (HS) 12 SIDE 1: On 35 yd In 12.0 steps behind FRONT HASH (HS) 28 29 SIDE 1: On 35 yd In 12.0 steps behind FRONT HASH (HS) 30 SIDE 1: 4.0 steps inside 35 yd In 12.0 steps behind FRONT HASH (HS) 31 4 SIDE 1: 4.0 steps inside 35 yd In 12.0 steps behind FRONT HASH (HS) 32 SIDE 1: 4.0 steps inside 35 yd In 12.0 steps behind FRONT HASH (HS) 33 SIDE 1: 4.0 steps inside 35 yd In 12.0 steps behind FRONT HASH (HS) 34 14 SIDE 1: 4.0 steps inside 35 yd In 12.0 steps behind FRONT HASH (HS) 12 SIDE 1: 2.0 steps outside 45 yd In 2.0 steps behind FRONT HASH (HS)

Performer: Symbol: E Label: 5 ID:563259465012000 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 2.0 steps outside 45 yd In	2.0 steps behind FRONT HASH (HS)
36	8	SIDE 1: 2.0 steps outside 45 yd In	2.0 steps behind FRONT HASH (HS)
37	16	SIDE 1: 2.0 steps inside 30 yd In	On FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps inside 30 yd In	12.0 steps behind FRONT SIDELINE
39	16	SIDE 1: 4.0 steps inside 25 yd In	8.0 steps in front of FRONT HASH (HS)
40	20	SIDE 1: 4.0 steps inside 25 yd In	8.0 steps in front of FRONT HASH (HS)
41	16	SIDE 1: 4.0 steps inside 30 yd In	12.0 steps in front of FRONT HASH (HS)
42	16	SIDE 1: 4.0 steps inside 30 yd In	12.0 steps in front of FRONT HASH (HS)
43	12	SIDE 1: 4.0 steps inside 30 yd In	12.0 steps in front of FRONT HASH (HS)
44	16	SIDE 1: 3.25 steps inside 35 yd In	6.25 steps behind FRONT SIDELINE
45	16	SIDE 1: 0.5 steps outside 35 yd In	6.25 steps behind FRONT SIDELINE
46	8	SIDE 1: 0.75 steps inside 35 yd In	6.0 steps behind FRONT SIDELINE
Perfo	rmer:	Symbol: E Label: 5 ID:5632594650120	000 Drill: 2024 Grafton Pt4

Performer:		Symbol: E Label: 5 ID:563259465012	
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 0.75 steps inside 35 yd In	6.0 steps behind FRONT SIDELINE
47	17	SIDE 1: 2.0 steps outside 45 yd In	10.0 steps behind FRONT SIDELINE
48	8	SIDE 2: 2.0 steps inside 45 yd In	10.0 steps behind FRONT SIDELINE
49	9	SIDE 2: 2.0 steps inside 45 yd In	10.0 steps behind FRONT SIDELINE
50	8	SIDE 2: 2.0 steps inside 35 yd In	10.0 steps behind FRONT SIDELINE
51	8	SIDE 2: 2.0 steps inside 35 yd In	10.0 steps behind FRONT SIDELINE
52	20	SIDE 2: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
53	16	SIDE 2: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
54	8	SIDE 2: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
55	16	SIDE 2: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
56	16	SIDE 2: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
57	8	SIDE 2: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: 2.0 steps inside 40 yd In	7.75 steps in front of FRONT HASH (HS)
65	18	SIDE 2: 2.0 steps inside 40 yd In	7.75 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: C Label: 10 ID:5632373950	79900 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 2.0 steps inside 20 yd In	10.0 steps in front of FRONT HASH (HS)
2	8	SIDE 1: 2.0 steps inside 20 yd In	10.0 steps in front of FRONT HASH (HS)
3	8	SIDE 1: 1.25 steps inside 20 yd In	12.5 steps behind FRONT SIDELINE
4	8	SIDE 1: 1.25 steps inside 20 yd In	12.5 steps behind FRONT SIDELINE
5	8	SIDE 1: 1.25 steps inside 20 yd In	12.5 steps behind FRONT SIDELINE
6	16	SIDE 1: 2.5 steps outside 30 yd In	7.5 steps behind FRONT HASH (HS)
7	8	SIDE 1: 2.5 steps outside 35 yd In	6.75 steps behind FRONT HASH (HS)
8	40	SIDE 1: 2.5 steps outside 35 yd In	6.75 steps behind FRONT HASH (HS)
9	16	SIDE 1: 2.0 steps inside 25 yd In	10.0 steps behind FRONT HASH (HS)
10	16	SIDE 1: 2.0 steps inside 30 yd In	10.0 steps in front of BACK HASH (HS)
11	16	SIDE 1: On 30 yd In	10.0 steps in front of BACK HASH (HS)
12	8	SIDE 1: On 25 yd In	10.0 steps in front of BACK HASH (HS)
13	8	SIDE 1: On 25 yd In	12.0 steps behind FRONT HASH (HS)
14	12	SIDE 1: 0.25 steps outside 25 yd In	11.0 steps behind FRONT HASH (HS)
15	12	SIDE 1: 0.25 steps outside 25 yd In	11.0 steps behind FRONT HASH (HS)
16	24	SIDE 1: On 35 yd In	8.0 steps behind FRONT HASH (HS)
17	8	SIDE 1: On 35 yd In	8.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: On 25 yd In	8.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: On 20 yd In	4.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 2.25 steps inside 25 yd In	13.0 steps in front of FRONT HASH (HS)

### Performer: Symbol: C Label: 10 ID:563237395079900 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 1: 2.25 steps inside 25 yd In	13.0 steps in front of FRONT HASH (HS)
21	16	SIDE 1: 3.0 steps inside 30 yd In	8.0 steps in front of FRONT HASH (HS)
22	8	SIDE 1: 3.0 steps inside 30 yd In	8.0 steps in front of FRONT HASH (HS)
23	8	SIDE 1: 3.0 steps inside 30 yd In	8.0 steps in front of FRONT HASH (HS)
24	8	SIDE 1: 3.75 steps outside 30 yd In	2.25 steps in front of FRONT HASH (HS)
25	12	SIDE 1: 3.75 steps outside 30 yd In	2.25 steps in front of FRONT HASH (HS)
26	10	SIDE 1: 3.75 steps outside 30 yd In	2.25 steps in front of FRONT HASH (HS)
27	8	SIDE 1: On 20 yd In	4.0 steps behind FRONT HASH (HS)
28	12	SIDE 1: On 20 yd In	4.0 steps behind FRONT HASH (HS)
29	4	SIDE 1: 4.0 steps inside 20 yd In	4.0 steps behind FRONT HASH (HS)
30	4	SIDE 1: 4.0 steps inside 20 yd In	4.0 steps behind FRONT HASH (HS)
31	4	SIDE 1: 4.0 steps inside 20 yd In	4.0 steps behind FRONT HASH (HS)
32	4	SIDE 1: 4.0 steps inside 20 yd In	4.0 steps behind FRONT HASH (HS)
33	4	SIDE 1: 4.0 steps inside 20 yd In	4.0 steps behind FRONT HASH (HS)
34	14	SIDE 1: 4.0 steps inside 20 yd In	4.0 steps behind FRONT HASH (HS)
35	12	SIDE 1: 2.0 steps inside 25 vd In	10.5 steps behind FRONT HASH (HS)

Performer: Symbol: C Label: 10 ID:563237395079900 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

steps inside 25 yd In steps inside 25 yd In	10.5 steps behind FRONT HASH (HS)
steps inside 25 yd In	
	10.5 steps behind FRONT HASH (HS)
steps outside 25 yd In	6.0 steps behind FRONT HASH (HS)
steps outside 25 yd In	10.0 steps in front of FRONT HASH (HS)
steps inside 20 yd In	11.0 steps behind FRONT SIDELINE
steps inside 20 yd In	11.0 steps behind FRONT SIDELINE
steps inside 30 yd In	7.0 steps behind FRONT SIDELINE
steps inside 30 yd In	7.0 steps behind FRONT SIDELINE
steps inside 30 yd In	7.0 steps behind FRONT SIDELINE
steps inside 35 yd In	6.25 steps behind FRONT SIDELINE
steps outside 35 yd In	6.5 steps behind FRONT SIDELINE
steps outside 35 yd In	6.0 steps behind FRONT SIDELINE
Label: 10 ID:5632373950799	000 Drill: 2024 Grafton Pt4
2	FRONT-BACK
	steps outside 25 yd In steps outside 25 yd In steps inside 20 yd In steps inside 20 yd In steps inside 20 yd In steps inside 30 yd In steps inside 30 yd In steps inside 30 yd In steps inside 35 yd In steps outside 35 yd In steps outside 35 yd In steps outside 35 yd In

Perfo	rmer:	Symbol: C Label: 10 ID:563237395	079900 Drill: 2024 Grafton Pt4
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 1.75 steps outside 35 yd In	6.0 steps behind FRONT SIDELINE
47	17	SIDE 1: On 45 yd In	8.0 steps behind FRONT SIDELINE
48	8	SIDE 1: On 45 yd In	8.0 steps behind FRONT SIDELINE
49	9	SIDE 2: On 45 yd In	8.0 steps behind FRONT SIDELINE
50	8	SIDE 2: On 45 yd In	8.0 steps behind FRONT SIDELINE
51	8	SIDE 2: On 35 yd In	8.0 steps behind FRONT SIDELINE
52	20	SIDE 2: 4.0 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
53	16	SIDE 2: 4.0 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
54	8	SIDE 2: 4.0 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
55	16	SIDE 2: 4.0 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
56	16	SIDE 2: 4.0 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
57	8	SIDE 2: 2.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: On 35 yd In	8.0 steps behind FRONT SIDELINE
59	8	SIDE 2: 2.0 steps inside 30 yd In	12.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 2.0 steps inside 30 yd In	12.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 2.0 steps inside 30 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 2.0 steps inside 30 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 2: 2.0 steps inside 30 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 2: 4.0 steps outside 25 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 2: 4.0 steps outside 25 yd In	8.0 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: E Label: 6 ID:5632594650122	200 Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 1.0 steps inside 25 yd In	10.0 steps behind FRONT HASH (HS)
2	8	SIDE 1: 1.0 steps inside 25 yd In	10.0 steps behind FRONT HASH (HS)
3	8	SIDE 1: 1.5 steps outside 30 yd In	5.0 steps behind FRONT HASH (HS)
4	8	SIDE 1: 1.5 steps outside 30 yd In	5.0 steps behind FRONT HASH (HS)
5	8	SIDE 1: 1.5 steps outside 30 yd In	5.0 steps behind FRONT HASH (HS)
6	16	SIDE 1: 2.5 steps outside 30 yd In	8.0 steps in front of FRONT HASH (HS)
7	8	SIDE 1: 2.5 steps inside 30 yd In	8.75 steps in front of FRONT HASH (HS)
8	40	SIDE 1: 2.5 steps inside 30 yd In	8.75 steps in front of FRONT HASH (HS)
9	16	SIDE 1: On 25 yd In	7.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: On 25 yd In	5.0 steps behind FRONT HASH (HS)
11	16	SIDE 1: 4.0 steps inside 25 yd In	4.0 steps behind FRONT HASH (HS)
12	8	SIDE 1: 4.0 steps inside 20 yd In	4.0 steps behind FRONT HASH (HS)
13	8	SIDE 1: 1.0 steps inside 20 yd In	4.0 steps in front of FRONT HASH (HS)
14	12	SIDE 1: 2.25 steps outside 20 yd In	8.75 steps in front of FRONT HASH (HS)
15	12	SIDE 1: 2.25 steps outside 20 yd In	8.75 steps in front of FRONT HASH (HS)
16	24	SIDE 1: 2.5 steps outside 35 yd In	5.5 steps in front of FRONT HASH (HS)
17	8	SIDE 1: 2.5 steps outside 35 yd In	5.5 steps in front of FRONT HASH (HS)
18	16	SIDE 1: 2.75 steps outside 40 yd In	5.5 steps in front of FRONT HASH (HS)
19	16	SIDE 1: 3.5 steps inside 35 yd In	11.0 steps in front of FRONT HASH (HS)
20	16	SIDE 1: 0.75 steps outside 35 yd In	6.5 steps in front of FRONT HASH (HS)

### Performer: Symbol: E Label: 6 ID:563259465012200 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK 6.5 steps in front of FRONT HASH (HS) 20 0 SIDE 1: 0.75 steps outside 35 yd In 21 16 SIDE 1: 4.0 steps inside 30 yd In 4.0 steps behind FRONT HASH (HS) 22 8 SIDE 1: 4.0 steps inside 30 yd In 4.0 steps behind FRONT HASH (HS) 23 8 SIDE 1: 4.0 steps inside 30 yd In 4.0 steps behind FRONT HASH (HS) SIDE 1: 2.0 steps outside 35 yd In 24 0.75 steps in front of FRONT HASH (HS) 25 SIDE 1: 2.0 steps outside 35 yd In 0.75 steps in front of FRONT HASH (HS) 26 SIDE 1: 2.0 steps outside 35 yd In 0.75 steps in front of FRONT HASH (HS) 27 SIDE 1: On 30 yd In 4.0 steps behind FRONT HASH (HS) SIDE 1: On 30 yd In 4.0 steps behind FRONT HASH (HS) 28 29 SIDE 1: On 30 yd In 4.0 steps behind FRONT HASH (HS) 30 SIDE 1: 4.0 steps inside 30 yd In 4.0 steps behind FRONT HASH (HS) 31 SIDE 1: 4.0 steps inside 30 yd In 4.0 steps behind FRONT HASH (HS) 32 SIDE 1: 4.0 steps inside 30 yd In 4.0 steps behind FRONT HASH (HS) 33 SIDE 1: 4.0 steps inside 30 yd In 4.0 steps behind FRONT HASH (HS) 34 14 SIDE 1: 4.0 steps inside 30 yd In 4.0 steps behind FRONT HASH (HS)

Performer: Symbol: E Label: 6 ID:563259465012200 Drill: 2024 GRAFTON PT3

8.25 steps behind FRONT HASH (HS)

12 SIDE 1: 3.75 steps outside 40 yd In

Printed: Sun. Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 3.75 steps outside 40 yd In	8.25 steps behind FRONT HASH (HS)
36	8	SIDE 1: 3.75 steps outside 40 yd In	8.25 steps behind FRONT HASH (HS)
37	16	SIDE 1: 2.0 steps outside 30 yd In	3.0 steps behind FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps outside 30 yd In	13.0 steps in front of FRONT HASH (HS)
39	16	SIDE 1: On 25 yd In	11.0 steps in front of FRONT HASH (HS)
40	20	SIDE 1: On 25 yd In	11.0 steps in front of FRONT HASH (HS)
41	16	SIDE 1: 2.0 steps inside 30 yd In	13.0 steps behind FRONT SIDELINE
42	16	SIDE 1: 2.0 steps inside 30 yd In	13.0 steps behind FRONT SIDELINE
43	12	SIDE 1: 2.0 steps inside 30 yd In	13.0 steps behind FRONT SIDELINE
44	16	SIDE 1: 1.25 steps outside 35 yd In	6.25 steps behind FRONT SIDELINE
45	16	SIDE 1: 3.0 steps inside 30 yd In	6.75 steps behind FRONT SIDELINE
46	8	SIDE 1: 3.75 steps inside 30 yd In	6.5 steps behind FRONT SIDELINE
Dorfo	rmori	Symbol: E. Labal: 6. ID:E622E046E04	2200 Drill, 2024 Crofton Bt4

Perfo	rmer:	Symbol: E Label: 6 ID:56325946501	12200 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 3.75 steps inside 30 yd In	6.5 steps behind FRONT SIDELINE
47	17	SIDE 1: 2.0 steps outside 45 yd In	6.0 steps behind FRONT SIDELINE
48	8	SIDE 2: 2.0 steps inside 45 yd In	6.0 steps behind FRONT SIDELINE
49	9	SIDE 2: 2.0 steps inside 45 yd In	6.0 steps behind FRONT SIDELINE
50	8	SIDE 2: 2.0 steps inside 35 yd In	6.0 steps behind FRONT SIDELINE
51	8	SIDE 2: 2.0 steps inside 35 yd In	6.0 steps behind FRONT SIDELINE
52	20	SIDE 2: On 40 yd In	8.0 steps behind FRONT SIDELINE
53	16	SIDE 2: On 40 yd In	8.0 steps behind FRONT SIDELINE
54	8	SIDE 2: On 40 yd In	8.0 steps behind FRONT SIDELINE
55	16	SIDE 2: On 40 yd In	8.0 steps behind FRONT SIDELINE
56	16	SIDE 2: On 40 yd In	8.0 steps behind FRONT SIDELINE
57	8	SIDE 2: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: On 40 yd In	12.0 steps behind FRONT SIDELINE
60	8	SIDE 2: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: On 40 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 2: On 40 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 2: 1.0 steps inside 35 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 2: 1.0 steps inside 35 yd In	8.0 steps behind FRONT SIDELINE

in "2024 GRAFTON"

Perfo	rmer:	Symbol: F Label: 3 ID:563650346963	Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 3.0 steps outside 35 yd In	10.0 steps behind FRONT HASH (HS)
2	8	SIDE 1: 3.0 steps outside 35 yd In	10.0 steps behind FRONT HASH (HS)
3	8	SIDE 1: 3.0 steps outside 35 yd In	10.0 steps behind FRONT HASH (HS)
4	8	SIDE 1: 3.0 steps outside 35 yd In	12.0 steps in front of BACK HASH (HS)
5	8	SIDE 1: 3.0 steps outside 35 yd In	12.0 steps in front of BACK HASH (HS)
6	16	SIDE 1: 2.0 steps outside 50 yd In	12.0 steps behind FRONT HASH (HS)
7	8	SIDE 1: 0.5 steps inside 45 yd In	9.25 steps behind FRONT HASH (HS)
8	40	SIDE 1: 0.5 steps inside 45 yd In	9.25 steps behind FRONT HASH (HS)
9	16	SIDE 1: 2.75 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
10	16	SIDE 1: 2.75 steps outside 45 yd In	On FRONT HASH (HS)
11	16	SIDE 1: 2.0 steps outside 45 yd In	4.0 steps in front of FRONT HASH (HS)
12	8	SIDE 1: 2.0 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
13	8	SIDE 1: 2.0 steps outside 50 yd In	On FRONT HASH (HS)
14	12	SIDE 2: 1.75 steps inside 45 yd In	1.25 steps in front of FRONT HASH (HS)
15	12	SIDE 2: 1.75 steps inside 45 yd In	1.25 steps in front of FRONT HASH (HS)
16	24	SIDE 1: 2.25 steps inside 40 yd In	3.25 steps behind FRONT HASH (HS)
17	8	SIDE 1: 2.25 steps inside 40 yd In	3.25 steps behind FRONT HASH (HS)
18	16	SIDE 1: 2.5 steps inside 35 yd In	3.25 steps behind FRONT HASH (HS)
19	16	SIDE 1: 3.0 steps inside 30 yd In	2.25 steps behind FRONT HASH (HS)
20	16	SIDE 1: 2.5 steps inside 25 yd In	8.25 steps behind FRONT HASH (HS)

### FRONT-BACK 8.25 steps behind FRONT HASH (HS) 20 0 SIDE 1: 2.5 steps inside 25 yd In 21 16 SIDE 1: 1.0 steps inside 25 yd In 12.0 steps behind FRONT HASH (HS) 22 8 SIDE 1: 1.0 steps inside 25 yd In 12.0 steps behind FRONT HASH (HS) 23 SIDE 1: 1.0 steps inside 25 yd In 12.0 steps behind FRONT HASH (HS) SIDE 1: 0.75 steps outside 25 yd In 10.25 steps behind FRONT HASH (HS) 24 25 SIDE 1: 0.75 steps outside 25 yd In 10.25 steps behind FRONT HASH (HS) 26 SIDE 1: 0.75 steps outside 25 yd In 10.25 steps behind FRONT HASH (HS) 27 SIDE 1: On 15 yd In 12.0 steps behind FRONT HASH (HS) SIDE 1: On 15 yd In 12.0 steps behind FRONT HASH (HS) 28 29 SIDE 1: 4.0 steps inside 15 yd In 12.0 steps behind FRONT HASH (HS) 30 SIDE 1: 4.0 steps inside 15 yd In 12.0 steps behind FRONT HASH (HS) 31 SIDE 1: 4.0 steps inside 15 yd In 12.0 steps behind FRONT HASH (HS)

Drill: 2024 GRAFTON PT2

12.0 steps behind FRONT HASH (HS)

12.0 steps behind FRONT HASH (HS)

12.0 steps behind FRONT HASH (HS)

8.0 steps behind FRONT HASH (HS)

Performer: Symbol: F Label: 3 ID:563650346963900

SIDE 1: 4.0 steps inside 15 yd In

SIDE 1: 4.0 steps inside 15 yd In

SIDE 1: 4.0 steps inside 15 yd In

SIDE 1: 3.5 steps inside 20 yd In

Counts SIDE 1-SIDE 2

Performer: Symbol: F Label: 3 ID:563650346963900 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

14

Set

32

33

34

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2 FRONT-BACK
35	0	SIDE 1: 3.5 steps inside 20 yd ln 8.0 steps behind FRONT HASH (HS)
36	8	SIDE 1: 3.5 steps inside 20 yd ln 8.0 steps behind FRONT HASH (HS)
37	16	SIDE 1: 2.0 steps inside 20 yd In 9.0 steps behind FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps inside 20 yd In 7.0 steps in front of FRONT HASH (HS)
39	16	SIDE 1: On 20 yd In 8.0 steps behind FRONT SIDELINE
40	20	SIDE 1: On 20 yd In 8.0 steps behind FRONT SIDELINE
41	16	SIDE 1: On 30 yd In 4.0 steps behind FRONT SIDELINE
42	16	SIDE 1: On 30 yd In 4.0 steps behind FRONT SIDELINE
43	12	SIDE 1: On 30 yd In 4.0 steps behind FRONT SIDELINE
44	16	SIDE 1: 3.5 steps outside 35 yd In 6.25 steps behind FRONT SIDELINE
45	16	SIDE 1: 0.5 steps inside 30 yd In 7.0 steps behind FRONT SIDELINE
46	8	SIDE 1: 1.25 steps inside 30 yd In 6.75 steps behind FRONT SIDELINE
Perfo	rmer:	Symbol: F Label: 3 ID:563650346963900 Drill: 2024 Grafton Pt4

Perfo	rmer:	Symbol: F Label: 3 ID:56365034696	3900 Drill: 2024 Grafton Pt4
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 1.25 steps inside 30 yd In	6.75 steps behind FRONT SIDELINE
47	17	SIDE 1: On 45 yd In	4.0 steps behind FRONT SIDELINE
48	8	SIDE 1: On 45 yd In	4.0 steps behind FRONT SIDELINE
49	9	SIDE 2: On 45 yd In	4.0 steps behind FRONT SIDELINE
50	8	SIDE 2: On 45 yd In	4.0 steps behind FRONT SIDELINE
51	8	SIDE 2: On 35 yd In	4.0 steps behind FRONT SIDELINE
52	20	SIDE 2: 3.0 steps outside 40 yd In	On FRONT SIDELINE
53	16	SIDE 2: 3.0 steps outside 40 yd In	On FRONT SIDELINE
54	8	SIDE 2: 3.0 steps outside 40 yd In	On FRONT SIDELINE
55	16	SIDE 2: 3.0 steps outside 40 yd In	On FRONT SIDELINE
56	16	SIDE 2: 3.0 steps outside 40 yd In	On FRONT SIDELINE
57	8	SIDE 2: 3.0 steps outside 40 yd In	On FRONT SIDELINE
58	8	SIDE 2: 3.0 steps outside 40 yd In	On FRONT SIDELINE
59	8	SIDE 2: 3.0 steps outside 40 yd In	On FRONT SIDELINE
60	8	SIDE 2: 3.0 steps outside 40 yd In	On FRONT SIDELINE
61	8	SIDE 2: 3.0 steps outside 40 yd In	On FRONT SIDELINE
62	8	SIDE 2: 3.0 steps outside 40 yd In	On FRONT SIDELINE
63	8	SIDE 2: 3.0 steps outside 40 yd In	8.0 steps behind FRONT SIDELINE
64	16	SIDE 2: 3.0 steps outside 40 yd In	10.0 steps behind FRONT HASH (HS)
65	18	SIDE 2: 3.0 steps outside 40 yd In	12.0 steps behind BACK HASH (HS)

Performer:	in "2024 GRAFTON"
renomie.	III 2024 GRAI TON

Perfo	rmer:	Symbol: F Label: 2 ID:5636503469637	700 Drill: 2024 GRAFTON PT1.3dj
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 3.0 steps outside 30 yd In	12.0 steps behind FRONT HASH (HS)
2	8	SIDE 1: 3.0 steps outside 30 yd In	12.0 steps behind FRONT HASH (HS)
3	8	SIDE 1: 3.0 steps outside 30 yd In	12.0 steps behind FRONT HASH (HS)
4	8	SIDE 1: 2.0 steps inside 30 yd In	12.0 steps in front of BACK HASH (HS)
5	8	SIDE 1: 2.0 steps inside 30 yd In	12.0 steps in front of BACK HASH (HS)
6	16	SIDE 1: 3.0 steps inside 45 yd In	12.0 steps behind FRONT HASH (HS)
7	8	SIDE 1: 0.25 steps outside 45 yd In	6.75 steps behind FRONT HASH (HS)
8	40	SIDE 1: 0.25 steps outside 45 yd In	6.75 steps behind FRONT HASH (HS)
9	16	SIDE 1: 2.75 steps inside 45 yd In	8.0 steps behind FRONT HASH (HS)
10	16	SIDE 1: 2.75 steps inside 40 yd In	On FRONT HASH (HS)
11	16	SIDE 1: 4.0 steps inside 40 yd In	4.0 steps in front of FRONT HASH (HS)
12	8	SIDE 1: 4.0 steps inside 45 yd In	4.0 steps in front of FRONT HASH (HS)
13	8	SIDE 1: 4.0 steps inside 45 yd In	On FRONT HASH (HS)
14	12	SIDE 2: 4.0 steps outside 50 yd In	2.75 steps in front of FRONT HASH (HS)
15	12	SIDE 2: 4.0 steps outside 50 yd In	2.75 steps in front of FRONT HASH (HS)
16	24	SIDE 1: 0.5 steps inside 40 yd In	1.5 steps behind FRONT HASH (HS)
17	8	SIDE 1: 0.5 steps inside 40 yd In	1.5 steps behind FRONT HASH (HS)
18	16	SIDE 1: 3.75 steps inside 35 yd In	1.5 steps behind FRONT HASH (HS)
19	16	SIDE 1: 3.25 steps inside 30 yd In	1.5 steps in front of FRONT HASH (HS)
20	16	SIDE 1: 1.25 steps outside 30 yd In	6.75 steps behind FRONT HASH (HS)

### Performer: Symbol: F Label: 2 ID:563650346963700 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK 6.75 steps behind FRONT HASH (HS) 20 0 SIDE 1: 1.25 steps outside 30 yd In 21 16 SIDE 1: 3.0 steps inside 25 yd In 12.0 steps behind FRONT HASH (HS) 22 8 SIDE 1: 3.0 steps inside 25 yd In 12.0 steps behind FRONT HASH (HS) 23 8 SIDE 1: 3.0 steps inside 25 yd In 12.0 steps behind FRONT HASH (HS) SIDE 1: 4.0 steps outside 30 yd In 12.25 steps behind FRONT HASH (HS) 24 25 SIDE 1: 4.0 steps outside 30 yd In 12.25 steps behind FRONT HASH (HS) 26 SIDE 1: 4.0 steps outside 30 yd In 12.25 steps behind FRONT HASH (HS) 27 SIDE 1: On 25 yd In 4.0 steps behind FRONT HASH (HS) SIDE 1: On 25 yd In 4.0 steps behind FRONT HASH (HS) 28 29 SIDE 1: 4.0 steps inside 25 yd In 4.0 steps behind FRONT HASH (HS) 30 SIDE 1: 4.0 steps inside 25 yd In 4.0 steps behind FRONT HASH (HS) 31 SIDE 1: 4.0 steps inside 25 yd In 4.0 steps behind FRONT HASH (HS) 32 SIDE 1: 4.0 steps inside 25 yd In 4.0 steps behind FRONT HASH (HS) 33 SIDE 1: 4.0 steps inside 25 yd In 4.0 steps behind FRONT HASH (HS) 34 14 SIDE 1: 4.0 steps inside 25 yd In 4.0 steps behind FRONT HASH (HS) 12 SIDE 1: 3.25 steps inside 30 yd In 11.0 steps behind FRONT HASH (HS)

Performer: Symbol: F Label: 2 ID:563650346963700 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 3.25 steps inside 30 yd In	11.0 steps behind FRONT HASH (HS)
36	8	SIDE 1: 3.25 steps inside 30 yd In	11.0 steps behind FRONT HASH (HS)
37	16	SIDE 1: 2.0 steps inside 25 yd In	6.0 steps behind FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps inside 25 yd In	10.0 steps in front of FRONT HASH (HS)
39	16	SIDE 1: 4.0 steps inside 20 yd In	14.0 steps behind FRONT SIDELINE
40	20	SIDE 1: 4.0 steps inside 20 yd In	14.0 steps behind FRONT SIDELINE
41	16	SIDE 1: On 30 yd In	10.0 steps behind FRONT SIDELINE
42	16	SIDE 1: On 30 yd In	10.0 steps behind FRONT SIDELINE
43	12	SIDE 1: On 30 yd In	10.0 steps behind FRONT SIDELINE
44	16	SIDE 1: 2.25 steps inside 30 yd In	6.5 steps behind FRONT SIDELINE
45	16	SIDE 1: 1.75 steps outside 30 yd In	7.25 steps behind FRONT SIDELINE
46	8	SIDE 1: 1.25 steps outside 30 yd In	7.25 steps behind FRONT SIDELINE
Perfo	rmer:	Symbol: F Label: 2 ID:563650346963	700 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
4.0	0	OIDE 4: 4.05 -4	7 OF stone helind EDONT CIDELINE

Performer:		Symbol: F Label: 2 ID:56365034696	
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 1.25 steps outside 30 yd In	7.25 steps behind FRONT SIDELINE
47	17	SIDE 1: 2.0 steps inside 40 yd In	10.0 steps behind FRONT SIDELINE
48	8	SIDE 2: 2.0 steps outside 50 yd In	10.0 steps behind FRONT SIDELINE
49	9	SIDE 2: 2.0 steps outside 50 yd In	10.0 steps behind FRONT SIDELINE
50	8	SIDE 2: 2.0 steps outside 40 yd In	10.0 steps behind FRONT SIDELINE
51	8	SIDE 2: 2.0 steps outside 40 yd In	10.0 steps behind FRONT SIDELINE
52	20	SIDE 2: 4.0 steps outside 45 yd In	12.0 steps behind FRONT SIDELINE
53	16	SIDE 2: 4.0 steps outside 45 yd In	12.0 steps behind FRONT SIDELINE
54	8	SIDE 2: 4.0 steps outside 45 yd In	12.0 steps behind FRONT SIDELINE
55	16	SIDE 2: 4.0 steps outside 45 yd In	12.0 steps behind FRONT SIDELINE
56	16	SIDE 2: 4.0 steps outside 45 yd In	12.0 steps behind FRONT SIDELINE
57	8	SIDE 2: 2.0 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 2.0 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: On 40 yd In	10.0 steps behind FRONT SIDELINE
60	8	SIDE 2: 2.0 steps outside 40 yd In	12.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 2.0 steps outside 40 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 2.0 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 2: 2.0 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 2: 2.0 steps outside 35 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 2: 2.0 steps outside 35 yd In	8.0 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"
Performer:	IN 2024 GRAFION

Perfo	rmer:	Symbol: E Label: 7	ID:5632594650124	00 Drill: 2024 GRAFTON PT1.3dj
Set	Count	ts SIDE 1-SIDE 2		FRONT-BACK
1	0	SIDE 1: 4.0 steps insi	de 30 yd In	3.0 steps behind FRONT HASH (HS)
2	8	SIDE 1: 4.0 steps insi	ide 30 yd In	3.0 steps behind FRONT HASH (HS)
3	8	SIDE 1: On 30 yd In		6.0 steps behind FRONT HASH (HS)
4	8	SIDE 1: On 30 yd In		6.0 steps behind FRONT HASH (HS)
5	8	SIDE 1: On 30 yd In		6.0 steps behind FRONT HASH (HS)
6	16	SIDE 1: 3.0 steps insi	ide 25 yd In	8.0 steps in front of FRONT HASH (HS)
7	8	SIDE 1: On 30 yd In		8.0 steps in front of FRONT HASH (HS)
8	40	SIDE 1: On 30 yd In		8.0 steps in front of FRONT HASH (HS)
9	16	SIDE 1: 2.0 steps out	side 25 yd In	7.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: 2.0 steps out	side 25 yd In	5.0 steps behind FRONT HASH (HS)
11	16	SIDE 1: 2.25 steps in:	side 25 yd In	2.25 steps behind FRONT HASH (HS)
12	8	SIDE 1: 3.5 steps out	side 25 yd In	2.25 steps behind FRONT HASH (HS)
13	8	SIDE 1: 2.5 steps insi	de 20 yd In	4.0 steps in front of FRONT HASH (HS)
14	12	SIDE 1: On 20 yd In		10.5 steps in front of FRONT HASH (HS)
15	12	SIDE 1: On 20 yd In		10.5 steps in front of FRONT HASH (HS)
16	24	SIDE 1: 0.75 steps or	ıtside 35 yd In	3.75 steps in front of FRONT HASH (HS)
17	8	SIDE 1: 0.75 steps or	ıtside 35 yd In	3.75 steps in front of FRONT HASH (HS)
18	16	SIDE 1: 4.0 steps insi	de 35 yd In	3.75 steps in front of FRONT HASH (HS)
19	16	SIDE 1: On 35 yd In		9.5 steps in front of FRONT HASH (HS)
20	16	SIDE 1: 2.0 steps out	side 35 yd In	2.0 steps in front of FRONT HASH (HS)

### Counts SIDE 1-SIDE 2 FRONT-BACK Set SIDE 1: 2.0 steps outside 35 yd In 2.0 steps in front of FRONT HASH (HS) 20 0 21 16 SIDE 1: 1.0 steps inside 35 yd In 6.0 steps behind FRONT HASH (HS) 22 8 SIDE 1: 1.0 steps inside 35 yd In 6.0 steps behind FRONT HASH (HS) 23 SIDE 1: 1.0 steps inside 35 yd In 6.0 steps behind FRONT HASH (HS) 5.5 steps behind FRONT HASH (HS) 24 SIDE 1: 1.25 steps inside 35 yd In 25 SIDE 1: 1.25 steps inside 35 yd In 5.5 steps behind FRONT HASH (HS) 26 SIDE 1: 1.25 steps inside 35 yd In 5.5 steps behind FRONT HASH (HS) 27 SIDE 1: On 35 yd In 4.0 steps behind FRONT HASH (HS) SIDE 1: On 35 yd In 4.0 steps behind FRONT HASH (HS) 28 29 SIDE 1: On 35 yd In 4.0 steps behind FRONT HASH (HS) 30 SIDE 1: 4.0 steps outside 40 yd In 4.0 steps behind FRONT HASH (HS) 31 SIDE 1: 4.0 steps outside 40 yd In 4.0 steps behind FRONT HASH (HS) 32 SIDE 1: 4.0 steps outside 40 yd In 4.0 steps behind FRONT HASH (HS)

Drill: 2024 GRAFTON PT2

4.0 steps behind FRONT HASH (HS)

4.0 steps behind FRONT HASH (HS)

3.25 steps behind FRONT HASH (HS)

Performer: Symbol: E Label: 7 ID:563259465012400

SIDE 1: 4.0 steps inside 35 yd In

SIDE 1: 4.0 steps inside 35 yd In

12 SIDE 1: 4.0 steps outside 45 yd In

Performer: Symbol: E Label: 7 ID:563259465012400 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

14

33

34

Performer: in "2024 GRAFTON"

Set	Coun	ts SIDE 1-SIDE 2		FRONT-BACK
35	0	SIDE 1: 4.0 steps of	outside 45 yd In	3.25 steps behind FRONT HASH (HS)
36	8	SIDE 1: 4.0 steps of	outside 45 yd In	3.25 steps behind FRONT HASH (HS)
37	16	SIDE 1: 2.0 steps in	nside 30 yd In	3.0 steps behind FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps in	nside 30 yd In	13.0 steps in front of FRONT HASH (HS)
39	16	SIDE 1: On 25 yd li	n	8.0 steps in front of FRONT HASH (HS)
40	20	SIDE 1: On 25 yd li	n	8.0 steps in front of FRONT HASH (HS)
41	16	SIDE 1: On 30 yd li	n	12.0 steps in front of FRONT HASH (HS)
42	16	SIDE 1: On 30 yd li	n	12.0 steps in front of FRONT HASH (HS)
43	12	SIDE 1: On 30 yd li	n	12.0 steps in front of FRONT HASH (HS)
44	16	SIDE 1: On 30 yd li	n	6.75 steps behind FRONT SIDELINE
45	16	SIDE 1: 4.0 steps in	nside 25 yd In	7.75 steps behind FRONT SIDELINE
46	8	SIDE 1: 3.75 steps	outside 30 yd In	7.75 steps behind FRONT SIDELINE
Perfo	rmer:	Symbol: E Label:	7 ID:56325946501240	Drill: 2024 Grafton Pt4

Perfo	rmer:	Symbol: E Label: 7 ID:5632594650124	100 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 3.75 steps outside 30 yd In	7.75 steps behind FRONT SIDELINE
47	17	SIDE 1: 4.0 steps inside 40 yd In	8.0 steps behind FRONT SIDELINE
48	8	SIDE 1: 4.0 steps inside 40 yd In	8.0 steps behind FRONT SIDELINE
49	9	SIDE 2: 4.0 steps outside 50 yd In	8.0 steps behind FRONT SIDELINE
50	8	SIDE 2: 4.0 steps outside 50 yd In	8.0 steps behind FRONT SIDELINE
51	8	SIDE 2: 4.0 steps outside 40 yd In	8.0 steps behind FRONT SIDELINE
52	20	SIDE 2: On 40 yd In	12.0 steps behind FRONT SIDELINE
53	16	SIDE 2: On 40 yd In	12.0 steps behind FRONT SIDELINE
54	8	SIDE 2: On 40 yd In	12.0 steps behind FRONT SIDELINE
55	16	SIDE 2: On 40 yd In	12.0 steps behind FRONT SIDELINE
56	16	SIDE 2: On 40 yd In	12.0 steps behind FRONT SIDELINE
57	8	SIDE 2: 2.0 steps outside 40 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 2.0 steps outside 40 yd In	12.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: On 40 yd In	14.0 steps behind FRONT SIDELINE
60	8	SIDE 2: 2.0 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 2.0 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 2.0 steps inside 40 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 2: 2.0 steps inside 40 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 2: 4.0 steps outside 40 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 2: 4.0 steps outside 40 yd In	8.0 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"

Dailly 2024 CD AFTON DT4 24:

12.0 steps behind FRONT HASH (HS)

12.0 steps behind FRONT HASH (HS)

12.0 steps behind FRONT HASH (HS)

11.0 steps behind FRONT HASH (HS)

Performer:		Symbol: C Label: 6 ID:5632373950799	500 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 2.0 steps inside 25 yd In	6.0 steps behind FRONT SIDELINE
2	8	SIDE 1: 2.0 steps inside 25 yd In	6.0 steps behind FRONT SIDELINE
3	8	SIDE 1: 1.5 steps outside 25 yd In	6.25 steps behind FRONT SIDELINE
4	8	SIDE 1: 1.5 steps outside 25 yd In	6.25 steps behind FRONT SIDELINE
5	8	SIDE 1: 1.5 steps outside 25 yd In	6.25 steps behind FRONT SIDELINE
6	16	SIDE 1: 3.75 steps outside 25 yd In	3.0 steps behind FRONT HASH (HS)
7	8	SIDE 1: 3.75 steps inside 25 yd In	7.0 steps behind FRONT HASH (HS)
8	40	SIDE 1: 3.75 steps inside 25 yd In	7.0 steps behind FRONT HASH (HS)
9	16	SIDE 1: 2.0 steps inside 20 yd In	10.0 steps behind FRONT HASH (HS)
10	16	SIDE 1: 2.0 steps inside 25 yd In	10.0 steps in front of BACK HASH (HS)
11	16	SIDE 1: 4.0 steps inside 25 yd In	10.0 steps in front of BACK HASH (HS)
12	8	SIDE 1: 4.0 steps inside 20 yd In	10.0 steps in front of BACK HASH (HS)
13	8	SIDE 1: 4.0 steps inside 20 yd In	12.0 steps behind FRONT HASH (HS)
14	12	SIDE 1: 3.5 steps inside 20 yd In	7.5 steps behind FRONT HASH (HS)
15	12	SIDE 1: 3.5 steps inside 20 yd In	7.5 steps behind FRONT HASH (HS)
16	24	SIDE 1: 2.75 steps outside 35 yd In	8.0 steps behind FRONT HASH (HS)
17	8	SIDE 1: 2.75 steps outside 35 yd In	8.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: 2.75 steps outside 25 yd In	8.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: 2.75 steps outside 20 yd In	4.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: On 25 yd In	12.75 steps in front of FRONT HASH (HS)

Cumbal, C. Labal, C. ID, E0222720E070E00

### Counts SIDE 1-SIDE 2 FRONT-BACK 20 0 SIDE 1: On 25 yd In 12.75 steps in front of FRONT HASH (HS) 16 SIDE 1: 1.0 steps inside 30 yd In 21 8.0 steps in front of FRONT HASH (HS) 22 8 SIDE 1: 1.0 steps inside 30 yd In 8.0 steps in front of FRONT HASH (HS) 23 8 SIDE 1: 1.0 steps inside 30 yd In 8.0 steps in front of FRONT HASH (HS) 24 SIDE 1: 1.0 steps inside 25 yd In 1.0 steps behind FRONT HASH (HS) 25 SIDE 1: 1.0 steps inside 25 yd In 1.0 steps behind FRONT HASH (HS) 26 SIDE 1: 1.0 steps inside 25 yd In 1.0 steps behind FRONT HASH (HS) 27 SIDE 1: On 20 yd In 12.0 steps behind FRONT HASH (HS) SIDE 1: On 20 yd In 12.0 steps behind FRONT HASH (HS) 28 29 SIDE 1: 4.0 steps inside 20 yd In 12.0 steps behind FRONT HASH (HS) 30 SIDE 1: 4.0 steps inside 20 yd In 12.0 steps behind FRONT HASH (HS) 31 SIDE 1: 4.0 steps inside 20 yd In 12.0 steps behind FRONT HASH (HS)

Performer: Symbol: C Label: 6 ID:563237395079500 Drill: 2024 GRAFTON PT2

Performer: Symbol: C Label: 6 ID:563237395079500 Drill: 2024 GRAFTON PT3

SIDE 1: 4.0 steps inside 20 yd In

SIDE 1: 4.0 steps inside 20 yd In

SIDE 1: 4.0 steps inside 20 yd In

12 SIDE 1: 3.75 steps outside 30 yd In

Printed: Sun. Jul 7, 2024 at 12:18 PM

14

32

33

34

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 3.75 steps outside 30 yd In	11.0 steps behind FRONT HASH (HS)
36	8	SIDE 1: 3.75 steps outside 30 yd In	11.0 steps behind FRONT HASH (HS)
37	16	SIDE 1: 2.0 steps outside 25 yd In	9.0 steps behind FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps outside 25 yd In	7.0 steps in front of FRONT HASH (HS)
39	16	SIDE 1: On 20 yd In	11.0 steps behind FRONT SIDELINE
40	20	SIDE 1: On 20 yd In	11.0 steps behind FRONT SIDELINE
41	16	SIDE 1: 2.0 steps outside 30 yd In	7.0 steps behind FRONT SIDELINE
42	16	SIDE 1: 2.0 steps outside 30 yd In	7.0 steps behind FRONT SIDELINE
43	12	SIDE 1: 2.0 steps outside 30 yd In	7.0 steps behind FRONT SIDELINE
44	16	SIDE 1: 2.25 steps outside 30 yd In	7.25 steps behind FRONT SIDELINE
45	16	SIDE 1: 1.5 steps inside 25 yd In	8.25 steps behind FRONT SIDELINE
46	8	SIDE 1: 2.0 steps inside 25 yd In	8.5 steps behind FRONT SIDELINE
Perfo	rmer:	Symbol: C Label: 6 ID:56323739507	9500 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK

Perfo	rmer:	Symbol: C Label: 6	D:56323739507950	00 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2		FRONT-BACK
46	0	SIDE 1: 2.0 steps inside	25 yd In	8.5 steps behind FRONT SIDELINE
47	17	SIDE 1: 2.0 steps inside	40 yd In	6.0 steps behind FRONT SIDELINE
48	8	SIDE 2: 2.0 steps outsid	e 50 yd In	6.0 steps behind FRONT SIDELINE
49	9	SIDE 2: 2.0 steps outsid	e 50 yd In	6.0 steps behind FRONT SIDELINE
50	8	SIDE 2: 2.0 steps outsid	e 40 yd In	6.0 steps behind FRONT SIDELINE
51	8	SIDE 2: 2.0 steps outsid	e 40 yd In	6.0 steps behind FRONT SIDELINE
52	20	SIDE 2: On 45 yd In		8.0 steps behind FRONT SIDELINE
53	16	SIDE 2: On 45 yd In		8.0 steps behind FRONT SIDELINE
54	8	SIDE 2: On 45 yd In		8.0 steps behind FRONT SIDELINE
55	16	SIDE 2: On 45 yd In		8.0 steps behind FRONT SIDELINE
56	16	SIDE 2: On 45 yd In		8.0 steps behind FRONT SIDELINE
57	8	SIDE 2: On 45 yd In		12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: On 45 yd In		12.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: On 45 yd In		12.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 4.0 steps outsid	e 50 yd In	14.0 steps behind FRONT SIDELINE
61	8	SIDE 2: 4.0 steps outsid	e 50 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 4.0 steps outsid	e 50 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 2: 4.0 steps outsid	e 50 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 2: 3.0 steps inside	45 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 2: 3.0 steps inside	45 yd In	8.0 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"
Performer:	III 2024 GRAFION

Perfo	rmer:	Symbol: A Label: 5 ID:563237395077	900 Drill: 2024 GRAFTON PT1.3dj
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 1.0 steps inside 30 yd In	13.0 steps behind FRONT SIDELINE
2	8	SIDE 1: 1.0 steps inside 30 yd In	13.0 steps behind FRONT SIDELINE
3	8	SIDE 1: 3.75 steps inside 25 yd In	8.75 steps behind FRONT SIDELINE
4	8	SIDE 1: 3.75 steps inside 25 yd In	8.75 steps behind FRONT SIDELINE
5	8	SIDE 1: 3.75 steps inside 25 yd In	8.75 steps behind FRONT SIDELINE
6	16	SIDE 1: 0.75 steps inside 30 yd In	5.5 steps behind FRONT SIDELINE
7	8	SIDE 1: 3.75 steps inside 25 yd In	10.25 steps behind FRONT SIDELINE
8	40	SIDE 1: 3.75 steps inside 25 yd In	10.25 steps behind FRONT SIDELINE
9	16	SIDE 1: 4.0 steps inside 20 yd In	7.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: 4.0 steps inside 20 yd In	5.0 steps behind FRONT HASH (HS)
11	16	SIDE 1: 2.0 steps inside 25 yd In	4.0 steps behind FRONT HASH (HS)
12	8	SIDE 1: 2.0 steps inside 20 yd In	4.0 steps behind FRONT HASH (HS)
13	8	SIDE 1: 0.5 steps outside 20 yd In	4.0 steps in front of FRONT HASH (HS)
14	12	SIDE 1: 3.75 steps outside 20 yd In	6.5 steps in front of FRONT HASH (HS)
15	12	SIDE 1: 3.75 steps outside 20 yd In	6.5 steps in front of FRONT HASH (HS)
16	24	SIDE 1: 3.75 steps inside 30 yd In	7.25 steps in front of FRONT HASH (HS)
17	8	SIDE 1: 3.75 steps inside 30 yd In	7.25 steps in front of FRONT HASH (HS)
18	16	SIDE 1: 1.5 steps outside 40 yd In	7.25 steps in front of FRONT HASH (HS)
19	16	SIDE 1: 0.75 steps outside 40 yd In	11.5 steps in front of FRONT HASH (HS)
20	16	SIDE 1: 1.0 steps inside 35 yd In	10.75 steps in front of FRONT HASH (HS)

### Performer: Symbol: A Label: 5 ID:563237395077900 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 1: 1.0 steps inside 35 yd In	10.75 steps in front of FRONT HASH (HS)
21	16	SIDE 1: 2.0 steps outside 35 yd In	4.0 steps behind FRONT HASH (HS)
22	8	SIDE 1: 2.0 steps outside 35 yd In	4.0 steps behind FRONT HASH (HS)
23	8	SIDE 1: 2.0 steps outside 35 yd In	4.0 steps behind FRONT HASH (HS)
24	8	SIDE 1: 0.5 steps outside 35 yd In	1.25 steps behind FRONT HASH (HS)
25	12	SIDE 1: 0.5 steps outside 35 yd In	1.25 steps behind FRONT HASH (HS)
26	10	SIDE 1: 0.5 steps outside 35 yd In	1.25 steps behind FRONT HASH (HS)
27	8	SIDE 1: On 30 yd In	8.0 steps behind FRONT HASH (HS)
28	12	SIDE 1: On 30 yd In	8.0 steps behind FRONT HASH (HS)
29	4	SIDE 1: On 30 yd In	8.0 steps behind FRONT HASH (HS)
30	4	SIDE 1: On 30 yd In	8.0 steps behind FRONT HASH (HS)
31	4	SIDE 1: On 30 yd In	8.0 steps behind FRONT HASH (HS)
32	4	SIDE 1: On 30 yd In	8.0 steps behind FRONT HASH (HS)
33	4	SIDE 1: On 30 yd In	12.0 steps behind FRONT HASH (HS)
34	14	SIDE 1: On 30 yd In	12.0 steps behind FRONT HASH (HS)
35	12	SIDE 1: 2.0 steps inside 35 yd In	9.25 steps behind FRONT HASH (HS)

Performer: Symbol: A Label: 5 ID:563237395077900 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 2.0 steps inside 35 yd In	9.25 steps behind FRONT HASH (HS)
36	8	SIDE 1: 2.0 steps inside 35 yd In	9.25 steps behind FRONT HASH (HS)
37	16	SIDE 1: 2.0 steps outside 30 yd In	6.0 steps behind FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps outside 30 yd In	10.0 steps in front of FRONT HASH (HS
39	16	SIDE 1: 4.0 steps inside 20 yd In	11.0 steps in front of FRONT HASH (HS
40	20	SIDE 1: 4.0 steps inside 20 yd In	11.0 steps in front of FRONT HASH (HS
41	16	SIDE 1: 2.0 steps outside 30 yd In	13.0 steps behind FRONT SIDELINE
42	16	SIDE 1: 2.0 steps outside 30 yd In	13.0 steps behind FRONT SIDELINE
43	12	SIDE 1: 2.0 steps outside 30 yd In	13.0 steps behind FRONT SIDELINE
44	16	SIDE 1: 3.5 steps inside 25 yd In	7.75 steps behind FRONT SIDELINE
45	16	SIDE 1: 0.75 steps outside 25 yd In	9.0 steps behind FRONT SIDELINE
46	8	SIDE 1: 0.5 steps outside 25 yd In	9.5 steps behind FRONT SIDELINE
Perfo	rmer:	Symbol: A Label: 5 ID:563237395077	900 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK

Perfo	rmer:	Symbol: A Label: 5	ID:56323739507790	00 Drill: 2024 Grafton Pt4
Set	Count	ts SIDE 1-SIDE 2		FRONT-BACK
46	0	SIDE 1: 0.5 steps out	side 25 yd In	9.5 steps behind FRONT SIDELINE
47	17	SIDE 1: 4.0 steps ins	ide 40 yd In	4.0 steps behind FRONT SIDELINE
48	8	SIDE 1: 4.0 steps ins	ide 40 yd In	4.0 steps behind FRONT SIDELINE
49	9	SIDE 2: 4.0 steps out	tside 50 yd In	4.0 steps behind FRONT SIDELINE
50	8	SIDE 2: 4.0 steps out	side 50 yd In	4.0 steps behind FRONT SIDELINE
51	8	SIDE 2: 4.0 steps out	side 40 yd In	4.0 steps behind FRONT SIDELINE
52	20	SIDE 2: 4.0 steps out	side 45 yd In	8.0 steps behind FRONT SIDELINE
53	16	SIDE 2: 4.0 steps out	side 45 yd In	8.0 steps behind FRONT SIDELINE
54	8	SIDE 2: 4.0 steps out	side 45 yd In	8.0 steps behind FRONT SIDELINE
55	16	SIDE 2: 4.0 steps out	side 45 yd In	8.0 steps behind FRONT SIDELINE
56	16	SIDE 2: 4.0 steps out	side 45 yd In	8.0 steps behind FRONT SIDELINE
57	8	SIDE 2: 4.0 steps ins	ide 40 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 4.0 steps ins	ide 40 yd In	12.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: On 40 yd In		8.0 steps behind FRONT SIDELINE
60	8	SIDE 2: 4.0 steps out	side 40 yd In	12.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 4.0 steps out	side 40 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 4.0 steps out	side 40 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 2: 4.0 steps out	side 40 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 2: 3.0 steps ins	ide 30 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 2: 3.0 steps ins	ide 30 yd In	8.0 steps behind FRONT SIDELINE

Performer:	n "2024 GRAFTON"
------------	------------------

Perfo	rmer:	Symbol: F Label: 1 ID:563650346963	3600 Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 3.0 steps outside 25 yd In	12.0 steps in front of BACK HASH (HS)
2	8	SIDE 1: 3.0 steps outside 25 yd In	12.0 steps in front of BACK HASH (HS)
3	8	SIDE 1: 3.0 steps outside 25 yd In	12.0 steps in front of BACK HASH (HS)
4	8	SIDE 1: 1.0 steps outside 30 yd In	12.0 steps in front of BACK HASH (HS)
5	8	SIDE 1: 1.0 steps outside 30 yd In	12.0 steps in front of BACK HASH (HS)
6	16	SIDE 1: On 45 yd In	12.0 steps behind FRONT HASH (HS)
7	8	SIDE 1: 0.75 steps outside 45 yd In	4.25 steps behind FRONT HASH (HS)
8	40	SIDE 1: 0.75 steps outside 45 yd In	4.25 steps behind FRONT HASH (HS)
9	16	SIDE 1: On 45 yd In	8.0 steps behind FRONT HASH (HS)
10	16	SIDE 1: On 40 yd In	On FRONT HASH (HS)
11	16	SIDE 1: 2.0 steps inside 40 yd In	4.0 steps in front of FRONT HASH (HS)
12	8	SIDE 1: 2.0 steps inside 45 yd In	4.0 steps in front of FRONT HASH (HS)
13	8	SIDE 1: 2.0 steps inside 45 yd In	On FRONT HASH (HS)
14	12	SIDE 2: 1.5 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
15	12	SIDE 2: 1.5 steps outside 50 yd In	4.0 steps in front of FRONT HASH (HS)
16	24	SIDE 1: 1.25 steps outside 40 yd In	0.25 steps in front of FRONT HASH (HS)
17	8	SIDE 1: 1.25 steps outside 40 yd In	0.25 steps in front of FRONT HASH (HS)
18	16	SIDE 1: 3.0 steps outside 40 yd In	0.25 steps in front of FRONT HASH (HS)
19	16	SIDE 1: 3.75 steps outside 35 yd In	5.25 steps in front of FRONT HASH (HS)
20	16	SIDE 1: 2.25 steps inside 30 yd In	3.75 steps behind FRONT HASH (HS)

### Performer: Symbol: F Label: 1 ID:563650346963600 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

Set	Count	S SIDE I-SIDE Z	FRONT-BACK
20	0	SIDE 1: 2.25 steps inside 30 yd In	3.75 steps behind FRONT HASH (HS)
21	16	SIDE 1: 3.0 steps outside 30 yd In	12.0 steps behind FRONT HASH (HS)
22	8	SIDE 1: 3.0 steps outside 30 yd In	12.0 steps behind FRONT HASH (HS)
23	8	SIDE 1: 3.0 steps outside 30 yd In	12.0 steps behind FRONT HASH (HS)
24	8	SIDE 1: 1.25 steps inside 30 yd In	12.25 steps behind FRONT HASH (HS)
25	12	SIDE 1: 1.25 steps inside 30 yd In	12.25 steps behind FRONT HASH (HS)
26	10	SIDE 1: 1.25 steps inside 30 yd In	12.25 steps behind FRONT HASH (HS)
27	8	SIDE 1: On 25 yd In	12.0 steps behind FRONT HASH (HS)
28	12	SIDE 1: On 25 yd In	12.0 steps behind FRONT HASH (HS)
29	4	SIDE 1: 4.0 steps inside 25 yd In	12.0 steps behind FRONT HASH (HS)
30	4	SIDE 1: 4.0 steps inside 25 yd In	12.0 steps behind FRONT HASH (HS)
31	4	SIDE 1: 4.0 steps inside 25 yd In	12.0 steps behind FRONT HASH (HS)
32	4	SIDE 1: 4.0 steps inside 25 yd In	12.0 steps behind FRONT HASH (HS)
33	4	SIDE 1: 4.0 steps inside 25 yd In	12.0 steps behind FRONT HASH (HS)
34	14	SIDE 1: 4.0 steps inside 25 yd In	12.0 steps behind FRONT HASH (HS)
35	12	SIDE 1: 2.5 steps outside 35 yd In	10.5 steps behind FRONT HASH (HS)

Performer: Symbol: F Label: 1 ID:563650346963600 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Counts	s SIDE 1-SIDE 2	FRONT-BACK	
35	0	SIDE 1: 2.5 steps outside 35 yd In	10.5 steps behind FRONT HASH (HS)	
36	8	SIDE 1: 2.5 steps outside 35 yd In	10.5 steps behind FRONT HASH (HS)	
37	16	SIDE 1: 2.0 steps inside 25 yd In	9.0 steps behind FRONT HASH (HS)	
38	16	SIDE 1: 2.0 steps inside 25 yd In	7.0 steps in front of FRONT HASH (HS)	
39	16	SIDE 1: On 20 yd In	14.0 steps behind FRONT SIDELINE	
40	20	SIDE 1: On 20 yd In	14.0 steps behind FRONT SIDELINE	
41	16	SIDE 1: 4.0 steps inside 25 yd In	10.0 steps behind FRONT SIDELINE	
42	16	SIDE 1: 4.0 steps inside 25 yd In	10.0 steps behind FRONT SIDELINE	
43	12	SIDE 1: 4.0 steps inside 25 yd In	10.0 steps behind FRONT SIDELINE	
44	16	SIDE 1: 1.5 steps inside 25 yd In	8.5 steps behind FRONT SIDELINE	
45	16	SIDE 1: 2.75 steps outside 25 yd In	10.0 steps behind FRONT SIDELINE	
46	8	SIDE 1: 2.5 steps outside 25 yd In	10.75 steps behind FRONT SIDELINE	
Perfo	Performer: Symbol: F Label: 1 ID:563650346963600 Drill: 2024 Grafton Pt4			
Set	Counts	s SIDE 1-SIDE 2	FRONT-BACK	

Perfo	mer:	Symbol: F Label: 1 ID:5636503469630	600 Drill: 2024 Grafton Pt4
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 2.5 steps outside 25 yd In	10.75 steps behind FRONT SIDELINE
47	17	SIDE 1: On 40 yd In	4.0 steps behind FRONT SIDELINE
48	8	SIDE 1: On 40 yd In	4.0 steps behind FRONT SIDELINE
49	9	On 50 yd In	4.0 steps behind FRONT SIDELINE
50	8	On 50 yd In	4.0 steps behind FRONT SIDELINE
51	8	SIDE 2: On 40 yd In	4.0 steps behind FRONT SIDELINE
52	20	SIDE 2: 2.0 steps inside 45 yd In	On FRONT SIDELINE
53	16	SIDE 2: 2.0 steps inside 45 yd In	On FRONT SIDELINE
54	8	SIDE 2: 2.0 steps inside 45 yd In	On FRONT SIDELINE
55	16	SIDE 2: 2.0 steps inside 45 yd In	On FRONT SIDELINE
56	16	SIDE 2: 2.0 steps inside 45 yd In	On FRONT SIDELINE
57	8	SIDE 2: 2.0 steps inside 45 yd In	On FRONT SIDELINE
58	8	SIDE 2: 2.0 steps inside 45 yd In	On FRONT SIDELINE
59	8	SIDE 2: 2.0 steps inside 45 yd In	On FRONT SIDELINE
60	8	SIDE 2: 2.0 steps inside 45 yd In	On FRONT SIDELINE
61	8	SIDE 2: 2.0 steps inside 45 yd In	On FRONT SIDELINE
62	8	SIDE 2: 2.0 steps inside 45 yd In	On FRONT SIDELINE
63	8	SIDE 2: 2.0 steps inside 45 yd In	8.0 steps behind FRONT SIDELINE
64	16	SIDE 2: 2.0 steps inside 45 yd In	10.0 steps behind FRONT HASH (HS)
65	18	SIDE 2: 2.0 steps inside 45 yd In	12.0 steps behind BACK HASH (HS)

Performer:	in "2024 GRAFTON"

Perfo	ormer:	Symbol: E Label: 2 ID:5632594650110	600 Drill: 2024 GRAFTON PT1.3dj
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 2.0 steps outside 30 yd In	1.0 steps behind FRONT HASH (HS)
2	8	SIDE 1: 2.0 steps outside 30 yd In	1.0 steps behind FRONT HASH (HS)
3	8	SIDE 1: 1.75 steps inside 25 yd In	1.0 steps in front of FRONT HASH (HS)
4	8	SIDE 1: 1.75 steps inside 25 yd In	1.0 steps in front of FRONT HASH (HS)
5	8	SIDE 1: 1.75 steps inside 25 yd In	1.0 steps in front of FRONT HASH (HS)
6	16	SIDE 1: 1.25 steps outside 35 yd In	11.25 steps in front of FRONT HASH (HS)
7	8	SIDE 1: On 35 yd In	11.0 steps behind FRONT SIDELINE
8	40	SIDE 1: On 35 yd In	11.0 steps behind FRONT SIDELINE
9	16	SIDE 1: On 25 yd In	13.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: On 25 yd In	1.0 steps in front of FRONT HASH (HS)
11	16	SIDE 1: 2.75 steps outside 25 yd In	2.75 steps in front of FRONT HASH (HS)
12	8	SIDE 1: 1.75 steps outside 25 yd In	2.75 steps in front of FRONT HASH (HS)
13	8	SIDE 1: 1.0 steps outside 25 yd In	4.0 steps in front of FRONT HASH (HS)
14	12	SIDE 1: On 25 yd In	11.5 steps in front of FRONT HASH (HS)
15	12	SIDE 1: On 25 yd In	11.5 steps in front of FRONT HASH (HS)
16	24	SIDE 1: 3.5 steps outside 40 yd In	1.5 steps behind FRONT HASH (HS)
17	8	SIDE 1: 3.5 steps outside 40 yd In	1.5 steps behind FRONT HASH (HS)
18	16	SIDE 1: 0.25 steps outside 35 yd In	1.5 steps behind FRONT HASH (HS)
19	16	SIDE 1: 3.0 steps inside 30 yd In	0.25 steps behind FRONT HASH (HS)
20	16	SIDE 1: 3.25 steps outside 30 yd In	7.75 steps behind FRONT HASH (HS)

## Performer: Symbol: E Label: 2 ID:563259465011600 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK 20 0 SIDE 1: 3.25 steps outside 30 yd ln 7.75 steps behind FRONT HASH

20	0	SIDE 1: 3.25 steps outside 30 yd In	7.75 steps behind FRONT HASH (HS)
21	16	SIDE 1: 3.0 steps inside 30 yd In	6.0 steps behind FRONT HASH (HS)
22	8	SIDE 1: 3.0 steps inside 30 yd In	6.0 steps behind FRONT HASH (HS)
23	8	SIDE 1: 3.0 steps inside 30 yd In	6.0 steps behind FRONT HASH (HS)
24	8	SIDE 1: 1.5 steps outside 35 yd In	11.5 steps behind FRONT HASH (HS)
25	12	SIDE 1: 1.5 steps outside 35 yd In	11.5 steps behind FRONT HASH (HS)
26	10	SIDE 1: 1.5 steps outside 35 yd In	11.5 steps behind FRONT HASH (HS)
27	8	SIDE 1: On 35 yd In	12.0 steps in front of BACK HASH (HS)
28	12	SIDE 1: On 35 yd In	12.0 steps in front of BACK HASH (HS)
29	4	SIDE 1: On 35 yd In	12.0 steps in front of BACK HASH (HS)
30	4	SIDE 1: On 35 yd In	12.0 steps in front of BACK HASH (HS)
31	4	SIDE 1: On 35 yd In	12.0 steps in front of BACK HASH (HS)
32	4	SIDE 1: On 35 yd In	12.0 steps in front of BACK HASH (HS)
33	4	SIDE 1: On 35 yd In	12.0 steps behind FRONT HASH (HS)
34	14	SIDE 1: On 35 yd In	12.0 steps behind FRONT HASH (HS)
35	12	SIDE 1: 2.25 steps inside 40 vd In	4.75 steps behind FRONT HASH (HS)

Performer: Symbol: E Label: 2 ID:563259465011600 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 2.25 steps inside 40 yd In	4.75 steps behind FRONT HASH (HS)
36	8	SIDE 1: 2.25 steps inside 40 yd In	4.75 steps behind FRONT HASH (HS)
37	16	SIDE 1: 2.0 steps inside 30 yd In	6.0 steps behind FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps inside 30 yd In	10.0 steps in front of FRONT HASH (HS)
39	16	SIDE 1: 4.0 steps inside 20 yd In	8.0 steps in front of FRONT HASH (HS)
40	20	SIDE 1: 4.0 steps inside 20 yd In	8.0 steps in front of FRONT HASH (HS)
41	16	SIDE 1: 4.0 steps inside 25 yd In	12.0 steps in front of FRONT HASH (HS)
42	16	SIDE 1: 4.0 steps inside 25 yd In	12.0 steps in front of FRONT HASH (HS)
43	12	SIDE 1: 4.0 steps inside 25 yd In	12.0 steps in front of FRONT HASH (HS)
44	16	SIDE 1: 0.75 steps outside 25 yd In	9.25 steps behind FRONT SIDELINE
45	16	SIDE 1: 3.25 steps inside 20 yd In	11.25 steps behind FRONT SIDELINE
46	8	SIDE 1: 3.5 steps inside 20 yd In	12.5 steps behind FRONT SIDELINE

Perfo Set	ormer:	Symbol: E Label: 2 ID:563259465011 s SIDE 1-SIDE 2	600 Drill: 2024 Grafton Pt4 FRONT-BACK
46	0	SIDE 1: 3.5 steps inside 20 yd In	12.5 steps behind FRONT SIDELINE
47	17	SIDE 1: 2.0 steps outside 40 yd In	6.0 steps behind FRONT SIDELINE
48	8	SIDE 1: 2.0 steps outside 50 yd In	6.0 steps behind FRONT SIDELINE
49	9	SIDE 1: 2.0 steps outside 50 yd In	6.0 steps behind FRONT SIDELINE
50	8	SIDE 2: 2.0 steps inside 40 yd In	6.0 steps behind FRONT SIDELINE
51	8	SIDE 2: 2.0 steps inside 40 yd In	6.0 steps behind FRONT SIDELINE
52	20	SIDE 2: 4.0 steps outside 50 yd In	8.0 steps behind FRONT SIDELINE
53	16	SIDE 2: 4.0 steps outside 50 yd In	8.0 steps behind FRONT SIDELINE
54	8	SIDE 2: 4.0 steps outside 50 yd In	8.0 steps behind FRONT SIDELINE
55	16	SIDE 2: 4.0 steps outside 50 yd In	8.0 steps behind FRONT SIDELINE
56	16	SIDE 2: 4.0 steps outside 50 yd In	8.0 steps behind FRONT SIDELINE
57	8	SIDE 2: 4.0 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 4.0 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: 4.0 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 4.0 steps outside 50 yd In	10.0 steps behind FRONT SIDELINE
61	8	SIDE 2: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: On 45 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 2: On 45 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 2: 3.0 steps outside 45 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 2: 3.0 steps outside 45 yd In	8.0 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: C Label: 9 ID:5632373950798	B00 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 2.0 steps outside 20 yd In	8.0 steps behind FRONT SIDELINE
2	8	SIDE 1: 2.0 steps outside 20 yd In	8.0 steps behind FRONT SIDELINE
3	8	SIDE 1: 2.25 steps inside 20 yd In	10.75 steps behind FRONT SIDELINE
4	8	SIDE 1: 2.25 steps inside 20 yd In	10.75 steps behind FRONT SIDELINE
5	8	SIDE 1: 2.25 steps inside 20 yd In	10.75 steps behind FRONT SIDELINE
6	16	SIDE 1: 3.0 steps inside 25 yd In	7.0 steps behind FRONT HASH (HS)
7	8	SIDE 1: 3.0 steps inside 30 yd In	7.25 steps behind FRONT HASH (HS)
8	40	SIDE 1: 3.0 steps inside 30 yd In	7.25 steps behind FRONT HASH (HS)
9	16	SIDE 1: On 25 yd In	8.0 steps behind FRONT HASH (HS)
10	16	SIDE 1: On 30 yd In	12.0 steps in front of BACK HASH (HS)
11	16	SIDE 1: On 30 yd In	14.0 steps in front of BACK HASH (HS)
12	8	SIDE 1: On 30 yd In	14.0 steps in front of BACK HASH (HS)
13	8	SIDE 1: On 30 yd In	12.0 steps behind FRONT HASH (HS)
14	12	SIDE 1: 2.25 steps inside 30 yd In	13.75 steps in front of BACK HASH (HS)
15	12	SIDE 1: 2.25 steps inside 30 yd In	13.75 steps in front of BACK HASH (HS)
16	24	SIDE 1: 2.75 steps outside 40 yd In	8.0 steps behind FRONT HASH (HS)
17	8	SIDE 1: 2.75 steps outside 40 yd In	8.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: 2.75 steps outside 30 yd In	8.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: 2.75 steps outside 25 yd In	4.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 1.5 steps outside 30 yd In	11.25 steps in front of FRONT HASH (HS)

## Performer: Symbol: C Label: 9 ID:563237395079800 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK 20 0 SIDE 1: 1.5 steps outside 30 yd In 11.25 steps in front of FRONT HA

20	0	SIDE 1: 1.5 steps outside 30 yd In	11.25 steps in front of FRONT HASH (HS)
21	16	SIDE 1: 1.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
22	8	SIDE 1: 1.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
23	8	SIDE 1: 1.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
24	8	SIDE 1: 3.5 steps outside 35 yd In	2.25 steps in front of FRONT HASH (HS)
25	12	SIDE 1: 3.5 steps outside 35 yd In	2.25 steps in front of FRONT HASH (HS)
26	10	SIDE 1: 3.5 steps outside 35 yd In	2.25 steps in front of FRONT HASH (HS)
27	8	SIDE 1: On 30 yd In	On FRONT HASH (HS)
28	12	SIDE 1: On 30 yd In	On FRONT HASH (HS)
29	4	SIDE 1: On 30 yd In	On FRONT HASH (HS)
30	4	SIDE 1: On 30 yd In	On FRONT HASH (HS)
31	4	SIDE 1: On 30 yd In	On FRONT HASH (HS)
32	4	SIDE 1: On 30 yd In	On FRONT HASH (HS)
33	4	SIDE 1: On 30 yd In	4.0 steps behind FRONT HASH (HS)
34	14	SIDE 1: On 30 yd In	4.0 steps behind FRONT HASH (HS)
35	12	SIDE 1: 0.25 steps outside 35 vd In	10.0 steps behind FRONT HASH (HS)

Performer: Symbol: C Label: 9 ID:563237395079800 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 0.25 steps outside 35 yd In	10.0 steps behind FRONT HASH (HS)
36	8	SIDE 1: 0.25 steps outside 35 yd In	10.0 steps behind FRONT HASH (HS)
37	16	SIDE 1: 2.0 steps outside 30 yd In	9.0 steps behind FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps outside 30 yd In	7.0 steps in front of FRONT HASH (HS)
39	16	SIDE 1: On 20 yd In	11.0 steps in front of FRONT HASH (HS)
40	20	SIDE 1: On 20 yd In	11.0 steps in front of FRONT HASH (HS)
41	16	SIDE 1: 2.0 steps inside 25 yd In	13.0 steps behind FRONT SIDELINE
42	16	SIDE 1: 2.0 steps inside 25 yd In	13.0 steps behind FRONT SIDELINE
43	12	SIDE 1: 2.0 steps inside 25 yd In	13.0 steps behind FRONT SIDELINE
44	16	SIDE 1: 2.75 steps outside 25 yd In	10.25 steps behind FRONT SIDELINE
45	16	SIDE 1: 1.5 steps inside 20 yd In	13.0 steps behind FRONT SIDELINE
46	8	SIDE 1: 2.0 steps inside 20 yd In	13.5 steps in front of FRONT HASH (HS)

Perfo	rmer:	Symbol: C Label: 9	ID:56323739507980	0 Drill: 2024 Grafton Pt4
Set	Coun	ts SIDE 1-SIDE 2		FRONT-BACK
46	0	SIDE 1: 2.0 steps insi	de 20 yd In	13.5 steps in front of FRONT HASH (HS)
47	17	SIDE 1: On 40 yd In		8.0 steps behind FRONT SIDELINE
48	8	SIDE 1: On 40 yd In		8.0 steps behind FRONT SIDELINE
49	9	On 50 yd In		8.0 steps behind FRONT SIDELINE
50	8	On 50 yd In		8.0 steps behind FRONT SIDELINE
51	8	SIDE 2: On 40 yd In		8.0 steps behind FRONT SIDELINE
52	20	SIDE 2: On 45 yd In		12.0 steps behind FRONT SIDELINE
53	16	SIDE 2: On 45 yd In		12.0 steps behind FRONT SIDELINE
54	8	SIDE 2: On 45 yd In		12.0 steps behind FRONT SIDELINE
55	16	SIDE 2: On 45 yd In		12.0 steps behind FRONT SIDELINE
56	16	SIDE 2: On 45 yd In		12.0 steps behind FRONT SIDELINE
57	8	SIDE 2: 2.0 steps out	side 45 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 2.0 steps out	side 45 yd In	12.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: 2.0 steps out	side 45 yd In	12.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 4.0 steps out	side 50 yd In	12.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 2.0 steps out	side 50 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 2.0 steps out	side 50 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 2: 2.0 steps out	side 50 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 2: 2.0 steps out	side 50 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 2: 2.0 steps out	side 50 yd In	8.0 steps behind FRONT SIDELINE

Performer: ii	n "2024 GRAFTON"
---------------	------------------

Perfo	rmer:	Symbol: E Label: 4 ID:56325946501190	00 Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 2.0 steps outside 25 yd In	7.0 steps behind FRONT HASH (HS)
2	8	SIDE 1: 2.0 steps outside 25 yd In	7.0 steps behind FRONT HASH (HS)
3	8	SIDE 1: 3.75 steps inside 25 yd In	2.25 steps behind FRONT HASH (HS)
4	8	SIDE 1: 3.75 steps inside 25 yd In	2.25 steps behind FRONT HASH (HS)
5	8	SIDE 1: 3.75 steps inside 25 yd In	2.25 steps behind FRONT HASH (HS)
6	16	SIDE 1: 2.75 steps inside 30 yd In	8.25 steps in front of FRONT HASH (HS)
7	8	SIDE 1: 1.25 steps outside 35 yd In	12.0 steps in front of FRONT HASH (HS)
8	40	SIDE 1: 1.25 steps outside 35 yd In	12.0 steps in front of FRONT HASH (HS)
9	16	SIDE 1: On 25 yd In	10.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: On 25 yd In	2.0 steps behind FRONT HASH (HS)
11	16	SIDE 1: 0.5 steps inside 25 yd In	0.5 steps behind FRONT HASH (HS)
12	8	SIDE 1: 2.75 steps outside 25 yd In	0.5 steps behind FRONT HASH (HS)
13	8	SIDE 1: 4.0 steps inside 20 yd In	4.0 steps in front of FRONT HASH (HS)
14	12	SIDE 1: 2.5 steps inside 20 yd In	11.5 steps in front of FRONT HASH (HS)
15	12	SIDE 1: 2.5 steps inside 20 yd In	11.5 steps in front of FRONT HASH (HS)
16	24	SIDE 1: 1.0 steps inside 35 yd In	2.0 steps in front of FRONT HASH (HS)
17	8	SIDE 1: 1.0 steps inside 35 yd In	2.0 steps in front of FRONT HASH (HS)
18	16	SIDE 1: 2.5 steps inside 35 yd In	2.0 steps in front of FRONT HASH (HS)
19	16	SIDE 1: 3.0 steps outside 35 yd In	7.0 steps in front of FRONT HASH (HS)
20	16	SIDE 1: 3.75 steps inside 30 yd In	2.0 steps behind FRONT HASH (HS)

### Performer: Symbol: E Label: 4 ID:563259465011900 Drill: 2024 GRAFTON PT2 Counts SIDE 1-SIDE 2 FRONT-BACK Set SIDE 1: 3.75 steps inside 30 yd In 2.0 steps behind FRONT HASH (HS) 20 0 16 SIDE 1: 1.0 steps outside 35 yd In 6.0 steps behind FRONT HASH (HS) 21 22 8 SIDE 1: 1.0 steps outside 35 yd In 6.0 steps behind FRONT HASH (HS) 23 8 SIDE 1: 1.0 steps outside 35 yd In 6.0 steps behind FRONT HASH (HS) 7.75 steps behind FRONT HASH (HS) 24 SIDE 1: 1.0 steps inside 35 yd In 25 12 SIDE 1: 1.0 steps inside 35 yd In 7.75 steps behind FRONT HASH (HS) 26 SIDE 1: 1.0 steps inside 35 yd In 7.75 steps behind FRONT HASH (HS) 27 8 SIDE 1: On 35 yd In 8.0 steps behind FRONT HASH (HS) 12 SIDE 1: On 35 yd In 8.0 steps behind FRONT HASH (HS) 28 29 SIDE 1: On 35 yd In 8.0 steps behind FRONT HASH (HS) 30 SIDE 1: On 35 yd In 8.0 steps behind FRONT HASH (HS) 31 4 SIDE 1: On 35 yd In 8.0 steps behind FRONT HASH (HS) 32 4 SIDE 1: On 35 yd In 8.0 steps behind FRONT HASH (HS) 33 SIDE 1: On 35 yd In 4.0 steps behind FRONT HASH (HS) 34 SIDE 1: On 35 yd In 4.0 steps behind FRONT HASH (HS) 14

Performer: Symbol: E Label: 4 ID:563259465011900 Drill: 2024 GRAFTON PT3

6.0 steps behind FRONT HASH (HS)

12 SIDE 1: 0.25 steps inside 40 yd In

Printed: Sun. Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Pertor	rmer:		ın "202
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 0.25 steps inside 40 yd In	6.0 steps behind FRONT HASH (HS)
36	8	SIDE 1: 0.25 steps inside 40 yd In	6.0 steps behind FRONT HASH (HS)
37	16	SIDE 1: 2.0 steps inside 30 yd In	9.0 steps behind FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps inside 30 yd In	7.0 steps in front of FRONT HASH (HS)
39	16	SIDE 1: On 20 yd In	8.0 steps in front of FRONT HASH (HS)
40	20	SIDE 1: On 20 yd In	8.0 steps in front of FRONT HASH (HS)
41	16	SIDE 1: On 25 yd In	12.0 steps in front of FRONT HASH (HS)
42	16	SIDE 1: On 25 yd In	12.0 steps in front of FRONT HASH (HS)
43	12	SIDE 1: On 25 yd In	12.0 steps in front of FRONT HASH (HS)
44	16	SIDE 1: 3.0 steps inside 20 yd In	11.0 steps behind FRONT SIDELINE
45	16	SIDE 1: 0.25 steps inside 20 yd In	13.25 steps in front of FRONT HASH (HS)
46	8	SIDE 1: 1.0 steps inside 20 yd In	11.25 steps in front of FRONT HASH (HS)
Perfo	rmer:	Symbol: E Label: 4 ID:5632594650	11900 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 1.0 steps inside 20 yd In	11.25 steps in front of FRONT HASH (HS)

Perfo	rmer:	Symbol: E Label: 4 ID:56325946501190	0 Drill: 2024 Grafton Pt4
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 1.0 steps inside 20 yd In	11.25 steps in front of FRONT HASH (HS)
47	17	SIDE 1: 2.0 steps outside 40 yd In	10.0 steps behind FRONT SIDELINE
48	8	SIDE 1: 2.0 steps outside 50 yd In	10.0 steps behind FRONT SIDELINE
49	9	SIDE 1: 2.0 steps outside 50 yd In	10.0 steps behind FRONT SIDELINE
50	8	SIDE 2: 2.0 steps inside 40 yd In	10.0 steps behind FRONT SIDELINE
51	8	SIDE 2: 2.0 steps inside 40 yd In	10.0 steps behind FRONT SIDELINE
52	20	SIDE 2: 4.0 steps outside 50 yd In	12.0 steps behind FRONT SIDELINE
53	16	SIDE 2: 4.0 steps outside 50 yd In	12.0 steps behind FRONT SIDELINE
54	8	SIDE 2: 4.0 steps outside 50 yd In	12.0 steps behind FRONT SIDELINE
55	16	SIDE 2: 4.0 steps outside 50 yd In	12.0 steps behind FRONT SIDELINE
56	16	SIDE 2: 4.0 steps outside 50 yd In	12.0 steps behind FRONT SIDELINE
57	8	SIDE 2: 2.0 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 2.0 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: 2.0 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 4.0 steps outside 50 yd In	12.0 steps behind FRONT SIDELINE
61	8	SIDE 2: 2.0 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 2.0 steps inside 45 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 2: 2.0 steps inside 45 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 2: On 45 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 2: On 45 yd In	8.0 steps behind FRONT SIDELINE

Performer: in i	"2024 GRAFTON"
-----------------	----------------

Perfo	ormer:	Symbol: C Label: 23 ID:56323739508 <sup>o</sup> s SIDE 1-SIDE 2	1900 Drill: 2024 GRAFTON PT1.3dj FRONT-BACK
1	0	SIDE 1: 1.0 steps outside 25 yd In	13.0 steps behind FRONT HASH (HS)
2	8	SIDE 1: 1.0 steps outside 25 yd In	13.0 steps behind FRONT HASH (HS)
3	8	SIDE 1: 2.0 steps inside 25 yd In	6.75 steps behind FRONT HASH (HS)
4	8	SIDE 1: 2.0 steps inside 25 yd In	6.75 steps behind FRONT HASH (HS)
5	8	SIDE 1: 2.0 steps inside 25 yd In	6.75 steps behind FRONT HASH (HS)
6	16	SIDE 1: 3.75 steps inside 45 yd In	4.5 steps in front of FRONT HASH (HS)
7	8	SIDE 2: 2.0 steps outside 50 yd In	8.5 steps in front of FRONT HASH (HS)
8	40	SIDE 2: 2.0 steps outside 50 yd In	8.5 steps in front of FRONT HASH (HS)
9	16	SIDE 1: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: On 30 yd In	12.0 steps behind FRONT SIDELINE
11	16	SIDE 1: 2.0 steps inside 30 yd In	4.0 steps behind FRONT SIDELINE
12	8	SIDE 1: 2.0 steps inside 35 yd In	4.0 steps behind FRONT SIDELINE
13	8	SIDE 1: 2.0 steps outside 35 yd In	8.0 steps behind FRONT SIDELINE
14	12	SIDE 1: 2.5 steps outside 35 yd In	5.25 steps behind FRONT SIDELINE
15	12	SIDE 1: 2.5 steps outside 35 yd In	5.25 steps behind FRONT SIDELINE
16	24	SIDE 1: On 40 yd In	12.0 steps behind FRONT SIDELINE
17	8	SIDE 1: On 40 yd In	12.0 steps behind FRONT SIDELINE
18	16	On 50 yd In	12.0 steps behind FRONT SIDELINE
19	16	SIDE 2: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 0.5 steps inside 40 yd In	13.5 steps in front of FRONT HASH (HS)

### Performer: Symbol: C Label: 23 ID:563237395081900 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 2: 0.5 steps inside 40 yd In	13.5 steps in front of FRONT HASH (HS)
21	16	SIDE 2: 4.0 steps outside 50 yd In	8.0 steps behind FRONT SIDELINE
22	8	SIDE 2: 4.0 steps outside 50 yd In	8.0 steps behind FRONT SIDELINE
23	8	SIDE 2: 4.0 steps outside 50 yd In	8.0 steps behind FRONT SIDELINE
24	8	SIDE 1: 2.25 steps outside 50 yd In	10.5 steps behind FRONT SIDELINE
25	12	SIDE 1: 2.25 steps outside 50 yd In	10.5 steps behind FRONT SIDELINE
26	10	SIDE 1: 2.25 steps outside 50 yd In	10.5 steps behind FRONT SIDELINE
27	8	SIDE 2: On 50 yd In	12.0 steps in front of FRONT HASH (HS)
28	12	SIDE 2: On 50 yd In	12.0 steps in front of FRONT HASH (HS)
29	4	SIDE 2: On 50 yd In	12.0 steps in front of FRONT HASH (HS)
30	4	SIDE 2: On 50 yd In	12.0 steps in front of FRONT HASH (HS)
31	4	SIDE 2: On 50 yd In	12.0 steps in front of FRONT HASH (HS)
32	4	SIDE 2: On 50 yd In	12.0 steps in front of FRONT HASH (HS)
33	4	On 50 yd In	12.0 steps behind FRONT SIDELINE
34	14	On 50 yd In	12.0 steps behind FRONT SIDELINE
35	12	SIDE 1: On 45 vd In	12.0 steps in front of FRONT HASH (HS)

Performer: Symbol: C Label: 23 ID:563237395081900 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
36	8	SIDE 1: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
37	16	SIDE 1: 2.0 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps inside 35 yd In	2.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 2.0 steps inside 25 yd In	2.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 2.0 steps inside 25 yd In	2.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 2.0 steps outside 20 yd In	8.0 steps in front of FRONT HASH (HS)
42	16	SIDE 1: 2.0 steps outside 20 yd In	8.0 steps in front of FRONT HASH (HS)
43	12	SIDE 1: 2.0 steps outside 20 yd In	8.0 steps in front of FRONT HASH (HS)
44	16	SIDE 1: 1.0 steps inside 20 yd In	12.0 steps behind FRONT SIDELINE
45	16	SIDE 1: 0.5 steps outside 20 yd In	11.0 steps in front of FRONT HASH (HS)
46	8	SIDE 1: 0.5 steps inside 20 yd In	8.75 steps in front of FRONT HASH (HS)

Perfo	rmer:	Symbol: C Label: 2	3 ID:5632373950819	OO0 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2		FRONT-BACK
46	0	SIDE 1: 0.5 steps in:	side 20 yd In	8.75 steps in front of FRONT HASH (HS)
47	17	SIDE 1: On 30 yd In		8.0 steps in front of FRONT HASH (HS)
48	8	SIDE 1: On 30 yd In		8.0 steps in front of FRONT HASH (HS)
49	9	SIDE 1: On 30 yd In		6.0 steps behind FRONT SIDELINE
50	8	SIDE 1: On 30 yd In		6.0 steps behind FRONT SIDELINE
51	8	SIDE 1: On 40 yd In		6.0 steps behind FRONT SIDELINE
52	20	SIDE 1: 2.0 steps in:	side 45 yd In	On FRONT SIDELINE
53	16	SIDE 1: 2.0 steps in:	side 45 yd In	On FRONT SIDELINE
54	8	SIDE 1: 2.0 steps in:	side 45 yd In	On FRONT SIDELINE
55	16	SIDE 1: 2.0 steps in	side 45 yd In	On FRONT SIDELINE
56	16	SIDE 1: 2.0 steps in:	side 45 yd In	On FRONT SIDELINE
57	8	SIDE 1: 2.0 steps in:	side 45 yd In	On FRONT SIDELINE
58	8	SIDE 1: 2.0 steps in:	side 45 yd In	On FRONT SIDELINE
59	8	SIDE 1: 2.0 steps in	side 45 yd In	On FRONT SIDELINE
60	8	SIDE 1: 2.0 steps in:	side 45 yd In	On FRONT SIDELINE
61	8	SIDE 1: 2.0 steps in:	side 45 yd In	On FRONT SIDELINE
62	8	SIDE 1: 2.0 steps in:	side 45 yd In	On FRONT SIDELINE
63	8	SIDE 1: 2.0 steps in:	side 45 yd In	8.0 steps behind FRONT SIDELINE
64	16	SIDE 1: 2.0 steps in:	side 45 yd In	10.0 steps behind FRONT HASH (HS)
65	18	SIDE 1: 2.0 steps in:	side 45 yd In	12.0 steps behind BACK HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: A Label: 10 ID:56323739507	78400 Drill: 2024 GRAFTON PT1.3dj
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 2.0 steps inside 20 yd In	4.0 steps in front of FRONT HASH (HS)
2	8	SIDE 1: 2.0 steps inside 20 yd In	4.0 steps in front of FRONT HASH (HS)
3	8	SIDE 1: On 25 yd In	10.5 steps in front of FRONT HASH (HS)
4	8	SIDE 1: On 25 yd In	10.5 steps in front of FRONT HASH (HS)
5	8	SIDE 1: On 25 yd In	10.5 steps in front of FRONT HASH (HS)
6	16	SIDE 1: 2.75 steps outside 25 yd In	10.5 steps behind FRONT SIDELINE
7	8	SIDE 1: 3.0 steps inside 20 yd In	9.0 steps in front of FRONT HASH (HS)
8	40	SIDE 1: 3.0 steps inside 20 yd In	9.0 steps in front of FRONT HASH (HS)
9	16	SIDE 1: On 20 yd In	12.0 steps behind FRONT SIDELINE
10	16	SIDE 1: On 20 yd In	4.0 steps in front of FRONT HASH (HS)
11	16	SIDE 1: 4.0 steps inside 20 yd In	8.0 steps in front of FRONT HASH (HS)
12	8	SIDE 1: 4.0 steps inside 25 yd In	8.0 steps in front of FRONT HASH (HS)
13	8	SIDE 1: 1.5 steps outside 30 yd In	4.0 steps in front of FRONT HASH (HS)
14	12	SIDE 1: 2.75 steps outside 35 yd In	8.25 steps in front of FRONT HASH (HS)
15	12	SIDE 1: 2.75 steps outside 35 yd In	8.25 steps in front of FRONT HASH (HS)
16	24	SIDE 1: 2.75 steps outside 40 yd In	12.0 steps in front of FRONT HASH (HS)
17	8	SIDE 1: 2.75 steps outside 40 yd In	12.0 steps in front of FRONT HASH (HS)
18	16	SIDE 1: 2.75 steps outside 50 yd In	12.0 steps in front of FRONT HASH (HS)
19	16	SIDE 2: 2.75 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 0.5 steps outside 45 yd In	13.0 steps in front of FRONT HASH (HS)

### Performer: Symbol: A Label: 10 ID:563237395078400 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 2: 0.5 steps outside 45 yd In	13.0 steps in front of FRONT HASH (HS)
21	16	SIDE 2: 2.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
22	8	SIDE 2: 2.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
23	8	SIDE 2: 2.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
24	8	SIDE 1: 0.75 steps inside 45 yd In	5.75 steps in front of FRONT HASH (HS)
25	12	SIDE 1: 0.75 steps inside 45 yd In	5.75 steps in front of FRONT HASH (HS)
26	10	SIDE 1: 0.75 steps inside 45 yd In	5.75 steps in front of FRONT HASH (HS)
27	8	SIDE 1: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
28	12	SIDE 1: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
29	4	SIDE 1: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
30	4	SIDE 1: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
31	4	SIDE 1: 4.0 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
32	4	SIDE 1: 4.0 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
33	4	SIDE 1: 4.0 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
34	14	SIDE 1: 4.0 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
35	12	SIDE 1: 1.5 steps inside 40 vd ln	13.25 steps behind FRONT SIDELINE

Performer: Symbol: A Label: 10 ID:563237395078400 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 1.5 steps inside 40 yd In	13.25 steps behind FRONT SIDELINE
36	8	SIDE 1: 1.5 steps inside 40 yd In	13.25 steps behind FRONT SIDELINE
37	16	SIDE 1: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: On 35 yd In	2.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: On 25 yd In	2.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: On 25 yd In	2.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 4.0 steps inside 15 yd In	8.0 steps in front of FRONT HASH (HS)
42	16	SIDE 1: 4.0 steps inside 15 yd In	8.0 steps in front of FRONT HASH (HS)
43	12	SIDE 1: 4.0 steps inside 15 yd In	8.0 steps in front of FRONT HASH (HS)
44	16	SIDE 1: 1.0 steps outside 20 yd In	13.0 steps behind FRONT SIDELINE
45	16	SIDE 1: 1.0 steps outside 20 yd In	8.5 steps in front of FRONT HASH (HS)
46	8	SIDE 1: 0.25 steps inside 20 yd In	6.25 steps in front of FRONT HASH (HS)

Perfo Set		Symbol: A Label: 10 ID:563237395	078400 Drill: 2024 Grafton Pt4 FRONT-BACK
46	0	SIDE 1: 0.25 steps inside 20 yd In	6.25 steps in front of FRONT HASH (HS)
47	17	SIDE 1: 4.0 steps inside 25 yd In	8.0 steps in front of FRONT HASH (HS)
48	8	SIDE 1: 4.0 steps inside 25 yd In	8.0 steps in front of FRONT HASH (HS)
49	9	SIDE 1: 4.0 steps inside 25 yd In	6.0 steps behind FRONT SIDELINE
50	8	SIDE 1: 4.0 steps inside 25 yd In	6.0 steps behind FRONT SIDELINE
51	8	SIDE 1: 4.0 steps inside 35 yd In	6.0 steps behind FRONT SIDELINE
52	20	SIDE 1: On 45 yd In	8.0 steps behind FRONT SIDELINE
53	16	SIDE 1: On 45 yd In	8.0 steps behind FRONT SIDELINE
54	8	SIDE 1: On 45 yd In	8.0 steps behind FRONT SIDELINE
55	16	SIDE 1: On 45 yd In	8.0 steps behind FRONT SIDELINE
56	16	SIDE 1: On 45 yd In	8.0 steps behind FRONT SIDELINE
57	8	SIDE 1: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
61	8	On 50 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	On 50 yd In	12.0 steps behind FRONT SIDELINE
63	8	On 50 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 1: 1.0 steps outside 50 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 1: 1.0 steps outside 50 yd In	8.0 steps behind FRONT SIDELINE

Performer: ii	n "2024 GRAFTON"
---------------	------------------

Performer:		Symbol: C Label: 17 ID:563237395081	1300 Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 2.0 steps outside 20 yd In	5.0 steps behind FRONT HASH (HS)
2	8	SIDE 1: 2.0 steps outside 20 yd In	5.0 steps behind FRONT HASH (HS)
3	8	SIDE 1: 1.25 steps inside 20 yd In	1.5 steps in front of FRONT HASH (HS)
4	8	SIDE 1: 1.25 steps inside 20 yd In	1.5 steps in front of FRONT HASH (HS)
5	8	SIDE 1: 1.25 steps inside 20 yd In	1.5 steps in front of FRONT HASH (HS)
6	16	SIDE 1: 1.25 steps outside 40 yd In	3.75 steps behind FRONT HASH (HS)
7	8	SIDE 1: 2.5 steps outside 45 yd In	0.25 steps in front of FRONT HASH (HS)
8	40	SIDE 1: 2.5 steps outside 45 yd In	0.25 steps in front of FRONT HASH (HS)
9	16	SIDE 1: 4.0 steps inside 45 yd In	4.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: 4.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
11	16	SIDE 1: 2.0 steps outside 35 yd In	12.0 steps behind FRONT SIDELINE
12	8	SIDE 1: 2.0 steps outside 30 yd In	12.0 steps behind FRONT SIDELINE
13	8	SIDE 1: 2.0 steps inside 25 yd In	8.0 steps behind FRONT SIDELINE
14	12	SIDE 1: 2.5 steps outside 25 yd In	5.5 steps behind FRONT SIDELINE
15	12	SIDE 1: 2.5 steps outside 25 yd In	5.5 steps behind FRONT SIDELINE
16	24	SIDE 1: 2.75 steps inside 30 yd In	12.0 steps behind FRONT SIDELINE
17	8	SIDE 1: 2.75 steps inside 30 yd In	12.0 steps behind FRONT SIDELINE
18	16	SIDE 1: 2.75 steps inside 40 yd In	12.0 steps behind FRONT SIDELINE
19	16	SIDE 1: 2.75 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
20	16	SIDE 1: 0.5 steps inside 45 yd In	13.5 steps in front of FRONT HASH (HS)

### Set Counts SIDE 1-SIDE 2 FRONT-BACK SIDE 1: 0.5 steps inside 45 yd In 20 0 13.5 steps in front of FRONT HASH (HS) 21 16 SIDE 1: On 40 yd In 14.0 steps behind FRONT SIDELINE 22 8 SIDE 1: On 40 yd In 14.0 steps behind FRONT SIDELINE 23 8 SIDE 1: On 40 yd In 14.0 steps behind FRONT SIDELINE SIDE 1: 2.5 steps outside 45 yd In 24 11.0 steps behind FRONT SIDELINE 25 12 SIDE 1: 2.5 steps outside 45 yd In 11.0 steps behind FRONT SIDELINE 26 10 SIDE 1: 2.5 steps outside 45 yd In 11.0 steps behind FRONT SIDELINE 27 8 SIDE 1: On 40 yd In 12.0 steps behind FRONT SIDELINE 12 SIDE 1: On 40 yd In 28 12.0 steps behind FRONT SIDELINE 29 SIDE 1: On 40 yd In 12.0 steps behind FRONT SIDELINE 30 SIDE 1: 4.0 steps outside 45 yd In 12.0 steps behind FRONT SIDELINE 31 4 SIDE 1: 4.0 steps outside 45 yd In 12.0 steps behind FRONT SIDELINE 32 4 SIDE 1: 4.0 steps outside 45 yd In 12.0 steps behind FRONT SIDELINE

12.0 steps behind FRONT SIDELINE

12.0 steps behind FRONT SIDELINE

11.0 steps behind FRONT SIDELINE

Performer: Symbol: C Label: 17 ID:563237395081300 Drill: 2024 GRAFTON PT2

Performer: Symbol: C Label: 17 ID:563237395081300 Drill: 2024 GRAFTON PT3

SIDE 1: 4.0 steps inside 40 yd In

SIDE 1: 4.0 steps inside 40 yd In

12 SIDE 1: 3.0 steps inside 35 yd In

Printed: Sun. Jul 7, 2024 at 12:18 PM

14

33

34

2024 GRAFTON"

Perfo	Performer:		
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 3.0 steps inside 35 yd In	11.0 steps behind FRONT SIDELINE
36	8	SIDE 1: 3.0 steps inside 35 yd In	11.0 steps behind FRONT SIDELINE
37	16	SIDE 1: 2.0 steps outside 40 yd In	12.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps outside 35 yd In	2.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 2.0 steps outside 25 yd In	2.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 2.0 steps outside 25 yd In	2.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 2.0 steps inside 15 yd In	8.0 steps in front of FRONT HASH (HS)
42	16	SIDE 1: 2.0 steps inside 15 yd In	8.0 steps in front of FRONT HASH (HS)
43	12	SIDE 1: 2.0 steps inside 15 yd In	8.0 steps in front of FRONT HASH (HS)
44	16	SIDE 1: 2.75 steps outside 20 yd In	14.0 steps in front of FRONT HASH (HS)
45	16	SIDE 1: 1.0 steps outside 20 yd In	6.25 steps in front of FRONT HASH (HS)
46	8	SIDE 1: 0.5 steps inside 20 yd In	3.75 steps in front of FRONT HASH (HS)
Perfo	ormer:	Symbol: C Label: 17 ID:5632373950	81300 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 0.5 steps inside 20 yd In	3.75 steps in front of FRONT HASH (HS)
47	17	SIDE 1: On 25 yd In	8.0 steps in front of FRONT HASH (HS)
48	8	SIDE 1: On 25 yd In	8.0 steps in front of FRONT HASH (HS)
49	9	SIDE 1: On 25 vd In	6.0 steps behind FRONT SIDELINE

1 0110	milion.	Oyiiiboi. O Labci. 17 15.505257555	DO 1000 DIM. 2024 GIAILOITI LA
Set	Counts	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 0.5 steps inside 20 yd In	3.75 steps in front of FRONT HASH (HS)
47	17	SIDE 1: On 25 yd In	8.0 steps in front of FRONT HASH (HS)
48	8	SIDE 1: On 25 yd In	8.0 steps in front of FRONT HASH (HS)
49	9	SIDE 1: On 25 yd In	6.0 steps behind FRONT SIDELINE
50	8	SIDE 1: On 25 yd In	6.0 steps behind FRONT SIDELINE
51	8	SIDE 1: On 35 yd In	6.0 steps behind FRONT SIDELINE
52	20	SIDE 1: 3.0 steps outside 40 yd In	On FRONT SIDELINE
53	16	SIDE 1: 3.0 steps outside 40 yd In	On FRONT SIDELINE
54	8	SIDE 1: 3.0 steps outside 40 yd In	On FRONT SIDELINE
55	16	SIDE 1: 3.0 steps outside 40 yd In	On FRONT SIDELINE
56	16	SIDE 1: 3.0 steps outside 40 yd In	On FRONT SIDELINE
57	8	SIDE 1: 3.0 steps outside 40 yd In	On FRONT SIDELINE
58	8	SIDE 1: 3.0 steps outside 40 yd In	On FRONT SIDELINE
59	8	SIDE 1: 3.0 steps outside 40 yd In	On FRONT SIDELINE
60	8	SIDE 1: 3.0 steps outside 40 yd In	On FRONT SIDELINE
61	8	SIDE 1: 3.0 steps outside 40 yd In	On FRONT SIDELINE
62	8	SIDE 1: 3.0 steps outside 40 yd In	On FRONT SIDELINE
63	8	SIDE 1: 3.0 steps outside 40 yd In	8.0 steps behind FRONT SIDELINE
64	16	SIDE 1: 3.0 steps outside 40 yd In	10.0 steps behind FRONT HASH (HS)
65	18	SIDE 1: 3.0 steps outside 40 yd In	12.0 steps behind BACK HASH (HS)

Performer:	in "2024 GRAFTON"
Performer:	in "2024 GRAFT

Perfo	rmer:	Symbol: A Label: 7 ID:56323739507	8100 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 3.0 steps inside 20 yd In	11.0 steps behind FRONT SIDELINE
2	8	SIDE 1: 3.0 steps inside 20 yd In	11.0 steps behind FRONT SIDELINE
3	8	SIDE 1: 1.75 steps inside 25 yd In 12.0 steps behind FRONT SIDELIN	
4	8	SIDE 1: 1.75 steps inside 25 yd In 12.0 steps behind FRONT SIDELINI	
5	8	SIDE 1: 1.75 steps inside 25 yd In 12.0 steps behind FRONT SIDELINE	
6	16	SIDE 1: 3.75 steps inside 25 yd In 6.25 steps behind FRONT SIDELINE	
7	8	SIDE 1: 0.25 steps outside 25 yd ln 13.25 steps behind FRONT SIDELIN	
8	40	SIDE 1: 0.25 steps outside 25 yd ln 13.25 steps behind FRONT SIDELIN	
9	16	SIDE 1: 2.0 steps inside 20 yd In 13.0 steps in front of FRONT HASH	
10	16	SIDE 1: 2.0 steps inside 20 yd In 1.0 steps in front of FRONT HASH	
11	16	SIDE 1: On 20 yd In 8.0 steps in front of FRONT HASH (H	
12	8	SIDE 1: On 25 yd In 8.0 steps in front of FRONT HASH (I	
13	8	SIDE 1: 3.5 steps inside 25 yd In	4.0 steps in front of FRONT HASH (HS)
14	12	SIDE 1: 0.25 steps outside 30 yd In	8.75 steps in front of FRONT HASH (HS)
15	12	SIDE 1: 0.25 steps outside 30 yd In	8.75 steps in front of FRONT HASH (HS)
16	24	SIDE 1: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
17	8	SIDE 1: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
18	16	SIDE 1: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
19	16	On 50 yd In	8.0 steps in front of FRONT HASH (HS)
20	16	SIDE 1: 0.5 steps outside 50 yd In	13.25 steps in front of FRONT HASH (HS)

### Performer: Symbol: A Label: 7 ID:563237395078100 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 1: 0.5 steps outside 50 yd In	13.25 steps in front of FRONT HASH (HS)
21	16	On 50 yd In	8.0 steps in front of FRONT HASH (HS)
22	8	On 50 yd In	8.0 steps in front of FRONT HASH (HS)
23	8	On 50 yd In	8.0 steps in front of FRONT HASH (HS)
24	8	SIDE 1: 4.0 steps outside 45 yd In	3.0 steps in front of FRONT HASH (HS)
25	12	SIDE 1: 4.0 steps outside 45 yd In	3.0 steps in front of FRONT HASH (HS)
26	10	SIDE 1: 4.0 steps outside 45 yd In	3.0 steps in front of FRONT HASH (HS)
27	8	SIDE 1: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
28	12	SIDE 1: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
29	4	SIDE 1: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
30	4	SIDE 1: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
31	4	SIDE 1: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
32	4	SIDE 1: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
33	4	SIDE 1: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
34	14	SIDE 1: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
35	12	SIDE 1: 3.75 steps outside 35 yd In	9.25 steps behind FRONT SIDELINE

Performer: Symbol: A Label: 7 ID:563237395078100 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 3.75 steps outside 35 yd In	9.25 steps behind FRONT SIDELINE
36	8	SIDE 1: 3.75 steps outside 35 yd In	9.25 steps behind FRONT SIDELINE
37	16	SIDE 1: 4.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: 4.0 steps inside 30 yd In	2.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 4.0 steps inside 20 yd In	2.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 4.0 steps inside 20 yd In	2.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: On 15 yd In	8.0 steps in front of FRONT HASH (HS)
42	16	SIDE 1: On 15 yd In	8.0 steps in front of FRONT HASH (HS)
43	12	SIDE 1: On 15 yd In	8.0 steps in front of FRONT HASH (HS)
44	16	SIDE 1: 3.25 steps inside 15 yd In	12.5 steps in front of FRONT HASH (HS)
45	16	SIDE 1: 0.75 steps outside 20 yd In	4.0 steps in front of FRONT HASH (HS)
46	8	SIDE 1: 1.25 steps inside 20 yd In	1.25 steps in front of FRONT HASH (HS)

Perfo	rmer:	Symbol: A Label: 7 ID:56	3237395078100 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 1.25 steps inside 20	yd In 1.25 steps in front of FRONT HASH (HS)
47	17	SIDE 1: 4.0 steps inside 20	yd In 8.0 steps in front of FRONT HASH (HS)
48	8	SIDE 1: 4.0 steps inside 20	yd In 8.0 steps in front of FRONT HASH (HS)
49	9	SIDE 1: 4.0 steps inside 20	yd In 6.0 steps behind FRONT SIDELINE
50	8	SIDE 1: 4.0 steps inside 20	yd In 6.0 steps behind FRONT SIDELINE
51	8	SIDE 1: 4.0 steps inside 30	yd In 6.0 steps behind FRONT SIDELINE
52	20	SIDE 1: 4.0 steps inside 35	yd In 8.0 steps behind FRONT SIDELINE
53	16	SIDE 1: 4.0 steps inside 35	yd In 8.0 steps behind FRONT SIDELINE
54	8	SIDE 1: 4.0 steps inside 35	yd In 8.0 steps behind FRONT SIDELINE
55	16	SIDE 1: 4.0 steps inside 35	yd In 8.0 steps behind FRONT SIDELINE
56	16	SIDE 1: 4.0 steps inside 35	yd In 8.0 steps behind FRONT SIDELINE
57	8	SIDE 1: 4.0 steps outside 40	yd In 12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: On 35 yd In	8.0 steps behind FRONT SIDELINE
59	8	SIDE 1: 4.0 steps inside 30	yd In 12.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 4.0 steps inside 30	yd In 12.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 4.0 steps inside 30	yd In 12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 4.0 steps inside 30	yd In 12.0 steps behind FRONT SIDELINE
63	8	SIDE 1: 4.0 steps inside 30	yd In 12.0 steps behind FRONT SIDELINE
64	16	SIDE 1: 3.0 steps outside 25	yd In 8.0 steps behind FRONT SIDELINE
65	18	SIDE 1: 3.0 steps outside 25	yd In 8.0 steps behind FRONT SIDELINE

Performer: ii	n "2024 GRAFTON"
---------------	------------------

Perfo	rmer:	Symbol: C Label: 16 ID:56323739508	B1200 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 2.0 steps inside 20 yd In	2.0 steps behind FRONT HASH (HS)
2	8	SIDE 1: 1.0 steps inside 20 yd In	1.0 steps behind FRONT HASH (HS)
3	8	SIDE 1: 0.5 steps inside 20 yd In	3.5 steps in front of FRONT HASH (HS)
4	8	SIDE 1: 0.5 steps inside 20 yd In	3.5 steps in front of FRONT HASH (HS)
5	8	SIDE 1: 0.5 steps inside 20 yd In	3.5 steps in front of FRONT HASH (HS)
6	16	SIDE 1: 3.75 steps outside 40 yd In	4.75 steps behind FRONT HASH (HS)
7	8	SIDE 1: 3.25 steps inside 40 yd In	1.25 steps behind FRONT HASH (HS)
8	40	SIDE 1: 3.25 steps inside 40 yd In	1.25 steps behind FRONT HASH (HS)
9	16	SIDE 1: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
11	16	SIDE 1: 4.0 steps inside 30 yd In	12.0 steps behind FRONT SIDELINE
12	8	SIDE 1: 4.0 steps inside 25 yd In	12.0 steps behind FRONT SIDELINE
13	8	SIDE 1: On 25 yd In	8.0 steps behind FRONT SIDELINE
14	12	SIDE 1: 3.0 steps inside 20 yd In	6.5 steps behind FRONT SIDELINE
15	12	SIDE 1: 3.0 steps inside 20 yd In	6.5 steps behind FRONT SIDELINE
16	24	SIDE 1: 2.75 steps inside 30 yd In	12.0 steps in front of FRONT HASH (HS)
17	8	SIDE 1: 2.75 steps inside 30 yd In	12.0 steps in front of FRONT HASH (HS)
18	16	SIDE 1: 2.75 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
19	16	SIDE 1: 2.75 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
20	16	SIDE 1: 1.75 steps outside 45 yd In	13.5 steps in front of FRONT HASH (HS)

#### Set Counts SIDE 1-SIDE 2 FRONT-BACK SIDE 1: 1.75 steps outside 45 yd In 20 0 13.5 steps in front of FRONT HASH (HS) 21 16 SIDE 1: On 40 yd In 12.0 steps behind FRONT SIDELINE 22 8 SIDE 1: On 40 yd In 12.0 steps behind FRONT SIDELINE 23 8 SIDE 1: On 40 yd In 12.0 steps behind FRONT SIDELINE 8 SIDE 1: 3.0 steps inside 40 yd In 24 11.25 steps behind FRONT SIDELINE 25 12 SIDE 1: 3.0 steps inside 40 yd In 11.25 steps behind FRONT SIDELINE 26 10 SIDE 1: 3.0 steps inside 40 yd In 11.25 steps behind FRONT SIDELINE 27 8 SIDE 1: On 40 yd In 12.0 steps in front of FRONT HASH (HS) 12 SIDE 1: On 40 yd In 28 12.0 steps in front of FRONT HASH (HS) 29 4 SIDE 1: On 40 yd In 12.0 steps in front of FRONT HASH (HS) 30 4 SIDE 1: On 40 yd In 12.0 steps in front of FRONT HASH (HS) 31 4 SIDE 1: On 40 yd In 12.0 steps in front of FRONT HASH (HS) 32 4 SIDE 1: On 40 yd In 12.0 steps in front of FRONT HASH (HS) 33 4 SIDE 1: On 40 yd In 12.0 steps behind FRONT SIDELINE

12.0 steps behind FRONT SIDELINE

9.75 steps behind FRONT SIDELINE

Performer: Symbol: C Label: 16 ID:563237395081200 Drill: 2024 GRAFTON PT2

Performer: Symbol: C Label: 16 ID:563237395081200 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

14 SIDE 1: On 40 yd In

12 SIDE 1: 1.5 steps outside 35 yd In

34

Performer: in "2024 GRAFTON"

Perfo	rmer:		in "2
Set	Counts	SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 1.5 steps outside 35 yd In	9.75 steps behind FRONT SIDELINE
36	8	SIDE 1: 1.5 steps outside 35 yd In	9.75 steps behind FRONT SIDELINE
37	16	SIDE 1: 4.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: 4.0 steps inside 30 yd In	6.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 4.0 steps inside 20 yd In	6.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 4.0 steps inside 20 yd In	6.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 2.0 steps inside 15 yd In	4.0 steps in front of FRONT HASH (HS)
42	16	SIDE 1: 2.0 steps inside 15 yd In	4.0 steps in front of FRONT HASH (HS)
43	12	SIDE 1: 2.0 steps inside 15 yd In	4.0 steps in front of FRONT HASH (HS)
44	16	SIDE 1: 1.75 steps inside 15 yd In	11.0 steps in front of FRONT HASH (HS)
45	16	SIDE 1: 0.25 steps inside 20 yd In	1.75 steps in front of FRONT HASH (HS)
46	8	SIDE 1: 2.5 steps inside 20 yd In	1.0 steps behind FRONT HASH (HS)
Perfo	ormer:	Symbol: C Label: 16 ID:5632373950	081200 Drill: 2024 Grafton Pt4
Set	Counts	S SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 2.5 steps inside 20 yd In	1.0 steps behind FRONT HASH (HS)
47	17	SIDE 1: On 20 yd In	8.0 steps in front of FRONT HASH (HS)

Perforn	ner:	Symbol: C	Label: 16	ID:5632373950812	200	Drill: 2024 Grafton Pt4
Set	Counts	SIDE 1-SID	E 2		FRC	ONT-BACK
46	0	SIDE 1: 2.5	steps inside	20 yd In	1.0	steps behind FRONT HASH (HS)
47	17	SIDE 1: On	20 yd In		8.0	steps in front of FRONT HASH (HS)
48	8	SIDE 1: On	20 yd In		8.0	steps in front of FRONT HASH (HS)
49	9	SIDE 1: On	20 yd In		6.0	steps behind FRONT SIDELINE
50	8	SIDE 1: On	20 yd In		6.0	steps behind FRONT SIDELINE
51	8	SIDE 1: On	30 yd In		6.0	steps behind FRONT SIDELINE
52	20	SIDE 1: On	30 yd In		On	FRONT SIDELINE
53	16	SIDE 1: On	30 yd In		On	FRONT SIDELINE
54	8	SIDE 1: On	30 yd In		On	FRONT SIDELINE
55	16	SIDE 1: On	30 yd In		On	FRONT SIDELINE
56	16	SIDE 1: On	30 yd In		On	FRONT SIDELINE
57	8	SIDE 1: On	30 yd In		On	FRONT SIDELINE
58	8	SIDE 1: On	30 yd In		On	FRONT SIDELINE
59	8	SIDE 1: On	30 yd In		On	FRONT SIDELINE
60	8	SIDE 1: On	30 yd In		On	FRONT SIDELINE
61	8	SIDE 1: On	30 yd In		On	FRONT SIDELINE
62	8	SIDE 1: On	30 yd In		On	FRONT SIDELINE
63	8	SIDE 1: On	30 yd In		8.0	steps behind FRONT SIDELINE
64	16	SIDE 1: On	30 yd In		10.0	steps behind FRONT HASH (HS)
65	18	SIDE 1: On	30 yd In		12.0	steps behind BACK HASH (HS)

Performer:	in "2024 GRAFTON"
Performer:	III 2024 GRAFION

Perfo	rmer:	Symbol: A Label: 6 ID:56323739507	8000 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 3.0 steps outside 25 yd In	12.0 steps in front of FRONT HASH (HS)
2	8	SIDE 1: 3.0 steps outside 25 yd In	12.0 steps in front of FRONT HASH (HS)
3	8	SIDE 1: 2.5 steps inside 25 yd In	10.5 steps behind FRONT SIDELINE
4	8	SIDE 1: 2.5 steps inside 25 yd In	10.5 steps behind FRONT SIDELINE
5	8	SIDE 1: 2.5 steps inside 25 yd In	10.5 steps behind FRONT SIDELINE
6	16	SIDE 1: 2.0 steps outside 30 yd In	5.5 steps behind FRONT SIDELINE
7	8	SIDE 1: 1.75 steps inside 25 yd In	11.5 steps behind FRONT SIDELINE
8	40	SIDE 1: 1.75 steps inside 25 yd In	11.5 steps behind FRONT SIDELINE
9	16	SIDE 1: 2.0 steps inside 20 yd In	12.0 steps behind FRONT SIDELINE
10	16	SIDE 1: 2.0 steps inside 20 yd In	4.0 steps in front of FRONT HASH (HS)
11	16	SIDE 1: 2.0 steps outside 25 yd In	8.0 steps in front of FRONT HASH (HS)
12	8	SIDE 1: 2.0 steps outside 30 yd In	8.0 steps in front of FRONT HASH (HS)
13	8	SIDE 1: On 30 yd In	4.0 steps in front of FRONT HASH (HS)
14	12	SIDE 1: 0.25 steps outside 35 yd In	9.0 steps in front of FRONT HASH (HS)
15	12	SIDE 1: 0.25 steps outside 35 yd In	9.0 steps in front of FRONT HASH (HS)
16	24	SIDE 1: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
17	8	SIDE 1: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
18	16	On 50 yd In	12.0 steps in front of FRONT HASH (HS)
19	16	SIDE 2: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 2.75 steps inside 40 yd In	13.25 steps in front of FRONT HASH (HS)

### Performer: Symbol: A Label: 6 ID:563237395078000 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 2: 2.75 steps inside 40 yd In	13.25 steps in front of FRONT HASH (HS)
21	16	SIDE 2: 3.0 steps outside 50 yd In	6.0 steps in front of FRONT HASH (HS)
22	8	SIDE 2: 3.0 steps outside 50 yd In	6.0 steps in front of FRONT HASH (HS)
23	8	SIDE 2: 3.0 steps outside 50 yd In	6.0 steps in front of FRONT HASH (HS)
24	8	SIDE 1: 3.25 steps inside 45 yd In	6.5 steps in front of FRONT HASH (HS)
25	12	SIDE 1: 3.25 steps inside 45 yd In	6.5 steps in front of FRONT HASH (HS)
26	10	SIDE 1: 3.25 steps inside 45 yd In	6.5 steps in front of FRONT HASH (HS)
27	8	SIDE 1: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
28	12	SIDE 1: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
29	4	SIDE 1: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
30	4	SIDE 1: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
31	4	SIDE 1: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
32	4	SIDE 1: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
33	4	SIDE 1: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
34	14	SIDE 1: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
35	12	SIDE 1: 2.75 steps outside 40 yd In	11.75 steps behind FRONT SIDELINE

Performer: Symbol: A Label: 6 ID:563237395078000 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 2.75 steps outside 40 yd In	11.75 steps behind FRONT SIDELINE
36	8	SIDE 1: 2.75 steps outside 40 yd In	11.75 steps behind FRONT SIDELINE
37	16	SIDE 1: 2.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps outside 35 yd In	6.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 2.0 steps outside 25 yd In	6.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 2.0 steps outside 25 yd In	6.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 4.0 steps inside 15 yd In	4.0 steps in front of FRONT HASH (HS)
42	16	SIDE 1: 4.0 steps inside 15 yd In	4.0 steps in front of FRONT HASH (HS)
43	12	SIDE 1: 4.0 steps inside 15 yd In	4.0 steps in front of FRONT HASH (HS)
44	16	SIDE 1: 0.5 steps inside 15 yd In	9.0 steps in front of FRONT HASH (HS)
45	16	SIDE 1: 1.75 steps inside 20 yd In	On FRONT HASH (HS)
46	8	SIDE 1: 3.25 steps outside 25 yd In	2.0 steps behind FRONT HASH (HS)
Performer: Symbol: A Label: 6 ID:563237395078000 Drill: 2024 Grafton Pt4			

Perfo	rmer:	Symbol: A Label: 6 ID:5632373	95078000 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 3.25 steps outside 25 yd li	2.0 steps behind FRONT HASH (HS)
47	17	SIDE 1: 2.0 steps outside 20 yd In	6.0 steps in front of FRONT HASH (HS)
48	8	SIDE 1: 2.0 steps outside 20 yd In	8.0 steps behind FRONT SIDELINE
49	9	SIDE 1: 2.0 steps outside 20 yd In	8.0 steps behind FRONT SIDELINE
50	8	SIDE 1: 2.0 steps outside 30 yd In	8.0 steps behind FRONT SIDELINE
51	8	SIDE 1: 2.0 steps outside 30 yd In	8.0 steps behind FRONT SIDELINE
52	20	SIDE 1: 4.0 steps inside 30 yd In	8.0 steps behind FRONT SIDELINE
53	16	SIDE 1: 4.0 steps inside 30 yd In	8.0 steps behind FRONT SIDELINE
54	8	SIDE 1: 4.0 steps inside 30 yd In	8.0 steps behind FRONT SIDELINE
55	16	SIDE 1: 4.0 steps inside 30 yd In	8.0 steps behind FRONT SIDELINE
56	16	SIDE 1: 4.0 steps inside 30 yd In	8.0 steps behind FRONT SIDELINE
57	8	SIDE 1: 4.0 steps outside 35 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: 4.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 4.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 4.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 4.0 steps inside 35 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 1: 4.0 steps inside 35 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 1: 1.0 steps inside 30 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 1: 1.0 steps inside 30 yd In	8.0 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"
Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: C Label: 22 ID:56323739508	31800 Drill: 2024 GRAFTON PT1.3dj
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: On 20 yd In	12.0 steps behind FRONT HASH (HS)
2	8	SIDE 1: On 20 yd In	12.0 steps behind FRONT HASH (HS)
3	8	SIDE 1: 0.25 steps inside 25 yd In	5.75 steps behind FRONT HASH (HS)
4	8	SIDE 1: 0.25 steps inside 25 yd In	5.75 steps behind FRONT HASH (HS)
5	8	SIDE 1: 0.25 steps inside 25 yd In	5.75 steps behind FRONT HASH (HS)
6	16	SIDE 1: 1.75 steps inside 45 yd In	3.0 steps in front of FRONT HASH (HS)
7	8	SIDE 1: 0.25 steps outside 50 yd In	7.25 steps in front of FRONT HASH (HS)
8	40	SIDE 1: 0.25 steps outside 50 yd In	7.25 steps in front of FRONT HASH (HS)
9	16	SIDE 1: 2.0 steps outside 50 yd In	6.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: 2.0 steps outside 40 yd In	14.0 steps behind FRONT SIDELINE
11	16	SIDE 1: On 35 yd In	12.0 steps behind FRONT SIDELINE
12	8	SIDE 1: On 30 yd In	12.0 steps behind FRONT SIDELINE
13	8	SIDE 1: 4.0 steps inside 25 yd In	8.0 steps behind FRONT SIDELINE
14	12	SIDE 1: On 25 yd In	4.5 steps behind FRONT SIDELINE
15	12	SIDE 1: On 25 yd In	4.5 steps behind FRONT SIDELINE
16	24	SIDE 1: 2.75 steps outside 35 yd In	12.0 steps in front of FRONT HASH (HS)
17	8	SIDE 1: 2.75 steps outside 35 yd In	12.0 steps in front of FRONT HASH (HS)
18	16	SIDE 1: 2.75 steps outside 45 yd In	12.0 steps in front of FRONT HASH (HS)
19	16	SIDE 1: 2.75 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
20	16	SIDE 1: 2.75 steps inside 45 yd In	13.5 steps in front of FRONT HASH (HS)

### Performer: Symbol: C Label: 22 ID:563237395081800 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 1: 2.75 steps inside 45 yd In	13.5 steps in front of FRONT HASH (HS)
21	16	SIDE 1: 2.0 steps inside 40 yd In	12.0 steps behind FRONT SIDELINE
22	8	SIDE 1: 2.0 steps inside 40 yd In	12.0 steps behind FRONT SIDELINE
23	8	SIDE 1: 2.0 steps inside 40 yd In	12.0 steps behind FRONT SIDELINE
24	8	SIDE 1: 0.25 steps inside 45 yd In	10.75 steps behind FRONT SIDELINE
25	12	SIDE 1: 0.25 steps inside 45 yd In	10.75 steps behind FRONT SIDELINE
26	10	SIDE 1: 0.25 steps inside 45 yd In	10.75 steps behind FRONT SIDELINE
27	8	SIDE 1: On 45 yd In	12.0 steps behind FRONT SIDELINE
28	12	SIDE 1: On 45 yd In	12.0 steps behind FRONT SIDELINE
29	4	SIDE 1: On 45 yd In	12.0 steps behind FRONT SIDELINE
30	4	SIDE 1: On 45 yd In	12.0 steps behind FRONT SIDELINE
31	4	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT SIDELINE
32	4	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT SIDELINE
33	4	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT SIDELINE
34	14	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT SIDELINE
35	12	SIDE 1: 3.75 steps inside 40 vd In	13.75 steps in front of FRONT HASH (HS)

Performer: Symbol: C Label: 22 ID:563237395081800 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 3.75 steps inside 40 yd In	13.75 steps in front of FRONT HASH (HS)
36	8	SIDE 1: 3.75 steps inside 40 yd In	13.75 steps in front of FRONT HASH (HS)
37	16	SIDE 1: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: On 35 yd In	6.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: On 25 yd In	6.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: On 25 yd In	6.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 2.0 steps outside 20 yd In	4.0 steps in front of FRONT HASH (HS)
42	16	SIDE 1: 2.0 steps outside 20 yd In	4.0 steps in front of FRONT HASH (HS)
43	12	SIDE 1: 2.0 steps outside 20 yd In	4.0 steps in front of FRONT HASH (HS)
44	16	SIDE 1: On 15 yd In	7.0 steps in front of FRONT HASH (HS)
45	16	SIDE 1: 4.0 steps inside 20 yd In	0.75 steps behind FRONT HASH (HS)
46	8	SIDE 1: 0.75 steps outside 25 yd In	2.25 steps behind FRONT HASH (HS)

Perfo	rmer:	Symbol: C Label: 22 ID:5632373	95081800 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 0.75 steps outside 25 yd In	2.25 steps behind FRONT HASH (HS)
47	17	SIDE 1: 2.0 steps inside 20 yd In	6.0 steps in front of FRONT HASH (HS)
48	8	SIDE 1: 2.0 steps inside 20 yd In	8.0 steps behind FRONT SIDELINE
49	9	SIDE 1: 2.0 steps inside 20 yd In	8.0 steps behind FRONT SIDELINE
50	8	SIDE 1: 2.0 steps inside 30 yd In	8.0 steps behind FRONT SIDELINE
51	8	SIDE 1: 2.0 steps inside 30 yd In	8.0 steps behind FRONT SIDELINE
52	20	SIDE 1: On 35 yd In	8.0 steps behind FRONT SIDELINE
53	16	SIDE 1: On 35 yd In	8.0 steps behind FRONT SIDELINE
54	8	SIDE 1: On 35 yd In	8.0 steps behind FRONT SIDELINE
55	16	SIDE 1: On 35 yd In	8.0 steps behind FRONT SIDELINE
56	16	SIDE 1: On 35 yd In	8.0 steps behind FRONT SIDELINE
57	8	SIDE 1: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: On 35 yd In	12.0 steps behind FRONT SIDELINE
59	8	SIDE 1: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: On 35 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 1: On 35 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 1: 3.0 steps inside 25 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 1: 3.0 steps inside 25 yd In	8.0 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: A Label: 11 ID:5632373950	78500 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 1.0 steps outside 25 yd In	1.0 steps behind FRONT HASH (HS)
2	8	SIDE 1: 1.0 steps outside 25 yd In	1.0 steps behind FRONT HASH (HS)
3	8	SIDE 1: On 25 yd In	8.5 steps in front of FRONT HASH (HS)
4	8	SIDE 1: On 25 yd In	8.5 steps in front of FRONT HASH (HS)
5	8	SIDE 1: On 25 yd In	8.5 steps in front of FRONT HASH (HS)
6	16	SIDE 1: 3.75 steps inside 20 yd In	12.5 steps behind FRONT SIDELINE
7	8	SIDE 1: 2.0 steps inside 20 yd In	6.75 steps in front of FRONT HASH (HS)
8	40	SIDE 1: 2.0 steps inside 20 yd In	6.75 steps in front of FRONT HASH (HS)
9	16	SIDE 1: On 20 yd In	13.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: On 20 yd In	1.0 steps in front of FRONT HASH (HS)
11	16	SIDE 1: 2.0 steps inside 20 yd In	8.0 steps in front of FRONT HASH (HS)
12	8	SIDE 1: 2.0 steps inside 25 yd In	8.0 steps in front of FRONT HASH (HS)
13	8	SIDE 1: 3.0 steps outside 30 yd In	4.0 steps in front of FRONT HASH (HS)
14	12	SIDE 1: 2.5 steps inside 30 yd In	8.0 steps in front of FRONT HASH (HS)
15	12	SIDE 1: 2.5 steps inside 30 yd In	8.0 steps in front of FRONT HASH (HS)
16	24	SIDE 1: 2.75 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
17	8	SIDE 1: 2.75 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
18	16	SIDE 1: 2.75 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
19	16	SIDE 2: 2.75 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 4.0 steps inside 45 yd In	13.0 steps in front of FRONT HASH (HS)

### Performer: Symbol: A Label: 11 ID:563237395078500 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 2: 4.0 steps inside 45 yd In	13.0 steps in front of FRONT HASH (HS)
21	16	SIDE 2: 1.0 steps outside 50 yd In	6.0 steps in front of FRONT HASH (HS)
22	8	SIDE 2: 1.0 steps outside 50 yd In	6.0 steps in front of FRONT HASH (HS)
23	8	SIDE 2: 1.0 steps outside 50 yd In	6.0 steps in front of FRONT HASH (HS)
24	8	SIDE 1: 1.75 steps outside 45 yd In	4.5 steps in front of FRONT HASH (HS)
25	12	SIDE 1: 1.75 steps outside 45 yd In	4.5 steps in front of FRONT HASH (HS)
26	10	SIDE 1: 1.75 steps outside 45 yd In	4.5 steps in front of FRONT HASH (HS)
27	8	SIDE 1: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
28	12	SIDE 1: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
29	4	SIDE 1: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
30	4	SIDE 1: 4.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
31	4	SIDE 1: 4.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
32	4	SIDE 1: 4.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
33	4	SIDE 1: 4.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
34	14	SIDE 1: 4.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
35	12	SIDE 1: 0.75 steps inside 35 vd In	10.25 steps behind FRONT SIDELINE

Performer: Symbol: A Label: 11 ID:563237395078500 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Counts	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 0.75 steps inside 35 yd In	10.25 steps behind FRONT SIDELINE
36	8	SIDE 1: 0.75 steps inside 35 yd In	10.25 steps behind FRONT SIDELINE
37	16	SIDE 1: 4.0 steps inside 35 yd In	4.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: 4.0 steps inside 30 yd In	10.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 4.0 steps inside 20 yd In	10.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 4.0 steps inside 20 yd In	10.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 4.0 steps inside 15 yd In	On FRONT HASH (HS)
42	16	SIDE 1: 4.0 steps inside 15 yd In	On FRONT HASH (HS)
43	12	SIDE 1: 4.0 steps inside 15 yd In	On FRONT HASH (HS)
44	16	SIDE 1: 0.5 steps inside 15 yd In	4.75 steps in front of FRONT HASH (HS)
45	16	SIDE 1: 1.75 steps outside 25 yd In	1.25 steps behind FRONT HASH (HS)
46	8	SIDE 1: 1.75 steps inside 25 yd In	1.75 steps behind FRONT HASH (HS)

Perfo	rmer:	Symbol: A Label: 11 ID:5632373950	78500 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 1.75 steps inside 25 yd In	1.75 steps behind FRONT HASH (HS)
47	17	SIDE 1: 2.0 steps outside 25 yd In	6.0 steps in front of FRONT HASH (HS)
48	8	SIDE 1: 2.0 steps outside 25 yd In	8.0 steps behind FRONT SIDELINE
49	9	SIDE 1: 2.0 steps outside 25 yd In	8.0 steps behind FRONT SIDELINE
50	8	SIDE 1: 2.0 steps outside 35 yd In	8.0 steps behind FRONT SIDELINE
51	8	SIDE 1: 2.0 steps outside 35 yd In	8.0 steps behind FRONT SIDELINE
52	20	SIDE 1: On 40 yd In	8.0 steps behind FRONT SIDELINE
53	16	SIDE 1: On 40 yd In	8.0 steps behind FRONT SIDELINE
54	8	SIDE 1: On 40 yd In	8.0 steps behind FRONT SIDELINE
55	16	SIDE 1: On 40 yd In	8.0 steps behind FRONT SIDELINE
56	16	SIDE 1: On 40 yd In	8.0 steps behind FRONT SIDELINE
57	8	SIDE 1: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: On 40 yd In	14.0 steps behind FRONT SIDELINE
60	8	SIDE 1: 4.0 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 4.0 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 4.0 steps inside 40 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 1: 4.0 steps inside 40 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 1: 3.0 steps outside 40 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 1: 3.0 steps outside 40 yd In	8.0 steps behind FRONT SIDELINE

Perfo		Symbol: C Label: 21 ID:56323739508	1700 Drill: 2024 GRAFTON PT1.3dj FRONT-BACK
1	0	SIDE 1: 3.0 steps inside 15 yd In	9.0 steps behind FRONT HASH (HS)
2	8	SIDE 1: 3.0 steps inside 15 yd In	9.0 steps behind FRONT HASH (HS)
3	8	SIDE 1: 1.5 steps outside 25 yd In	4.75 steps behind FRONT HASH (HS)
4	8	SIDE 1: 1.5 steps outside 25 yd In	4.75 steps behind FRONT HASH (HS)
5	8	SIDE 1: 1.5 steps outside 25 yd In	4.75 steps behind FRONT HASH (HS)
6	16	SIDE 1: 0.5 steps outside 45 yd In	1.5 steps in front of FRONT HASH (HS)
7	8	SIDE 1: 2.25 steps outside 50 yd In	5.75 steps in front of FRONT HASH (HS)
8	40	SIDE 1: 2.25 steps outside 50 yd In	5.75 steps in front of FRONT HASH (HS)
9	16	SIDE 1: 2.0 steps inside 45 yd In	6.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: 2.0 steps inside 35 yd In	14.0 steps behind FRONT SIDELINE
11	16	SIDE 1: 2.0 steps outside 35 yd In	10.0 steps behind FRONT SIDELINE
12	8	SIDE 1: 2.0 steps inside 30 yd In	10.0 steps behind FRONT SIDELINE
13	8	SIDE 1: 2.0 steps outside 30 yd In	8.0 steps behind FRONT SIDELINE
14	12	SIDE 1: 2.75 steps inside 25 yd In	4.0 steps behind FRONT SIDELINE
15	12	SIDE 1: 2.75 steps inside 25 yd In	4.0 steps behind FRONT SIDELINE
16	24	SIDE 1: 2.75 steps outside 35 yd In	12.0 steps behind FRONT SIDELINE
17	8	SIDE 1: 2.75 steps outside 35 yd In	12.0 steps behind FRONT SIDELINE
18	16	SIDE 1: 2.75 steps outside 45 yd In	12.0 steps behind FRONT SIDELINE
19	16	SIDE 1: 2.75 steps outside 50 yd In	12.0 steps in front of FRONT HASH (HS)
20	16	SIDE 1: 3.0 steps outside 50 yd In	13.5 steps in front of FRONT HASH (HS)

#### Performer: Symbol: C Label: 21 ID:563237395081700 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

Set	Count	S SIDE I-SIDE Z	FRONT-BACK
20	0	SIDE 1: 3.0 steps outside 50 yd In	13.5 steps in front of FRONT HASH (HS)
21	16	SIDE 1: 2.0 steps inside 40 yd In	14.0 steps behind FRONT SIDELINE
22	8	SIDE 1: 2.0 steps inside 40 yd In	14.0 steps behind FRONT SIDELINE
23	8	SIDE 1: 2.0 steps inside 40 yd In	14.0 steps behind FRONT SIDELINE
24	8	SIDE 1: 3.0 steps inside 45 yd In	10.5 steps behind FRONT SIDELINE
25	12	SIDE 1: 3.0 steps inside 45 yd In	10.5 steps behind FRONT SIDELINE
26	10	SIDE 1: 3.0 steps inside 45 yd In	10.5 steps behind FRONT SIDELINE
27	8	SIDE 1: On 45 yd In	8.0 steps behind FRONT SIDELINE
28	12	SIDE 1: On 45 yd In	8.0 steps behind FRONT SIDELINE
29	4	SIDE 1: On 45 yd In	8.0 steps behind FRONT SIDELINE
30	4	SIDE 1: On 45 yd In	8.0 steps behind FRONT SIDELINE
31	4	SIDE 1: On 45 yd In	8.0 steps behind FRONT SIDELINE
32	4	SIDE 1: On 45 yd In	8.0 steps behind FRONT SIDELINE
33	4	SIDE 1: On 45 yd In	12.0 steps behind FRONT SIDELINE
34	14	SIDE 1: On 45 yd In	12.0 steps behind FRONT SIDELINE
35	12	SIDE 1: 0.5 steps outside 40 yd In	12.5 steps behind FRONT SIDELINE

Performer: Symbol: C Label: 21 ID:563237395081700 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Counts	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 0.5 steps outside 40 yd In	12.5 steps behind FRONT SIDELINE
36	8	SIDE 1: 0.5 steps outside 40 yd In	12.5 steps behind FRONT SIDELINE
37	16	SIDE 1: 2.0 steps outside 40 yd In	4.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps outside 35 yd In	10.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 2.0 steps outside 25 yd In	10.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 2.0 steps outside 25 yd In	10.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 2.0 steps outside 20 yd In	On FRONT HASH (HS)
42	16	SIDE 1: 2.0 steps outside 20 yd In	On FRONT HASH (HS)
43	12	SIDE 1: 2.0 steps outside 20 yd In	On FRONT HASH (HS)
44	16	SIDE 1: 1.75 steps inside 15 yd In	2.75 steps in front of FRONT HASH (HS)
45	16	SIDE 1: 0.75 steps inside 25 yd In	1.5 steps behind FRONT HASH (HS)
46	8	SIDE 1: 3.75 steps outside 30 yd In	1.25 steps behind FRONT HASH (HS)

Perfo		Symbol: C Label: 21 ID:56323739508	
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 3.75 steps outside 30 yd In	1.25 steps behind FRONT HASH (HS)
47	17	SIDE 1: 2.0 steps inside 25 yd In	6.0 steps in front of FRONT HASH (HS)
48	8	SIDE 1: 2.0 steps inside 25 yd In	8.0 steps behind FRONT SIDELINE
49	9	SIDE 1: 2.0 steps inside 25 yd In	8.0 steps behind FRONT SIDELINE
50	8	SIDE 1: 2.0 steps inside 35 yd In	8.0 steps behind FRONT SIDELINE
51	8	SIDE 1: 2.0 steps inside 35 yd In	8.0 steps behind FRONT SIDELINE
52	20	SIDE 1: 4.0 steps inside 40 yd In	8.0 steps behind FRONT SIDELINE
53	16	SIDE 1: 4.0 steps inside 40 yd In	8.0 steps behind FRONT SIDELINE
54	8	SIDE 1: 4.0 steps inside 40 yd In	8.0 steps behind FRONT SIDELINE
55	16	SIDE 1: 4.0 steps inside 40 yd In	8.0 steps behind FRONT SIDELINE
56	16	SIDE 1: 4.0 steps inside 40 yd In	8.0 steps behind FRONT SIDELINE
57	8	SIDE 1: 4.0 steps outside 45 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: 4.0 steps outside 45 yd In	12.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: On 40 yd In	10.0 steps behind FRONT SIDELINE
60	8	SIDE 1: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: On 40 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 1: On 40 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 1: 1.0 steps outside 35 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 1: 1.0 steps outside 35 yd In	8.0 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: C Label: 18 ID:5632373950	81400 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 1.0 steps outside 15 yd In	On FRONT HASH (HS)
2	8	SIDE 1: 1.0 steps outside 15 yd In	On FRONT HASH (HS)
3	8	SIDE 1: 2.25 steps inside 20 yd In	0.25 steps behind FRONT HASH (HS)
4	8	SIDE 1: 2.25 steps inside 20 yd In	0.25 steps behind FRONT HASH (HS)
5	8	SIDE 1: 2.25 steps inside 20 yd In	0.25 steps behind FRONT HASH (HS)
6	16	SIDE 1: 1.0 steps inside 40 yd In	2.5 steps behind FRONT HASH (HS)
7	8	SIDE 1: 0.5 steps outside 45 yd In	1.75 steps in front of FRONT HASH (HS)
8	40	SIDE 1: 0.5 steps outside 45 yd In	1.75 steps in front of FRONT HASH (HS)
9	16	SIDE 1: 2.0 steps outside 40 yd In	6.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: 2.0 steps outside 30 yd In	14.0 steps behind FRONT SIDELINE
11	16	SIDE 1: On 30 yd In	4.0 steps behind FRONT SIDELINE
12	8	SIDE 1: On 35 yd In	4.0 steps behind FRONT SIDELINE
13	8	SIDE 1: 4.0 steps inside 30 yd In	8.0 steps behind FRONT SIDELINE
14	12	SIDE 1: 3.0 steps inside 30 yd In	4.25 steps behind FRONT SIDELINE
15	12	SIDE 1: 3.0 steps inside 30 yd In	4.25 steps behind FRONT SIDELINE
16	24	SIDE 1: 2.75 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
17	8	SIDE 1: 2.75 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
18	16	SIDE 1: 2.75 steps outside 50 yd In	12.0 steps behind FRONT SIDELINE
19	16	SIDE 2: 2.75 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 3.0 steps outside 45 yd In	13.0 steps in front of FRONT HASH (HS)

### Performer: Symbol: C Label: 18 ID:563237395081400 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 2: 3.0 steps outside 45 yd In	13.0 steps in front of FRONT HASH (HS)
21	16	SIDE 2: 1.0 steps outside 45 yd In	10.0 steps behind FRONT SIDELINE
22	8	SIDE 2: 1.0 steps outside 45 yd In	10.0 steps behind FRONT SIDELINE
23	8	SIDE 2: 1.0 steps outside 45 yd In	10.0 steps behind FRONT SIDELINE
24	8	SIDE 2: 2.25 steps inside 45 yd In	9.25 steps in front of FRONT HASH (HS)
25	12	SIDE 2: 2.25 steps inside 45 yd In	9.25 steps in front of FRONT HASH (HS)
26	10	SIDE 2: 2.25 steps inside 45 yd In	9.25 steps in front of FRONT HASH (HS)
27	8	SIDE 2: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
28	12	SIDE 2: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
29	4	SIDE 2: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
30	4	SIDE 2: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
31	4	SIDE 2: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
32	4	SIDE 2: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
33	4	SIDE 2: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
34	14	SIDE 2: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
35	12	SIDE 1: 1.75 steps outside 50 vd In	8.75 steps in front of FRONT HASH (HS)

Performer: Symbol: C Label: 18 ID:563237395081400 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 1.75 steps outside 50 yd In	8.75 steps in front of FRONT HASH (HS)
36	8	SIDE 1: 1.75 steps outside 50 yd In	8.75 steps in front of FRONT HASH (HS)
37	16	SIDE 1: 4.0 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: 4.0 steps inside 35 yd In	2.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 4.0 steps inside 25 yd In	2.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 4.0 steps inside 25 yd In	2.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: On 20 yd In	8.0 steps in front of FRONT HASH (HS)
42	16	SIDE 1: On 20 yd In	8.0 steps in front of FRONT HASH (HS)
43	12	SIDE 1: On 20 yd In	8.0 steps in front of FRONT HASH (HS)
44	16	SIDE 1: 3.5 steps inside 15 yd In	1.25 steps in front of FRONT HASH (HS)
45	16	SIDE 1: 3.0 steps inside 25 yd In	1.5 steps behind FRONT HASH (HS)
46	8	SIDE 1: 1.25 steps outside 30 yd In	1.25 steps behind FRONT HASH (HS)

Perfo	rmer:	Symbol: C Label: 18 ID:563237395081	400 Drill: 2024 Grafton Pt4
Set	Coun	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 1.25 steps outside 30 yd In	1.25 steps behind FRONT HASH (HS)
47	17	SIDE 1: 2.0 steps outside 30 yd In	6.0 steps in front of FRONT HASH (HS)
48	8	SIDE 1: 2.0 steps outside 30 yd In	8.0 steps behind FRONT SIDELINE
49	9	SIDE 1: 2.0 steps outside 30 yd In	8.0 steps behind FRONT SIDELINE
50	8	SIDE 1: 2.0 steps outside 40 yd In	8.0 steps behind FRONT SIDELINE
51	8	SIDE 1: 2.0 steps outside 40 yd In	8.0 steps behind FRONT SIDELINE
52	20	SIDE 1: 4.0 steps inside 45 yd In	8.0 steps behind FRONT SIDELINE
53	16	SIDE 1: 4.0 steps inside 45 yd In	8.0 steps behind FRONT SIDELINE
54	8	SIDE 1: 4.0 steps inside 45 yd In	8.0 steps behind FRONT SIDELINE
55	16	SIDE 1: 4.0 steps inside 45 yd In	8.0 steps behind FRONT SIDELINE
56	16	SIDE 1: 4.0 steps inside 45 yd In	8.0 steps behind FRONT SIDELINE
57	8	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT SIDELINE
61	8	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 1: 1.0 steps inside 45 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 1: 1.0 steps inside 45 yd In	8.0 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: A Label: 1 ID:563237395077	7400 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 4.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
2	8	SIDE 1: 4.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
3	8	SIDE 1: 4.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
4	8	SIDE 1: 4.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
5	8	SIDE 1: 4.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
6	16	SIDE 1: 0.25 steps outside 35 yd In	12.0 steps behind FRONT SIDELINE
7	8	SIDE 1: 2.5 steps outside 35 yd In	8.25 steps behind FRONT SIDELINE
8	40	SIDE 1: 2.5 steps outside 35 yd In	8.25 steps behind FRONT SIDELINE
9	16	SIDE 1: 2.0 steps outside 25 yd In	12.0 steps behind FRONT SIDELINE
10	16	SIDE 1: 2.0 steps outside 25 yd In	4.0 steps in front of FRONT HASH (HS)
11	16	SIDE 1: 2.0 steps inside 25 yd In	8.0 steps in front of FRONT HASH (HS)
12	8	SIDE 1: 2.0 steps inside 30 yd In	8.0 steps in front of FRONT HASH (HS)
13	8	SIDE 1: 3.0 steps inside 30 yd In	4.0 steps in front of FRONT HASH (HS)
14	12	SIDE 1: 3.75 steps outside 40 yd In	12.25 steps in front of FRONT HASH (HS)
15	12	SIDE 1: 3.75 steps outside 40 yd In	12.25 steps in front of FRONT HASH (HS)
16	24	SIDE 1: 2.75 steps outside 45 yd In	12.0 steps in front of FRONT HASH (HS)
17	8	SIDE 1: 2.75 steps outside 45 yd In	12.0 steps in front of FRONT HASH (HS)
18	16	SIDE 2: 2.75 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
19	16	SIDE 2: 2.75 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 1.75 steps inside 35 yd In	13.5 steps behind FRONT SIDELINE

### Performer: Symbol: A Label: 1 ID:563237395077400 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 2: 1.75 steps inside 35 yd In	13.5 steps behind FRONT SIDELINE
21	16	SIDE 2: 3.0 steps inside 45 yd In	6.0 steps in front of FRONT HASH (HS)
22	8	SIDE 2: 3.0 steps inside 45 yd In	6.0 steps in front of FRONT HASH (HS)
23	8	SIDE 2: 3.0 steps inside 45 yd In	6.0 steps in front of FRONT HASH (HS)
24	8	SIDE 2: 0.75 steps outside 50 yd In	7.25 steps in front of FRONT HASH (HS)
25	12	SIDE 2: 0.75 steps outside 50 yd In	7.25 steps in front of FRONT HASH (HS)
26	10	SIDE 2: 0.75 steps outside 50 yd In	7.25 steps in front of FRONT HASH (HS)
27	8	SIDE 2: On 50 yd In	8.0 steps in front of FRONT HASH (HS)
28	12	SIDE 2: On 50 yd In	8.0 steps in front of FRONT HASH (HS)
29	4	SIDE 2: On 50 yd In	8.0 steps in front of FRONT HASH (HS)
30	4	SIDE 2: On 50 yd In	8.0 steps in front of FRONT HASH (HS)
31	4	SIDE 2: 4.0 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
32	4	SIDE 2: 4.0 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
33	4	SIDE 2: 4.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
34	14	SIDE 2: 4.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
35	12	SIDE 1: 2.25 steps inside 45 yd In	11.0 steps in front of FRONT HASH (HS)

Performer: Symbol: A Label: 1 ID:563237395077400 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 2.25 steps inside 45 yd In	11.0 steps in front of FRONT HASH (HS)
36	8	SIDE 1: 2.25 steps inside 45 yd In	11.0 steps in front of FRONT HASH (HS)
37	16	SIDE 1: 2.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps inside 35 yd In	6.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 2.0 steps inside 25 yd In	6.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 2.0 steps inside 25 yd In	6.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: On 20 yd In	4.0 steps in front of FRONT HASH (HS)
42	16	SIDE 1: On 20 yd In	4.0 steps in front of FRONT HASH (HS)
43	12	SIDE 1: On 20 yd In	4.0 steps in front of FRONT HASH (HS)
44	16	SIDE 1: 2.5 steps outside 20 yd In	0.25 steps in front of FRONT HASH (HS)
45	16	SIDE 1: 2.5 steps outside 30 yd In	1.5 steps behind FRONT HASH (HS)
46	8	SIDE 1: 1.25 steps inside 30 yd In	1.25 steps behind FRONT HASH (HS)

Perfo Set		Symbol: A Label: 1 ID:563237395077 s SIDE 1-SIDE 2	7400 Drill: 2024 Grafton Pt4 FRONT-BACK
46	0	SIDE 1:31DE 2 SIDE 1: 1.25 steps inside 30 yd In	1.25 steps behind FRONT HASH (HS)
			. ,
47	17	SIDE 1: 2.0 steps inside 30 yd In	6.0 steps in front of FRONT HASH (HS)
48	8	SIDE 1: 2.0 steps inside 30 yd In	8.0 steps behind FRONT SIDELINE
49	9	SIDE 1: 2.0 steps inside 30 yd In	8.0 steps behind FRONT SIDELINE
50	8	SIDE 1: 2.0 steps inside 40 yd In	8.0 steps behind FRONT SIDELINE
51	8	SIDE 1: 2.0 steps inside 40 yd In	8.0 steps behind FRONT SIDELINE
52	20	On 50 yd In	8.0 steps behind FRONT SIDELINE
53	16	On 50 yd In	8.0 steps behind FRONT SIDELINE
54	8	On 50 yd In	8.0 steps behind FRONT SIDELINE
55	16	On 50 yd In	8.0 steps behind FRONT SIDELINE
56	16	On 50 yd In	8.0 steps behind FRONT SIDELINE
57	8	SIDE 2: On 50 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: On 50 yd In	12.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: On 50 yd In	12.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 4.0 steps inside 45 yd In	8.0 steps behind FRONT SIDELINE
61	8	SIDE 1: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: On 45 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 1: On 45 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 1: 3.0 steps inside 40 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 1: 3.0 steps inside 40 yd In	8.0 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: A Label: 2 ID:563237395077	7500 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 1.0 steps outside 35 yd In	10.0 steps behind FRONT SIDELINE
2	8	SIDE 1: 1.0 steps outside 35 yd In	10.0 steps behind FRONT SIDELINE
3	8	SIDE 1: On 30 yd In	5.0 steps behind FRONT SIDELINE
4	8	SIDE 1: On 30 yd In	5.0 steps behind FRONT SIDELINE
5	8	SIDE 1: On 30 yd In	5.0 steps behind FRONT SIDELINE
6	16	SIDE 1: 1.25 steps outside 35 yd In	9.5 steps behind FRONT SIDELINE
7	8	SIDE 1: 3.0 steps inside 30 yd In	8.25 steps behind FRONT SIDELINE
8	40	SIDE 1: 3.0 steps inside 30 yd In	8.25 steps behind FRONT SIDELINE
9	16	SIDE 1: 4.0 steps inside 20 yd In	12.0 steps behind FRONT SIDELINE
10	16	SIDE 1: 4.0 steps inside 20 yd In	4.0 steps in front of FRONT HASH (HS)
11	16	SIDE 1: On 25 yd In	8.0 steps in front of FRONT HASH (HS)
12	8	SIDE 1: On 30 yd In	8.0 steps in front of FRONT HASH (HS)
13	8	SIDE 1: 1.5 steps inside 30 yd In	4.0 steps in front of FRONT HASH (HS)
14	12	SIDE 1: 2.25 steps inside 35 yd In	10.5 steps in front of FRONT HASH (HS)
15	12	SIDE 1: 2.25 steps inside 35 yd In	10.5 steps in front of FRONT HASH (HS)
16	24	SIDE 1: 2.75 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
17	8	SIDE 1: 2.75 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
18	16	SIDE 2: 2.75 steps outside 50 yd In	12.0 steps in front of FRONT HASH (HS)
19	16	SIDE 2: 2.75 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 1.75 steps outside 40 yd In	13.75 steps in front of FRONT HASH (HS)

### Performer: Symbol: A Label: 2 ID:563237395077500 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 2: 1.75 steps outside 40 yd In	13.75 steps in front of FRONT HASH (HS)
21	16	SIDE 2: 4.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
22	8	SIDE 2: 4.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
23	8	SIDE 2: 4.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
24	8	SIDE 1: 2.0 steps outside 50 yd In	7.0 steps in front of FRONT HASH (HS)
25	12	SIDE 1: 2.0 steps outside 50 yd In	7.0 steps in front of FRONT HASH (HS)
26	10	SIDE 1: 2.0 steps outside 50 yd In	7.0 steps in front of FRONT HASH (HS)
27	8	On 50 yd In	4.0 steps in front of FRONT HASH (HS)
28	12	On 50 yd In	4.0 steps in front of FRONT HASH (HS)
29	4	On 50 yd In	4.0 steps in front of FRONT HASH (HS)
30	4	On 50 yd In	4.0 steps in front of FRONT HASH (HS)
31	4	On 50 yd In	4.0 steps in front of FRONT HASH (HS)
32	4	On 50 yd In	4.0 steps in front of FRONT HASH (HS)
33	4	On 50 yd In	8.0 steps in front of FRONT HASH (HS)
34	14	On 50 yd In	8.0 steps in front of FRONT HASH (HS)
35	12	SIDE 1: 2.0 steps outside 45 yd In	12.75 steps in front of FRONT HASH (HS)

Performer: Symbol: A Label: 2 ID:563237395077500 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Counts	SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 2.0 steps outside 45 yd In	12.75 steps in front of FRONT HASH (HS)
36	8	SIDE 1: 2.0 steps outside 45 yd In	12.75 steps in front of FRONT HASH (HS)
37	16	SIDE 1: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: On 35 yd In	10.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: On 25 yd In	10.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: On 25 yd In	10.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: On 20 yd In	On FRONT HASH (HS)
42	16	SIDE 1: On 20 yd In	On FRONT HASH (HS)
43	12	SIDE 1: On 20 yd In	On FRONT HASH (HS)
44	16	SIDE 1: 0.5 steps outside 20 yd In	0.5 steps behind FRONT HASH (HS)
45	16	SIDE 1: 0.25 steps outside 30 yd In	1.5 steps behind FRONT HASH (HS)
46	8	SIDE 1: 4.0 steps inside 30 yd In	1.25 steps behind FRONT HASH (HS)

Perfo Set		Symbol: A Label: 2 ID:56323739507 s SIDE 1-SIDE 2	7500 Drill: 2024 Grafton Pt4 FRONT-BACK
46	0	SIDE 1: 4.0 steps inside 30 yd In	1.25 steps behind FRONT HASH (HS)
47	17	SIDE 1: On 20 yd In	4.0 steps in front of FRONT HASH (HS)
48	8	SIDE 1: On 20 yd In	4.0 steps in front of FRONT HASH (HS)
49	9	SIDE 1: On 20 yd In	10.0 steps behind FRONT SIDELINE
50	8	SIDE 1: On 20 yd In	10.0 steps behind FRONT SIDELINE
51	8	SIDE 1: On 30 yd In	10.0 steps behind FRONT SIDELINE
52	20	SIDE 1: 4.0 steps inside 30 yd In	12.0 steps behind FRONT SIDELINE
53	16	SIDE 1: 4.0 steps inside 30 yd In	12.0 steps behind FRONT SIDELINE
54	8	SIDE 1: 4.0 steps inside 30 yd In	12.0 steps behind FRONT SIDELINE
55	16	SIDE 1: 4.0 steps inside 30 yd In	12.0 steps behind FRONT SIDELINE
56	16	SIDE 1: 4.0 steps inside 30 yd In	12.0 steps behind FRONT SIDELINE
57	8	SIDE 1: 2.0 steps outside 35 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: On 35 yd In	14.0 steps behind FRONT SIDELINE
59	8	SIDE 1: 2.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 2.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 2.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 2.0 steps inside 35 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 1: 2.0 steps inside 35 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 1: 2.0 steps outside 30 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 1: 2.0 steps outside 30 yd In	8.0 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"
i di loi illoi.	III 2024 CITAL TON

Perfo	rmer:	Symbol: C Label: 19 ID:56323739508	B1500 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 2.0 steps inside 15 yd In	5.0 steps behind FRONT HASH (HS)
2	8	SIDE 1: 2.0 steps inside 15 yd In	5.0 steps behind FRONT HASH (HS)
3	8	SIDE 1: 3.5 steps inside 20 yd In	2.0 steps behind FRONT HASH (HS)
4	8	SIDE 1: 3.5 steps inside 20 yd In	2.0 steps behind FRONT HASH (HS)
5	8	SIDE 1: 3.5 steps inside 20 yd In	2.0 steps behind FRONT HASH (HS)
6	16	SIDE 1: 3.25 steps inside 40 yd In	1.25 steps behind FRONT HASH (HS)
7	8	SIDE 1: 1.5 steps inside 45 yd In	3.0 steps in front of FRONT HASH (HS)
8	40	SIDE 1: 1.5 steps inside 45 yd In	3.0 steps in front of FRONT HASH (HS)
9	16	SIDE 1: 2.0 steps inside 40 yd In	6.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: 2.0 steps inside 30 yd In	14.0 steps behind FRONT SIDELINE
11	16	SIDE 1: 2.0 steps inside 30 yd In	6.0 steps behind FRONT SIDELINE
12	8	SIDE 1: 2.0 steps outside 35 yd In	6.0 steps behind FRONT SIDELINE
13	8	SIDE 1: 2.0 steps inside 30 yd In	8.0 steps behind FRONT SIDELINE
14	12	SIDE 1: 0.25 steps inside 30 yd In	3.75 steps behind FRONT SIDELINE
15	12	SIDE 1: 0.25 steps inside 30 yd In	3.75 steps behind FRONT SIDELINE
16	24	SIDE 1: 2.75 steps inside 35 yd In	12.0 steps behind FRONT SIDELINE
17	8	SIDE 1: 2.75 steps inside 35 yd In	12.0 steps behind FRONT SIDELINE
18	16	SIDE 1: 2.75 steps inside 45 yd In	12.0 steps behind FRONT SIDELINE
19	16	SIDE 2: 2.75 steps outside 50 yd In	12.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 1.75 steps inside 45 yd In	13.0 steps in front of FRONT HASH (HS)

### Performer: Symbol: C Label: 19 ID:563237395081500 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 2: 1.75 steps inside 45 yd In	13.0 steps in front of FRONT HASH (HS)
21	16	SIDE 2: 1.0 steps inside 45 yd In	10.0 steps behind FRONT SIDELINE
22	8	SIDE 2: 1.0 steps inside 45 yd In	10.0 steps behind FRONT SIDELINE
23	8	SIDE 2: 1.0 steps inside 45 yd In	10.0 steps behind FRONT SIDELINE
24	8	SIDE 2: 2.25 steps inside 45 yd In	11.5 steps behind FRONT SIDELINE
25	12	SIDE 2: 2.25 steps inside 45 yd In	11.5 steps behind FRONT SIDELINE
26	10	SIDE 2: 2.25 steps inside 45 yd In	11.5 steps behind FRONT SIDELINE
27	8	SIDE 2: On 45 yd In	12.0 steps behind FRONT SIDELINE
28	12	SIDE 2: On 45 yd In	12.0 steps behind FRONT SIDELINE
29	4	SIDE 2: On 45 yd In	12.0 steps behind FRONT SIDELINE
30	4	SIDE 2: On 45 yd In	12.0 steps behind FRONT SIDELINE
31	4	SIDE 2: 4.0 steps inside 40 yd In	12.0 steps behind FRONT SIDELINE
32	4	SIDE 2: 4.0 steps inside 40 yd In	12.0 steps behind FRONT SIDELINE
33	4	SIDE 2: 4.0 steps outside 45 yd In	12.0 steps behind FRONT SIDELINE
34	14	SIDE 2: 4.0 steps outside 45 yd In	12.0 steps behind FRONT SIDELINE
35	12	SIDE 2: 3.75 steps outside 50 vd ln	4.5 steps in front of FRONT HASH (HS)

Performer: Symbol: C Label: 19 ID:563237395081500 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 3.75 steps outside 50 yd In	4.5 steps in front of FRONT HASH (HS)
36	8	SIDE 2: 3.75 steps outside 50 yd In	4.5 steps in front of FRONT HASH (HS)
37	16	SIDE 1: 2.0 steps outside 45 yd In	12.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps outside 40 yd In	2.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 2.0 steps outside 30 yd In	2.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 2.0 steps outside 30 yd In	2.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 2.0 steps inside 20 yd In	8.0 steps in front of FRONT HASH (HS)
42	16	SIDE 1: 2.0 steps inside 20 yd In	8.0 steps in front of FRONT HASH (HS)
43	12	SIDE 1: 2.0 steps inside 20 yd In	8.0 steps in front of FRONT HASH (HS)
44	16	SIDE 1: 1.75 steps inside 20 yd In	0.75 steps behind FRONT HASH (HS)
45	16	SIDE 1: 2.0 steps inside 30 yd In	1.25 steps behind FRONT HASH (HS)
46	8	SIDE 1: 1.5 steps outside 35 yd In	1.25 steps behind FRONT HASH (HS)

Perfo	rmer:	Symbol: C Label: 19 ID:563237395	081500 Drill: 2024 Grafton Pt4
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 1.5 steps outside 35 yd In	1.25 steps behind FRONT HASH (HS)
47	17	SIDE 1: 4.0 steps inside 20 yd In	4.0 steps in front of FRONT HASH (HS)
48	8	SIDE 1: 4.0 steps inside 20 yd In	4.0 steps in front of FRONT HASH (HS)
49	9	SIDE 1: 4.0 steps inside 20 yd In	10.0 steps behind FRONT SIDELINE
50	8	SIDE 1: 4.0 steps inside 20 yd In	10.0 steps behind FRONT SIDELINE
51	8	SIDE 1: 4.0 steps inside 30 yd In	10.0 steps behind FRONT SIDELINE
52	20	SIDE 1: On 35 yd In	12.0 steps behind FRONT SIDELINE
53	16	SIDE 1: On 35 yd In	12.0 steps behind FRONT SIDELINE
54	8	SIDE 1: On 35 yd In	12.0 steps behind FRONT SIDELINE
55	16	SIDE 1: On 35 yd In	12.0 steps behind FRONT SIDELINE
56	16	SIDE 1: On 35 yd In	12.0 steps behind FRONT SIDELINE
57	8	SIDE 1: 2.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: On 35 yd In	10.0 steps behind FRONT SIDELINE
59	8	SIDE 1: 2.0 steps outside 35 yd In	12.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 2.0 steps outside 35 yd In	12.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 2.0 steps outside 35 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 2.0 steps outside 35 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 1: 2.0 steps outside 35 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 1: On 25 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 1: On 25 yd In	8.0 steps behind FRONT SIDELINE

Performer: ii	n "2024 GRAFTON"
---------------	------------------

Perfo	ormer:	Symbol: C Label: 24 ID:56323739508	2000 Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 1.0 steps inside 25 yd In	10.0 steps in front of BACK HASH (HS)
2	8	SIDE 1: 1.0 steps inside 25 yd In	10.0 steps in front of BACK HASH (HS)
3	8	SIDE 1: 4.0 steps inside 25 yd In	7.5 steps behind FRONT HASH (HS)
4	8	SIDE 1: 4.0 steps inside 25 yd In	7.5 steps behind FRONT HASH (HS)
5	8	SIDE 1: 4.0 steps inside 25 yd In	7.5 steps behind FRONT HASH (HS)
6	16	SIDE 1: 2.25 steps outside 50 yd In	6.0 steps in front of FRONT HASH (HS)
7	8	SIDE 2: 4.0 steps inside 45 yd In	10.0 steps in front of FRONT HASH (HS)
8	40	SIDE 2: 4.0 steps inside 45 yd In	10.0 steps in front of FRONT HASH (HS)
9	16	SIDE 1: 4.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: 4.0 steps inside 30 yd In	12.0 steps behind FRONT SIDELINE
11	16	SIDE 1: 4.0 steps inside 30 yd In	4.0 steps behind FRONT SIDELINE
12	8	SIDE 1: 4.0 steps inside 35 yd In	4.0 steps behind FRONT SIDELINE
13	8	SIDE 1: On 35 yd In	8.0 steps behind FRONT SIDELINE
14	12	SIDE 1: On 35 yd In	6.5 steps behind FRONT SIDELINE
15	12	SIDE 1: On 35 yd In	6.5 steps behind FRONT SIDELINE
16	24	SIDE 1: 2.75 steps inside 40 yd In	12.0 steps behind FRONT SIDELINE
17	8	SIDE 1: 2.75 steps inside 40 yd In	12.0 steps behind FRONT SIDELINE
18	16	SIDE 2: 2.75 steps outside 50 yd In	12.0 steps behind FRONT SIDELINE
19	16	SIDE 2: 2.75 steps outside 45 yd In	12.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 4.0 steps inside 35 yd In	14.0 steps behind FRONT SIDELINE

#### Performer: Symbol: C Label: 24 ID:563237395082000 Drill: 2024 GRAFTON PT2 Counts SIDE 1-SIDE 2 FRONT-BACK 0 SIDE 2: 4.0 steps inside 35 yd In 20 14.0 steps behind FRONT SIDELINE 16 SIDE 2: 2.0 steps inside 45 yd In 21 8.0 steps behind FRONT SIDELINE 22 8 SIDE 2: 2.0 steps inside 45 yd In 8.0 steps behind FRONT SIDELINE 23 8 SIDE 2: 2.0 steps inside 45 yd In 8.0 steps behind FRONT SIDELINE SIDE 2: 3.25 steps outside 50 yd In 24 10.75 steps behind FRONT SIDELINE 25 12 SIDE 2: 3.25 steps outside 50 yd In 10.75 steps behind FRONT SIDELINE 26 10 SIDE 2: 3.25 steps outside 50 yd In 10.75 steps behind FRONT SIDELINE 27 8 SIDE 2: On 45 yd In 8.0 steps behind FRONT SIDELINE 12 SIDE 2: On 45 yd In 8.0 steps behind FRONT SIDELINE 28 29 4 SIDE 2: On 45 yd In 8.0 steps behind FRONT SIDELINE 30 4 SIDE 2: On 45 yd In 8.0 steps behind FRONT SIDELINE 31 4 SIDE 2: On 45 yd In 8.0 steps behind FRONT SIDELINE 32 4 SIDE 2: On 45 yd In 8.0 steps behind FRONT SIDELINE 33 4 SIDE 2: On 45 yd In 12.0 steps behind FRONT SIDELINE 34 SIDE 2: On 45 yd In 12.0 steps behind FRONT SIDELINE 14

Performer: Symbol: C Label: 24 ID:563237395082000 Drill: 2024 GRAFTON PT3

7.5 steps in front of FRONT HASH (HS)

12 SIDE 2: 0.25 steps outside 50 yd In

Printed: Sun. Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 0.25 steps outside 50 yd In	7.5 steps in front of FRONT HASH (HS)
36	8	SIDE 2: 0.25 steps outside 50 yd In	7.5 steps in front of FRONT HASH (HS)
37	16	SIDE 1: 4.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: 4.0 steps inside 35 yd In	6.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 4.0 steps inside 25 yd In	6.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 4.0 steps inside 25 yd In	6.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 2.0 steps inside 20 yd In	4.0 steps in front of FRONT HASH (HS)
42	16	SIDE 1: 2.0 steps inside 20 yd In	4.0 steps in front of FRONT HASH (HS)
43	12	SIDE 1: 2.0 steps inside 20 yd In	4.0 steps in front of FRONT HASH (HS)
44	16	SIDE 1: 4.0 steps outside 25 yd In	0.75 steps behind FRONT HASH (HS)
45	16	SIDE 1: 3.5 steps outside 35 yd In	1.25 steps behind FRONT HASH (HS)
46	8	SIDE 1: 1.0 steps inside 35 yd In	1.25 steps behind FRONT HASH (HS)

Perfo		Symbol: C Label: 24 ID:5632373950	
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 1.0 steps inside 35 yd In	1.25 steps behind FRONT HASH (HS)
47	17	SIDE 1: On 25 yd In	4.0 steps in front of FRONT HASH (HS)
48	8	SIDE 1: On 25 yd In	4.0 steps in front of FRONT HASH (HS)
49	9	SIDE 1: On 25 yd In	10.0 steps behind FRONT SIDELINE
50	8	SIDE 1: On 25 yd In	10.0 steps behind FRONT SIDELINE
51	8	SIDE 1: On 35 yd In	10.0 steps behind FRONT SIDELINE
52	20	SIDE 1: 4.0 steps inside 35 yd In	12.0 steps behind FRONT SIDELINE
53	16	SIDE 1: 4.0 steps inside 35 yd In	12.0 steps behind FRONT SIDELINE
54	8	SIDE 1: 4.0 steps inside 35 yd In	12.0 steps behind FRONT SIDELINE
55	16	SIDE 1: 4.0 steps inside 35 yd In	12.0 steps behind FRONT SIDELINE
56	16	SIDE 1: 4.0 steps inside 35 yd In	12.0 steps behind FRONT SIDELINE
57	8	SIDE 1: 2.0 steps outside 40 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: 2.0 steps outside 40 yd In	12.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 2.0 steps outside 45 yd In	12.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 2.0 steps outside 45 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 2.0 steps outside 45 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 1: 2.0 steps outside 45 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 1: On 40 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 1: On 40 yd In	8.0 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: C Label: 20 ID:56323739508	81600 Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 3.0 steps inside 20 yd In	10.0 steps behind FRONT HASH (HS)
2	8	SIDE 1: 3.0 steps inside 20 yd In	10.0 steps behind FRONT HASH (HS)
3	8	SIDE 1: 3.0 steps outside 25 yd In	3.5 steps behind FRONT HASH (HS)
4	8	SIDE 1: 3.0 steps outside 25 yd In	3.5 steps behind FRONT HASH (HS)
5	8	SIDE 1: 3.0 steps outside 25 yd In	3.5 steps behind FRONT HASH (HS)
6	16	SIDE 1: 2.75 steps outside 45 yd In	0.25 steps in front of FRONT HASH (HS)
7	8	SIDE 1: 3.75 steps inside 45 yd In	4.5 steps in front of FRONT HASH (HS)
8	40	SIDE 1: 3.75 steps inside 45 yd In	4.5 steps in front of FRONT HASH (HS)
9	16	SIDE 1: 2.0 steps outside 45 yd In	6.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: 2.0 steps outside 35 yd In	14.0 steps behind FRONT SIDELINE
11	16	SIDE 1: 4.0 steps inside 30 yd In	8.0 steps behind FRONT SIDELINE
12	8	SIDE 1: 4.0 steps inside 30 yd In	8.0 steps behind FRONT SIDELINE
13	8	SIDE 1: On 30 yd In	8.0 steps behind FRONT SIDELINE
14	12	SIDE 1: 2.5 steps outside 30 yd In	3.75 steps behind FRONT SIDELINE
15	12	SIDE 1: 2.5 steps outside 30 yd In	3.75 steps behind FRONT SIDELINE
16	24	SIDE 1: On 35 yd In	12.0 steps behind FRONT SIDELINE
17	8	SIDE 1: On 35 yd In	12.0 steps behind FRONT SIDELINE
18	16	SIDE 1: On 45 yd In	12.0 steps behind FRONT SIDELINE
19	16	On 50 yd In	12.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 1.75 steps outside 50 yd In	13.25 steps in front of FRONT HASH (HS)

### Performer: Symbol: C Label: 20 ID:563237395081600 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

21 16 SIDE 2: 3.0 steps inside 45 yd In 10.0 steps behind FRONT SIDELINE
22 8 SIDE 2: 3.0 steps inside 45 yd In 10.0 steps behind FRONT SIDELINE
23 8 SIDE 2: 3.0 steps inside 45 yd In 10.0 steps behind FRONT SIDELINE
24 8 SIDE 2: 0.5 steps outside 50 yd In 10.5 steps behind FRONT SIDELINE
25 12 SIDE 2: 0.5 steps outside 50 yd In 10.5 steps behind FRONT SIDELINE
26 10 SIDE 2: 0.5 steps outside 50 yd In 10.5 steps behind FRONT SIDELINE
27 8 SIDE 2: On 50 yd In 12.0 steps behind FRONT SIDELINE
28 12 SIDE 2: On 50 yd In 12.0 steps behind FRONT SIDELINE
29 4 SIDE 2: On 50 yd In 12.0 steps behind FRONT SIDELINE
30 4 SIDE 2: On 50 yd In 12.0 steps behind FRONT SIDELINE
31 4 SIDE 2: 4.0 steps inside 45 yd In 12.0 steps behind FRONT SIDELINE
32 4 SIDE 2: 4.0 steps inside 45 yd In 12.0 steps behind FRONT SIDELINE
33 4 SIDE 2: 4.0 steps outside 50 yd In 12.0 steps behind FRONT SIDELINE
34 14 SIDE 2: 4.0 steps outside 50 yd In 12.0 steps behind FRONT SIDELINE
35 12 SIDE 1: 3.75 steps outside 50 yd In 10.0 steps in front of FRONT HASH (HS

Performer: Symbol: C Label: 20 ID:563237395081600 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 3.75 steps outside 50 yd In	10.0 steps in front of FRONT HASH (HS)
36	8	SIDE 1: 3.75 steps outside 50 yd In	10.0 steps in front of FRONT HASH (HS)
37	16	SIDE 1: 2.0 steps inside 40 yd In	4.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps inside 35 yd In	10.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 2.0 steps inside 25 yd In	10.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 2.0 steps inside 25 yd In	10.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 2.0 steps inside 20 yd In	On FRONT HASH (HS)
42	16	SIDE 1: 2.0 steps inside 20 yd In	On FRONT HASH (HS)
43	12	SIDE 1: 2.0 steps inside 20 yd In	On FRONT HASH (HS)
44	16	SIDE 1: 1.75 steps outside 25 yd In	0.75 steps behind FRONT HASH (HS)
45	16	SIDE 1: 1.25 steps outside 35 yd In	1.25 steps behind FRONT HASH (HS)
46	8	SIDE 1: 3.5 steps inside 35 yd In	1.0 steps behind FRONT HASH (HS)

Perfor	mer:	Symbol: C Label: 20	ID:5632373950816	000 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2		FRONT-BACK
46	0	SIDE 1: 3.5 steps insid	le 35 yd In	1.0 steps behind FRONT HASH (HS)
47	17	SIDE 1: 4.0 steps insid	le 25 yd In	4.0 steps in front of FRONT HASH (HS)
48	8	SIDE 1: 4.0 steps insid	le 25 yd In	4.0 steps in front of FRONT HASH (HS)
49	9	SIDE 1: 4.0 steps insid	le 25 yd In	10.0 steps behind FRONT SIDELINE
50	8	SIDE 1: 4.0 steps insid	le 25 yd In	10.0 steps behind FRONT SIDELINE
51	8	SIDE 1: 4.0 steps insid	le 35 yd In	10.0 steps behind FRONT SIDELINE
52	20	SIDE 1: 4.0 steps insid	le 40 yd In	12.0 steps behind FRONT SIDELINE
53	16	SIDE 1: 4.0 steps insid	le 40 yd In	12.0 steps behind FRONT SIDELINE
54	8	SIDE 1: 4.0 steps insid	le 40 yd In	12.0 steps behind FRONT SIDELINE
55	16	SIDE 1: 4.0 steps insid	le 40 yd In	12.0 steps behind FRONT SIDELINE
56	16	SIDE 1: 4.0 steps insid	le 40 yd In	12.0 steps behind FRONT SIDELINE
57	8	SIDE 1: 2.0 steps outs	ide 45 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: 2.0 steps outs	ide 45 yd In	12.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: On 40 yd In		8.0 steps behind FRONT SIDELINE
60	8	SIDE 1: 2.0 steps outs	ide 40 yd In	12.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 2.0 steps outs	ide 40 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 2.0 steps outs	ide 40 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 1: 2.0 steps outs	ide 40 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 1: 4.0 steps insid	le 30 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 1: 4.0 steps insid	le 30 yd In	8.0 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: C Label: 26 ID:56323739508	32200 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 2.0 steps outside 35 yd In	6.0 steps behind FRONT HASH (HS)
2	8	SIDE 1: 2.0 steps outside 35 yd In	6.0 steps behind FRONT HASH (HS)
3	8	SIDE 1: On 30 yd In	8.0 steps behind FRONT HASH (HS)
4	8	SIDE 1: On 30 yd In	8.0 steps behind FRONT HASH (HS)
5	8	SIDE 1: On 30 yd In	8.0 steps behind FRONT HASH (HS)
6	16	SIDE 2: 2.0 steps outside 50 yd In	9.0 steps in front of FRONT HASH (HS)
7	8	SIDE 2: 0.25 steps outside 45 yd In	12.5 steps in front of FRONT HASH (HS)
8	40	SIDE 2: 0.25 steps outside 45 yd In	12.5 steps in front of FRONT HASH (HS)
9	16	SIDE 1: 4.0 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: 4.0 steps inside 35 yd In	12.0 steps behind FRONT SIDELINE
11	16	SIDE 1: On 35 yd In	4.0 steps behind FRONT SIDELINE
12	8	SIDE 1: On 40 yd In	4.0 steps behind FRONT SIDELINE
13	8	SIDE 1: 4.0 steps inside 35 yd In	8.0 steps behind FRONT SIDELINE
14	12	SIDE 1: 4.0 steps inside 35 yd In	10.25 steps behind FRONT SIDELINE
15	12	SIDE 1: 4.0 steps inside 35 yd In	10.25 steps behind FRONT SIDELINE
16	24	SIDE 1: On 45 yd In	12.0 steps behind FRONT SIDELINE
17	8	SIDE 1: On 45 yd In	12.0 steps behind FRONT SIDELINE
18	16	SIDE 2: On 45 yd In	12.0 steps behind FRONT SIDELINE
19	16	SIDE 2: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 3.0 steps inside 30 yd In	11.25 steps behind FRONT SIDELINE

### Performer: Symbol: C Label: 26 ID:563237395082200 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 2: 3.0 steps inside 30 yd In	11.25 steps behind FRONT SIDELINE
21	16	SIDE 2: 2.0 steps outside 45 yd In	8.0 steps behind FRONT SIDELINE
22	8	SIDE 2: 2.0 steps outside 45 yd In	8.0 steps behind FRONT SIDELINE
23	8	SIDE 2: 2.0 steps outside 45 yd In	8.0 steps behind FRONT SIDELINE
24	8	SIDE 2: 1.0 steps inside 45 yd In	11.5 steps in front of FRONT HASH (HS
25	12	SIDE 2: 1.0 steps inside 45 yd In	11.5 steps in front of FRONT HASH (HS
26	10	SIDE 2: 1.0 steps inside 45 yd In	11.5 steps in front of FRONT HASH (HS
27	8	SIDE 2: On 40 yd In	12.0 steps in front of FRONT HASH (HS
28	12	SIDE 2: On 40 yd In	12.0 steps in front of FRONT HASH (HS
29	4	SIDE 2: On 40 yd In	12.0 steps in front of FRONT HASH (HS
30	4	SIDE 2: On 40 yd In	12.0 steps in front of FRONT HASH (HS
31	4	SIDE 2: On 40 yd In	12.0 steps in front of FRONT HASH (HS
32	4	SIDE 2: On 40 yd In	12.0 steps in front of FRONT HASH (HS
33	4	SIDE 2: On 40 yd In	12.0 steps behind FRONT SIDELINE
34	14	SIDE 2: On 40 yd In	12.0 steps behind FRONT SIDELINE
35	12	SIDE 2: 2.5 steps inside 45 vd In	2.75 steps in front of FRONT HASH (HS

Performer: Symbol: C Label: 26 ID:563237395082200 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 2.5 steps inside 45 yd In	2.75 steps in front of FRONT HASH (HS)
36	8	SIDE 2: 2.5 steps inside 45 yd In	2.75 steps in front of FRONT HASH (HS)
37	16	SIDE 1: 2.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps outside 40 yd In	6.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 2.0 steps outside 30 yd In	6.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 2.0 steps outside 30 yd In	6.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 4.0 steps inside 20 yd In	4.0 steps in front of FRONT HASH (HS)
42	16	SIDE 1: 4.0 steps inside 20 yd In	4.0 steps in front of FRONT HASH (HS)
43	12	SIDE 1: 4.0 steps inside 20 yd In	4.0 steps in front of FRONT HASH (HS)
44	16	SIDE 1: 0.5 steps inside 25 yd In	0.5 steps behind FRONT HASH (HS)
45	16	SIDE 1: 1.25 steps inside 35 yd In	1.0 steps behind FRONT HASH (HS)
46	8	SIDE 1: 2.0 steps outside 40 yd In	1.0 steps behind FRONT HASH (HS)
Perfo	rmer:	Symbol: C Label: 26 ID:563237	395082200 Drill: 2024 Grafton Pt4

Perfo	rmer:	Symbol: C Label: 26 ID:56323739508	2200 Drill: 2024 Grafton Pt4
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 2.0 steps outside 40 yd In	1.0 steps behind FRONT HASH (HS)
47	17	SIDE 1: 1.0 steps outside 45 yd In	7.0 steps behind BACK HASH (HS)
48	8	SIDE 1: 1.0 steps outside 45 yd In	7.0 steps behind BACK HASH (HS)
49	9	SIDE 1: 1.0 steps outside 45 yd In	7.0 steps behind BACK HASH (HS)
50	8	SIDE 1: 1.0 steps outside 45 yd In	1.0 steps behind BACK HASH (HS)
51	8	SIDE 1: 3.0 steps inside 45 yd In	1.0 steps behind BACK HASH (HS)
52	20	SIDE 1: 3.0 steps inside 45 yd In	1.0 steps behind BACK HASH (HS)
53	16	SIDE 1: 3.0 steps inside 45 yd In	1.0 steps behind BACK HASH (HS)
54	8	SIDE 1: 2.0 steps outside 50 yd In	On BACK HASH (HS)
55	16	SIDE 1: 1.0 steps inside 40 yd In	12.0 steps behind FRONT HASH (HS)
56	16	SIDE 1: On 35 yd In	On FRONT HASH (HS)
57	8	SIDE 1: 2.0 steps inside 35 yd In	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: On 35 yd In	2.0 steps behind FRONT HASH (HS)
59	8	SIDE 1: 2.0 steps outside 35 yd In	4.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 2.0 steps outside 35 yd In	4.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 2.0 steps outside 35 yd In	4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 2.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: 2.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: 2.0 steps inside 30 yd In	9.25 steps in front of FRONT HASH (HS)
65	18	SIDE 1: 2.0 steps inside 30 yd In	9.25 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
renomie.	III 2024 GRAI TON

Perfo	rmer:	Symbol: E Label: 1 ID:563237395077	100 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 3.0 steps outside 35 yd In	5.0 steps in front of FRONT HASH (HS)
2	8	SIDE 1: 3.0 steps outside 35 yd In	5.0 steps in front of FRONT HASH (HS)
3	8	SIDE 1: 1.0 steps inside 25 yd In	2.75 steps in front of FRONT HASH (HS)
4	8	SIDE 1: 1.0 steps inside 25 yd In	2.75 steps in front of FRONT HASH (HS)
5	8	SIDE 1: 1.0 steps inside 25 yd In	2.75 steps in front of FRONT HASH (HS)
6	16	SIDE 1: 0.5 steps outside 35 yd In	13.5 steps in front of FRONT HASH (HS)
7	8	SIDE 1: On 35 yd In	8.0 steps behind FRONT SIDELINE
8	40	SIDE 1: On 35 yd In	8.0 steps behind FRONT SIDELINE
9	16	SIDE 1: On 25 yd In	12.0 steps behind FRONT SIDELINE
10	16	SIDE 1: On 25 yd In	4.0 steps in front of FRONT HASH (HS)
11	16	SIDE 1: 4.0 steps inside 25 yd In	8.0 steps in front of FRONT HASH (HS)
12	8	SIDE 1: 4.0 steps inside 30 yd In	8.0 steps in front of FRONT HASH (HS)
13	8	SIDE 1: 3.5 steps outside 35 yd In	4.0 steps in front of FRONT HASH (HS)
14	12	SIDE 1: 3.25 steps outside 40 yd In	13.0 steps behind FRONT SIDELINE
15	12	SIDE 1: 3.25 steps outside 40 yd In	13.0 steps behind FRONT SIDELINE
16	24	SIDE 1: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
17	8	SIDE 1: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
18	16	SIDE 2: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
19	16	SIDE 2: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 2.75 steps outside 35 yd In	12.0 steps behind FRONT SIDELINE

#### Performer: Symbol: E Label: 1 ID:563237395077100 Drill: 2024 GRAFTON PT2 Counts SIDE 1-SIDE 2 FRONT-BACK Set 12.0 steps behind FRONT SIDELINE 20 0 SIDE 2: 2.75 steps outside 35 yd In 21 16 SIDE 2: 2.0 steps inside 45 yd In 8.0 steps in front of FRONT HASH (HS) 22 8 SIDE 2: 2.0 steps inside 45 yd In 8.0 steps in front of FRONT HASH (HS) 23 8 SIDE 2: 2.0 steps inside 45 yd In 8.0 steps in front of FRONT HASH (HS) SIDE 2: 3.25 steps outside 50 yd In 24 8.0 steps in front of FRONT HASH (HS) 25 SIDE 2: 3.25 steps outside 50 yd In 8.0 steps in front of FRONT HASH (HS) 26 SIDE 2: 3.25 steps outside 50 yd In 8.0 steps in front of FRONT HASH (HS) 27 SIDE 2: On 45 yd In 8.0 steps in front of FRONT HASH (HS) 12 SIDE 2: On 45 yd In 8.0 steps in front of FRONT HASH (HS) 28 29 SIDE 2: On 45 yd In 8.0 steps in front of FRONT HASH (HS) 30 SIDE 2: On 45 yd In 8.0 steps in front of FRONT HASH (HS) 31 4 SIDE 2: 4.0 steps outside 45 yd In 8.0 steps in front of FRONT HASH (HS) 32 SIDE 2: 4.0 steps outside 45 yd In 8.0 steps in front of FRONT HASH (HS) 33 SIDE 2: 4.0 steps outside 45 yd In 8.0 steps in front of FRONT HASH (HS) 34 14 SIDE 2: 4.0 steps outside 45 yd In 8.0 steps in front of FRONT HASH (HS)

Performer: Symbol: E Label: 1 ID:563237395077100 Drill: 2024 GRAFTON PT3

6.0 steps in front of FRONT HASH (HS)

12 SIDE 2: 2.0 steps outside 50 yd In

Printed: Sun. Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 2.0 steps outside 50 yd In	6.0 steps in front of FRONT HASH (HS)
36	8	SIDE 2: 2.0 steps outside 50 yd In	6.0 steps in front of FRONT HASH (HS)
37	16	SIDE 1: 4.0 steps inside 40 yd In	4.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: 4.0 steps inside 35 yd In	10.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 4.0 steps inside 25 yd In	10.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 4.0 steps inside 25 yd In	10.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 4.0 steps inside 20 yd In	On FRONT HASH (HS)
42	16	SIDE 1: 4.0 steps inside 20 yd In	On FRONT HASH (HS)
43	12	SIDE 1: 4.0 steps inside 20 yd In	On FRONT HASH (HS)
44	16	SIDE 1: 2.75 steps inside 25 yd In	0.5 steps behind FRONT HASH (HS)
45	16	SIDE 1: 3.5 steps inside 35 yd In	1.0 steps behind FRONT HASH (HS)
46	8	SIDE 1: 0.5 steps inside 40 yd In	1.0 steps behind FRONT HASH (HS)
Perfo	rmer:	Symbol: E Label: 1 ID:563237395077	100 Drill: 2024 Grafton Pt4

Perfo	rmer:	Symbol: E Label: 1 ID:563237395077	100 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 0.5 steps inside 40 yd In	1.0 steps behind FRONT HASH (HS)
47	17	SIDE 1: On 30 yd In	4.0 steps in front of FRONT HASH (HS)
48	8	SIDE 1: On 30 yd In	4.0 steps in front of FRONT HASH (HS)
49	9	SIDE 1: On 30 yd In	10.0 steps behind FRONT SIDELINE
50	8	SIDE 1: On 30 yd In	10.0 steps behind FRONT SIDELINE
51	8	SIDE 1: On 40 yd In	10.0 steps behind FRONT SIDELINE
52	20	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT SIDELINE
53	16	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT SIDELINE
54	8	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT SIDELINE
55	16	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT SIDELINE
56	16	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT SIDELINE
57	8	SIDE 1: 2.0 steps outside 50 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: 2.0 steps outside 50 yd In	12.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: 2.0 steps outside 50 yd In	12.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 4.0 steps inside 45 yd In	10.0 steps behind FRONT SIDELINE
61	8	SIDE 1: 2.0 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 2.0 steps inside 45 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 1: 2.0 steps inside 45 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 1: 2.0 steps outside 45 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 1: 2.0 steps outside 45 yd In	8.0 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: C Label: 25 ID:56323739508	32100 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 1.0 steps inside 30 yd In	14.0 steps in front of BACK HASH (HS)
2	8	SIDE 1: 1.0 steps inside 30 yd In	14.0 steps in front of BACK HASH (HS)
3	8	SIDE 1: 2.0 steps outside 30 yd In	7.75 steps behind FRONT HASH (HS)
4	8	SIDE 1: 2.0 steps outside 30 yd In	7.75 steps behind FRONT HASH (HS)
5	8	SIDE 1: 2.0 steps outside 30 yd In	7.75 steps behind FRONT HASH (HS)
6	16	SIDE 1: On 50 yd In	7.5 steps in front of FRONT HASH (HS)
7	8	SIDE 2: 1.75 steps inside 45 yd In	11.25 steps in front of FRONT HASH (HS)
8	40	SIDE 2: 1.75 steps inside 45 yd In	11.25 steps in front of FRONT HASH (HS)
9	16	SIDE 1: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: On 35 yd In	12.0 steps behind FRONT SIDELINE
11	16	SIDE 1: 2.0 steps outside 35 yd In	4.0 steps behind FRONT SIDELINE
12	8	SIDE 1: 2.0 steps outside 40 yd In	4.0 steps behind FRONT SIDELINE
13	8	SIDE 1: 2.0 steps inside 35 yd In	8.0 steps behind FRONT SIDELINE
14	12	SIDE 1: 2.25 steps inside 35 yd In	8.25 steps behind FRONT SIDELINE
15	12	SIDE 1: 2.25 steps inside 35 yd In	8.25 steps behind FRONT SIDELINE
16	24	SIDE 1: 2.75 steps outside 45 yd In	12.0 steps behind FRONT SIDELINE
17	8	SIDE 1: 2.75 steps outside 45 yd In	12.0 steps behind FRONT SIDELINE
18	16	SIDE 2: 2.75 steps inside 45 yd In	12.0 steps behind FRONT SIDELINE
19	16	SIDE 2: 2.75 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: 0.5 steps outside 35 yd In	12.75 steps behind FRONT SIDELINE

### Performer: Symbol: C Label: 25 ID:563237395082100 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

Set	Count	S SIDE 1-SIDE Z	FRONT-BACK
20	0	SIDE 2: 0.5 steps outside 35 yd In	12.75 steps behind FRONT SIDELINE
21	16	SIDE 2: On 45 yd In	8.0 steps behind FRONT SIDELINE
22	8	SIDE 2: On 45 yd In	8.0 steps behind FRONT SIDELINE
23	8	SIDE 2: On 45 yd In	8.0 steps behind FRONT SIDELINE
24	8	SIDE 2: 1.0 steps inside 45 yd In	14.0 steps behind FRONT SIDELINE
25	12	SIDE 2: 1.0 steps inside 45 yd In	14.0 steps behind FRONT SIDELINE
26	10	SIDE 2: 1.0 steps inside 45 yd In	14.0 steps behind FRONT SIDELINE
27	8	SIDE 2: On 40 yd In	12.0 steps behind FRONT SIDELINE
28	12	SIDE 2: On 40 yd In	12.0 steps behind FRONT SIDELINE
29	4	SIDE 2: On 40 yd In	12.0 steps behind FRONT SIDELINE
30	4	SIDE 2: On 40 yd In	12.0 steps behind FRONT SIDELINE
31	4	SIDE 2: On 40 yd In	12.0 steps behind FRONT SIDELINE
32	4	SIDE 2: 4.0 steps inside 35 yd In	12.0 steps behind FRONT SIDELINE
33	4	SIDE 2: 4.0 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
34	14	SIDE 2: 4.0 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
35	12	SIDE 2: 1.0 steps inside 45 yd In	1.0 steps in front of FRONT HASH (HS)

Performer: Symbol: C Label: 25 ID:563237395082100 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 1.0 steps inside 45 yd In	1.0 steps in front of FRONT HASH (HS)
36	8	SIDE 2: 1.0 steps inside 45 yd In	1.0 steps in front of FRONT HASH (HS)
37	16	SIDE 1: 2.0 steps outside 45 yd In	4.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: 2.0 steps outside 40 yd In	10.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 2.0 steps outside 30 yd In	10.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 2.0 steps outside 30 yd In	10.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 2.0 steps outside 25 yd In	On FRONT HASH (HS)
42	16	SIDE 1: 2.0 steps outside 25 yd In	On FRONT HASH (HS)
43	12	SIDE 1: 2.0 steps outside 25 yd In	On FRONT HASH (HS)
44	16	SIDE 1: 3.0 steps outside 30 yd In	0.25 steps behind FRONT HASH (HS)
45	16	SIDE 1: 2.0 steps outside 40 yd In	1.0 steps behind FRONT HASH (HS)
46	8	SIDE 1: 3.0 steps inside 40 yd In	1.0 steps behind FRONT HASH (HS)

Perfo	rmer:	Symbol: C Label: 25 ID:563237395082	2100 Drill: 2024 Grafton Pt4
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 3.0 steps inside 40 yd In	1.0 steps behind FRONT HASH (HS)
47	17	SIDE 1: 1.0 steps inside 45 yd In	7.0 steps behind BACK HASH (HS)
48	8	SIDE 1: 1.0 steps inside 45 yd In	7.0 steps behind BACK HASH (HS)
49	9	SIDE 1: 1.0 steps inside 45 yd In	7.0 steps behind BACK HASH (HS)
50	8	SIDE 1: 1.0 steps inside 45 yd In	1.0 steps behind BACK HASH (HS)
51	8	SIDE 1: 3.0 steps outside 50 yd In	1.0 steps behind BACK HASH (HS)
52	20	SIDE 1: 3.0 steps outside 50 yd In	1.0 steps behind BACK HASH (HS)
53	16	SIDE 1: 3.0 steps outside 50 yd In	1.0 steps behind BACK HASH (HS)
54	8	SIDE 1: 2.0 steps inside 45 yd In	On BACK HASH (HS)
55	16	SIDE 1: 3.0 steps outside 45 yd In	12.75 steps behind FRONT HASH (HS)
56	16	SIDE 1: 4.0 steps inside 40 yd In	On FRONT HASH (HS)
57	8	SIDE 1: 2.0 steps outside 45 yd In	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: 2.0 steps outside 45 yd In	4.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: On 40 yd In	4.0 steps behind FRONT HASH (HS)
60	8	SIDE 1: 2.0 steps outside 40 yd In	4.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 2.0 steps outside 40 yd In	4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 2.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: 2.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: 4.0 steps inside 35 yd In	2.0 steps behind FRONT HASH (HS)
65	18	SIDE 1: 4.0 steps inside 35 yd In	2.0 steps behind FRONT HASH (HS)

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: F Label: 10 ID:563650346964	1700 Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 3.0 steps inside 30 yd In	9.0 steps in front of BACK HASH (HS)
2	8	SIDE 1: 3.0 steps inside 30 yd In	9.0 steps in front of BACK HASH (HS)
3	8	SIDE 1: 3.0 steps inside 30 yd In	9.0 steps in front of BACK HASH (HS)
4	8	SIDE 1: On 35 yd In	6.0 steps in front of BACK HASH (HS)
5	8	SIDE 1: On 35 yd In	6.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 1.0 steps outside 50 yd In	10.0 steps in front of BACK HASH (HS)
7	8	SIDE 2: 2.0 steps inside 45 yd In	9.25 steps in front of BACK HASH (HS)
8	40	SIDE 2: 2.0 steps inside 45 yd In	9.25 steps in front of BACK HASH (HS)
9	16	SIDE 1: 2.75 steps inside 45 yd In	14.0 steps in front of BACK HASH (HS)
10	16	SIDE 1: 2.75 steps inside 40 yd In	6.0 steps behind FRONT HASH (HS)
11	16	SIDE 1: 2.75 steps inside 40 yd In	4.0 steps behind FRONT HASH (HS)
12	8	SIDE 1: 2.75 steps inside 35 yd In	4.0 steps behind FRONT HASH (HS)
13	8	SIDE 1: 4.0 steps inside 35 yd In	On FRONT HASH (HS)
14	12	SIDE 1: 0.25 steps inside 40 yd In	0.25 steps in front of FRONT HASH (HS)
15	12	SIDE 1: 0.25 steps inside 40 yd In	0.25 steps in front of FRONT HASH (HS)
16	24	SIDE 1: On 45 yd In	8.0 steps behind FRONT HASH (HS)
17	8	SIDE 1: On 45 yd In	8.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: On 35 yd In	8.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: On 30 yd In	4.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 4.0 steps inside 30 yd In	4.0 steps in front of FRONT HASH (HS)

#### Performer: Symbol: F Label: 10 ID:563650346964700 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
20	0	SIDE 1: 4.0 steps inside 30 yd In	4.0 steps in front of FRONT HASH (HS)
21	16	SIDE 1: 4.0 steps inside 25 yd In	11.0 steps behind FRONT SIDELINE
22	8	SIDE 1: 4.0 steps inside 25 yd In	11.0 steps behind FRONT SIDELINE
23	8	SIDE 1: 4.0 steps inside 25 yd In	11.0 steps behind FRONT SIDELINE
24	8	SIDE 1: 1.0 steps inside 30 yd In	12.75 steps behind FRONT SIDELINE
25	12	SIDE 1: 1.0 steps inside 30 yd In	12.75 steps behind FRONT SIDELINE
26	10	SIDE 1: 1.0 steps inside 30 yd In	12.75 steps behind FRONT SIDELINE
27	8	SIDE 1: On 25 yd In	8.0 steps behind FRONT SIDELINE
28	12	SIDE 1: On 25 yd In	8.0 steps behind FRONT SIDELINE
29	4	SIDE 1: On 25 yd In	8.0 steps behind FRONT SIDELINE
30	4	SIDE 1: On 25 yd In	8.0 steps behind FRONT SIDELINE
31	4	SIDE 1: On 25 yd In	8.0 steps behind FRONT SIDELINE
32	4	SIDE 1: On 25 yd In	8.0 steps behind FRONT SIDELINE
33	4	SIDE 1: On 25 yd In	12.0 steps behind FRONT SIDELINE
34	14	SIDE 1: On 25 yd In	12.0 steps behind FRONT SIDELINE
35	12	SIDE 1: 3.5 steps inside 15 yd In	10.5 steps behind FRONT SIDELINE

Performer: Symbol: F Label: 10 ID:563650346964700 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 3.5 steps inside 15 yd In	10.5 steps behind FRONT SIDELINE
36	8	SIDE 1: 3.5 steps inside 15 yd In	10.5 steps behind FRONT SIDELINE
37	16	SIDE 1: On 20 yd In	13.0 steps in front of FRONT HASH (HS
38	16	SIDE 1: On 20 yd In	On FRONT HASH (HS)
39	16	SIDE 1: 4.0 steps outside 35 yd In	On FRONT HASH (HS)
40	20	SIDE 1: 4.0 steps outside 35 yd In	On FRONT HASH (HS)
41	16	SIDE 1: 4.0 steps outside 30 yd In	4.0 steps behind FRONT HASH (HS)
42	16	SIDE 1: 4.0 steps outside 30 yd In	4.0 steps behind FRONT HASH (HS)
43	12	SIDE 1: 4.0 steps outside 30 yd In	4.0 steps behind FRONT HASH (HS)
44	16	SIDE 1: 0.75 steps outside 30 yd In	On FRONT HASH (HS)
45	16	SIDE 1: 0.25 steps inside 40 yd In	1.0 steps behind FRONT HASH (HS)
46	8	SIDE 1: 2.25 steps outside 45 yd In	1.25 steps behind FRONT HASH (HS)
Perfo	rmer:	Symbol: F Label: 10 ID:56365034696	4700 Drill: 2024 Grafton Pt4

Perfo	rmer:	Symbol: F Label: 10 ID:563650346964	1700 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 2.25 steps outside 45 yd In	1.25 steps behind FRONT HASH (HS)
47	17	SIDE 2: 3.0 steps outside 25 yd In	5.0 steps in front of BACK HASH (HS)
48	8	SIDE 2: 3.0 steps outside 25 yd In	5.0 steps in front of BACK HASH (HS)
49	9	SIDE 2: 3.0 steps outside 25 yd In	5.0 steps in front of BACK HASH (HS)
50	8	SIDE 2: 3.0 steps outside 25 yd In	1.0 steps behind BACK HASH (HS)
51	8	SIDE 2: 3.0 steps outside 35 yd In	1.0 steps behind BACK HASH (HS)
52	20	SIDE 2: 3.0 steps outside 35 yd In	1.0 steps behind BACK HASH (HS)
53	16	SIDE 2: 3.0 steps outside 35 yd In	1.0 steps behind BACK HASH (HS)
54	8	SIDE 2: 2.0 steps inside 30 yd In	On BACK HASH (HS)
55	16	SIDE 2: On 35 yd In	On FRONT HASH (HS)
56	16	SIDE 2: 4.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
57	8	SIDE 2: 2.0 steps inside 30 yd In	8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 2.0 steps inside 30 yd In	8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: 2.0 steps inside 30 yd In	8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 2.0 steps inside 30 yd In	8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 2.0 steps inside 30 yd In	8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 2.0 steps inside 30 yd In	12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: 2.0 steps inside 30 yd In	12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: On 35 yd In	11.0 steps behind FRONT SIDELINE
65	18	SIDE 2: On 35 yd In	11.0 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"
Periormer:	III 2024 GRAFION

Perfo	rmer:	Symbol: A Label: 8 ID:563237395078	B200 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 2.0 steps outside 25 yd In	6.0 steps in front of FRONT HASH (HS)
2	8	SIDE 1: 2.0 steps outside 25 yd In	6.0 steps in front of FRONT HASH (HS)
3	8	SIDE 1: 1.0 steps inside 25 yd In	13.75 steps behind FRONT SIDELINE
4	8	SIDE 1: 1.0 steps inside 25 yd In	13.75 steps behind FRONT SIDELINE
5	8	SIDE 1: 1.0 steps inside 25 yd In	13.75 steps behind FRONT SIDELINE
6	16	SIDE 1: 1.25 steps inside 25 yd In	7.5 steps behind FRONT SIDELINE
7	8	SIDE 1: 2.0 steps outside 25 yd In	13.0 steps in front of FRONT HASH (HS)
8	40	SIDE 1: 2.0 steps outside 25 yd In	13.0 steps in front of FRONT HASH (HS)
9	16	SIDE 1: 2.0 steps inside 20 yd In	10.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: 2.0 steps inside 20 yd In	2.0 steps behind FRONT HASH (HS)
11	16	SIDE 1: 4.0 steps outside 25 yd In	4.0 steps behind FRONT HASH (HS)
12	8	SIDE 1: 4.0 steps inside 15 yd In	4.0 steps behind FRONT HASH (HS)
13	8	SIDE 1: 3.0 steps inside 15 yd In	4.0 steps in front of FRONT HASH (HS)
14	12	SIDE 1: 1.75 steps outside 20 yd In	1.25 steps behind FRONT HASH (HS)
15	12	SIDE 1: 1.75 steps outside 20 yd In	1.25 steps behind FRONT HASH (HS)
16	24	SIDE 1: On 30 yd In	12.0 steps behind FRONT HASH (HS)
17	8	SIDE 1: On 30 yd In	12.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: On 20 yd In	12.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: On 15 yd In	8.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 1.75 steps inside 20 yd In	9.75 steps in front of FRONT HASH (HS)

## Performer: Symbol: A Label: 8 ID:563237395078200 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK 20 0 SIDE 1: 1.75 steps inside 20 yd in 9.75 steps in front of FRONT HASH (HS)

20	0	SIDE 1: 1.75 steps inside 20 yd In	9.75 steps in front of FRONT HASH (HS)
21	16	SIDE 1: 2.0 steps outside 25 yd In	9.0 steps in front of FRONT HASH (HS)
22	8	SIDE 1: 2.0 steps outside 25 yd In	9.0 steps in front of FRONT HASH (HS)
23	8	SIDE 1: 2.0 steps outside 25 yd In	9.0 steps in front of FRONT HASH (HS)
24	8	SIDE 1: 3.0 steps inside 20 yd In	8.5 steps in front of FRONT HASH (HS)
25	12	SIDE 1: 3.0 steps inside 20 yd In	8.5 steps in front of FRONT HASH (HS)
26	10	SIDE 1: 3.0 steps inside 20 yd In	8.5 steps in front of FRONT HASH (HS)
27	8	SIDE 1: On 20 yd In	8.0 steps in front of FRONT HASH (HS)
28	12	SIDE 1: On 20 yd In	8.0 steps in front of FRONT HASH (HS)
29	4	SIDE 1: 4.0 steps inside 20 yd In	8.0 steps in front of FRONT HASH (HS)
30	4	SIDE 1: 4.0 steps inside 20 yd In	8.0 steps in front of FRONT HASH (HS)
31	4	SIDE 1: 4.0 steps inside 20 yd In	8.0 steps in front of FRONT HASH (HS)
32	4	SIDE 1: 4.0 steps inside 20 yd In	8.0 steps in front of FRONT HASH (HS)
33	4	SIDE 1: 4.0 steps inside 20 yd In	8.0 steps in front of FRONT HASH (HS)
34	14	SIDE 1: 4.0 steps inside 20 yd In	8.0 steps in front of FRONT HASH (HS)
35	12	SIDE 1: 0.5 steps inside 15 yd In	11.25 steps in front of FRONT HASH (HS)

Performer: Symbol: A Label: 8 ID:563237395078200 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 0.5 steps inside 15 yd In	11.25 steps in front of FRONT HASH (HS)
36	8	SIDE 1: 0.5 steps inside 15 yd In	11.25 steps in front of FRONT HASH (HS)
37	16	SIDE 1: On 20 yd In	10.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: On 20 yd In	4.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 4.0 steps outside 35 yd In	4.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 4.0 steps outside 35 yd In	4.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 2.0 steps outside 30 yd In	8.0 steps behind FRONT HASH (HS)
42	16	SIDE 1: 2.0 steps outside 30 yd In	8.0 steps behind FRONT HASH (HS)
43	12	SIDE 1: 2.0 steps outside 30 yd In	8.0 steps behind FRONT HASH (HS)
44	16	SIDE 1: 1.5 steps inside 30 yd In	0.25 steps in front of FRONT HASH (HS)
45	16	SIDE 1: 2.5 steps inside 40 yd In	1.25 steps behind FRONT HASH (HS)
46	8	SIDE 1: On 45 yd In	1.75 steps behind FRONT HASH (HS)

Perfo Set	rmer:	Symbol: A Label: 8 ID:5		Drill: 2024 Grafton Pt4 NT-BACK
46	0	SIDE 1: On 45 yd In		steps behind FRONT HASH (HS)
47	17	SIDE 1: 2.0 steps outside 2		teps in front of FRONT HASH (HS)
48	8	SIDE 1: 2.0 steps outside 2	•	steps behind FRONT SIDELINE
49	9	SIDE 1: 2.0 steps outside 2	•	steps behind FRONT SIDELINE
50	8	SIDE 1: 2.0 steps outside 2	,	steps behind FRONT SIDELINE
51	8	SIDE 1: 2.0 steps outside 3	•	steps behind FRONT SIDELINE
52	20	SIDE 1: 4.0 steps inside 40	•	steps in front of FRONT HASH (HS)
53	16	SIDE 1: 4.0 steps inside 40	,	steps in front of FRONT HASH (HS)
54	8	SIDE 1: 4.0 steps inside 40	•	steps in front of FRONT HASH (HS)
55	16	SIDE 1: 4.0 steps inside 40	•	steps in front of FRONT HASH (HS)
56	16	SIDE 1: 4.0 steps inside 40	•	steps in front of FRONT HASH (HS)
57	8	SIDE 1: 4.0 steps outside 4	,	teps in front of FRONT HASH (HS)
58	8	SIDE 1: 4.0 steps outside 4	•	teps in front of FRONT HASH (HS)
59	8	SIDE 1: 4.0 steps outside 4	•	teps in front of FRONT HASH (HS)
60	8	SIDE 1: 4.0 steps outside 4	•	teps in front of FRONT HASH (HS)
61	8	SIDE 1: 4.0 steps outside 4	•	teps in front of FRONT HASH (HS)
62	8	SIDE 1: 4.0 steps outside 4	•	steps in front of FRONT HASH (HS)
63	8	SIDE 1: 4.0 steps outside 4	•	steps in front of FRONT HASH (HS)
64	16	SIDE 1: 3.75 steps inside 4	) yd ln 6.75	steps in front of FRONT HASH (HS)
65	18	SIDE 1: 3.75 steps inside 4	) yd ln 6.75	steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: E Label: 3 ID:5632594650118	00 Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 2.0 steps outside 30 yd In	6.0 steps behind FRONT HASH (HS)
2	8	SIDE 1: 2.0 steps outside 30 yd In	6.0 steps behind FRONT HASH (HS)
3	8	SIDE 1: 2.5 steps inside 25 yd In	0.5 steps behind FRONT HASH (HS)
4	8	SIDE 1: 2.5 steps inside 25 yd In	0.5 steps behind FRONT HASH (HS)
5	8	SIDE 1: 2.5 steps inside 25 yd In	0.5 steps behind FRONT HASH (HS)
6	16	SIDE 1: 3.0 steps outside 35 yd In	9.25 steps in front of FRONT HASH (HS)
7	8	SIDE 1: 0.5 steps outside 35 yd In	13.5 steps behind FRONT SIDELINE
8	40	SIDE 1: 0.5 steps outside 35 yd In	13.5 steps behind FRONT SIDELINE
9	16	SIDE 1: 2.0 steps outside 25 yd In	13.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: 2.0 steps outside 25 yd In	1.0 steps in front of FRONT HASH (HS)
11	16	SIDE 1: 3.5 steps inside 20 yd In	4.5 steps in front of FRONT HASH (HS)
12	8	SIDE 1: 1.25 steps outside 25 yd In	4.5 steps in front of FRONT HASH (HS)
13	8	SIDE 1: 0.5 steps inside 25 yd In	4.0 steps in front of FRONT HASH (HS)
14	12	SIDE 1: 2.5 steps inside 25 yd In	10.75 steps in front of FRONT HASH (HS)
15	12	SIDE 1: 2.5 steps inside 25 yd In	10.75 steps in front of FRONT HASH (HS)
16	24	SIDE 1: 1.75 steps outside 40 yd In	3.25 steps behind FRONT HASH (HS)
17	8	SIDE 1: 1.75 steps outside 40 yd In	3.25 steps behind FRONT HASH (HS)
18	16	SIDE 1: 1.75 steps outside 35 yd In	3.25 steps behind FRONT HASH (HS)
19	16	SIDE 1: 3.0 steps inside 30 yd In	4.25 steps behind FRONT HASH (HS)
20	16	SIDE 1: 0.25 steps inside 25 yd In	8.75 steps behind FRONT HASH (HS)

### Performer: Symbol: E Label: 3 ID:563259465011800 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 1: 0.25 steps inside 25 yd In	8.75 steps behind FRONT HASH (HS)
21	16	SIDE 1: 2.0 steps inside 25 yd In	7.0 steps in front of FRONT HASH (HS)
22	8	SIDE 1: 2.0 steps inside 25 yd In	7.0 steps in front of FRONT HASH (HS)
23	8	SIDE 1: 2.0 steps inside 25 yd In	7.0 steps in front of FRONT HASH (HS)
24	8	SIDE 1: 1.25 steps inside 25 yd In	13.25 steps in front of FRONT HASH (HS)
25	12	SIDE 1: 1.25 steps inside 25 yd In	13.25 steps in front of FRONT HASH (HS)
26	10	SIDE 1: 1.25 steps inside 25 yd In	13.25 steps in front of FRONT HASH (HS)
27	8	SIDE 1: On 25 yd In	8.0 steps in front of FRONT HASH (HS)
28	12	SIDE 1: On 25 yd In	8.0 steps in front of FRONT HASH (HS)
29	4	SIDE 1: 4.0 steps inside 25 yd In	8.0 steps in front of FRONT HASH (HS)
30	4	SIDE 1: 4.0 steps inside 25 yd In	8.0 steps in front of FRONT HASH (HS)
31	4	SIDE 1: 4.0 steps inside 25 yd In	8.0 steps in front of FRONT HASH (HS)
32	4	SIDE 1: 4.0 steps inside 25 yd In	8.0 steps in front of FRONT HASH (HS)
33	4	SIDE 1: 4.0 steps inside 25 yd In	8.0 steps in front of FRONT HASH (HS)
34	14	SIDE 1: 4.0 steps inside 25 yd In	8.0 steps in front of FRONT HASH (HS)
35	12	SIDE 1: 2.5 steps outside 20 vd ln	9 25 steps behind FRONT SIDELINE

Performer: Symbol: E Label: 3 ID:563259465011800 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 2.5 steps outside 20 yd In	9.25 steps behind FRONT SIDELINE
36	8	SIDE 1: 2.5 steps outside 20 yd In	9.25 steps behind FRONT SIDELINE
37	16	SIDE 1: 4.0 steps inside 20 yd In	13.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: 4.0 steps outside 25 yd In	On FRONT HASH (HS)
39	16	SIDE 1: 1.0 steps outside 35 yd In	On FRONT HASH (HS)
40	20	SIDE 1: 1.0 steps outside 35 yd In	On FRONT HASH (HS)
41	16	SIDE 1: 1.0 steps outside 30 yd In	4.0 steps behind FRONT HASH (HS)
42	16	SIDE 1: 1.0 steps outside 30 yd In	4.0 steps behind FRONT HASH (HS)
43	12	SIDE 1: 1.0 steps outside 30 yd In	4.0 steps behind FRONT HASH (HS)
44	16	SIDE 1: 3.75 steps inside 30 yd In	0.5 steps in front of FRONT HASH (HS)
45	16	SIDE 1: 3.0 steps outside 45 yd In	1.75 steps behind FRONT HASH (HS)
46	8	SIDE 1: 2.5 steps inside 45 yd In	2.75 steps behind FRONT HASH (HS)
Perfo	rmer:	Symbol: E Label: 3 ID:563259465011	1800 Drill: 2024 Grafton Pt4

Perfo	rmer:	Symbol: E Label: 3	ID:56325946501180	0 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2		FRONT-BACK
46	0	SIDE 1: 2.5 steps ins	ide 45 yd In	2.75 steps behind FRONT HASH (HS)
47	17	SIDE 1: 2.0 steps ins	ide 25 yd In	2.0 steps in front of FRONT HASH (HS)
48	8	SIDE 1: 2.0 steps ins	ide 25 yd In	12.0 steps behind FRONT SIDELINE
49	9	SIDE 1: 2.0 steps ins	ide 25 yd In	12.0 steps behind FRONT SIDELINE
50	8	SIDE 1: 2.0 steps ins	ide 35 yd In	12.0 steps behind FRONT SIDELINE
51	8	SIDE 1: 2.0 steps ins	ide 35 yd In	12.0 steps behind FRONT SIDELINE
52	20	SIDE 1: On 40 yd In		12.0 steps behind FRONT SIDELINE
53	16	SIDE 1: On 40 yd In		12.0 steps behind FRONT SIDELINE
54	8	SIDE 1: On 40 yd In		12.0 steps behind FRONT SIDELINE
55	16	SIDE 1: On 40 yd In		12.0 steps behind FRONT SIDELINE
56	16	SIDE 1: On 40 yd In		12.0 steps behind FRONT SIDELINE
57	8	SIDE 1: 2.0 steps ins	ide 40 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: 2.0 steps ins	ide 40 yd In	12.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: On 40 yd In		12.0 steps behind FRONT SIDELINE
60	8	SIDE 1: 2.0 steps ins	ide 40 yd In	12.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 2.0 steps ins	ide 40 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 2.0 steps ins	ide 40 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 1: 2.0 steps ins	ide 40 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 1: 2.0 steps ins	ide 35 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 1: 2.0 steps ins	ide 35 yd In	8.0 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: A Label: 9 ID:563237395078	3300 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 3.0 steps inside 25 yd In	5.0 steps in front of FRONT HASH (HS)
2	8	SIDE 1: 3.0 steps inside 25 yd In	5.0 steps in front of FRONT HASH (HS)
3	8	SIDE 1: 0.5 steps inside 25 yd In	12.25 steps in front of FRONT HASH (HS)
4	8	SIDE 1: 0.5 steps inside 25 yd In	12.25 steps in front of FRONT HASH (HS)
5	8	SIDE 1: 0.5 steps inside 25 yd In	12.25 steps in front of FRONT HASH (HS)
6	16	SIDE 1: 0.75 steps outside 25 yd In	9.0 steps behind FRONT SIDELINE
7	8	SIDE 1: 3.5 steps outside 25 yd In	11.0 steps in front of FRONT HASH (HS)
8	40	SIDE 1: 3.5 steps outside 25 yd In	11.0 steps in front of FRONT HASH (HS)
9	16	SIDE 1: 2.0 steps inside 20 yd In	7.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: 2.0 steps inside 20 yd In	5.0 steps behind FRONT HASH (HS)
11	16	SIDE 1: 2.0 steps outside 25 yd In	4.0 steps behind FRONT HASH (HS)
12	8	SIDE 1: 2.0 steps outside 20 yd In	4.0 steps behind FRONT HASH (HS)
13	8	SIDE 1: 3.5 steps outside 20 yd In	4.0 steps in front of FRONT HASH (HS)
14	12	SIDE 1: 3.25 steps outside 20 yd In	1.25 steps in front of FRONT HASH (HS)
15	12	SIDE 1: 3.25 steps outside 20 yd In	1.25 steps in front of FRONT HASH (HS)
16	24	SIDE 1: On 30 yd In	8.0 steps behind FRONT HASH (HS)
17	8	SIDE 1: On 30 yd In	8.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: On 20 yd In	8.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: On 15 yd In	4.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 3.75 steps inside 20 yd In	11.0 steps in front of FRONT HASH (HS)

#### 20 0 SIDE 1: 3.75 steps inside 20 yd In 11.0 steps in front of FRONT HASH (HS) 21 16 SIDE 1: On 25 yd In 9.0 steps in front of FRONT HASH (HS) 22 8 SIDE 1: On 25 yd In 9.0 steps in front of FRONT HASH (HS) 23 8 SIDE 1: On 25 yd In 9.0 steps in front of FRONT HASH (HS) SIDE 1: 1.25 steps outside 25 yd In 24 12.0 steps in front of FRONT HASH (HS) 25 SIDE 1: 1.25 steps outside 25 yd In 12.0 steps in front of FRONT HASH (HS) 26 SIDE 1: 1.25 steps outside 25 yd In 12.0 steps in front of FRONT HASH (HS) 27 SIDE 1: On 20 yd In 12.0 steps behind FRONT SIDELINE 12 SIDE 1: On 20 yd In 28 12.0 steps behind FRONT SIDELINE 29 SIDE 1: 4.0 steps inside 20 yd In 12.0 steps behind FRONT SIDELINE 30 SIDE 1: 4.0 steps inside 20 yd In 12.0 steps behind FRONT SIDELINE 31 SIDE 1: 4.0 steps inside 20 yd In 12.0 steps behind FRONT SIDELINE

Drill: 2024 GRAFTON PT2

12.0 steps behind FRONT SIDELINE

12.0 steps behind FRONT SIDELINE

12.0 steps behind FRONT SIDELINE

13.5 steps in front of FRONT HASH (HS)

FRONT-BACK

Performer: Symbol: A Label: 9 ID:563237395078300

SIDE 1: 4.0 steps inside 20 yd In

SIDE 1: 4.0 steps inside 20 yd In

SIDE 1: 4.0 steps inside 20 yd In

12 SIDE 1: 1.25 steps inside 15 yd In

Counts SIDE 1-SIDE 2

Performer: Symbol: A Label: 9 ID:563237395078300 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

14

Set

32

33

34

Performer: in "2024 GRAFTON"

Set	Counts	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 1.25 steps inside 15 yd In	13.5 steps in front of FRONT HASH (HS)
36	8	SIDE 1: 1.25 steps inside 15 yd In	13.5 steps in front of FRONT HASH (HS)
37	16	SIDE 1: 4.0 steps inside 20 yd In	10.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: 4.0 steps inside 20 yd In	4.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 1.0 steps outside 35 yd In	4.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 1.0 steps outside 35 yd In	4.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 1.0 steps inside 30 yd In	8.0 steps behind FRONT HASH (HS)
42	16	SIDE 1: 1.0 steps inside 30 yd In	8.0 steps behind FRONT HASH (HS)
43	12	SIDE 1: 1.0 steps inside 30 yd In	8.0 steps behind FRONT HASH (HS)
44	16	SIDE 1: 2.0 steps outside 35 yd In	0.75 steps in front of FRONT HASH (HS)
45	16	SIDE 1: 1.0 steps outside 45 yd In	2.75 steps behind FRONT HASH (HS)
46	8	SIDE 1: 3.75 steps outside 50 yd In	4.5 steps behind FRONT HASH (HS)
46	8	SIDE 1: 3.75 steps outside 50 yd In	4.5 steps behind FRONT HASH (HS)

Performer:		Symbol: A Label: 9 ID:563237395078	300 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 3.75 steps outside 50 yd In	4.5 steps behind FRONT HASH (HS)
47	17	SIDE 1: 2.0 steps outside 30 yd In	2.0 steps in front of FRONT HASH (HS)
48	8	SIDE 1: 2.0 steps outside 30 yd In	12.0 steps behind FRONT SIDELINE
49	9	SIDE 1: 2.0 steps outside 30 yd In	12.0 steps behind FRONT SIDELINE
50	8	SIDE 1: 2.0 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
51	8	SIDE 1: 2.0 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
52	20	SIDE 1: On 45 yd In	12.0 steps behind FRONT SIDELINE
53	16	SIDE 1: On 45 yd In	12.0 steps behind FRONT SIDELINE
54	8	SIDE 1: On 45 yd In	12.0 steps behind FRONT SIDELINE
55	16	SIDE 1: On 45 yd In	12.0 steps behind FRONT SIDELINE
56	16	SIDE 1: On 45 yd In	12.0 steps behind FRONT SIDELINE
57	8	SIDE 1: 2.0 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: 2.0 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: 2.0 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 4.0 steps inside 45 yd In	14.0 steps behind FRONT SIDELINE
61	8	SIDE 1: 2.0 steps outside 50 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 2.0 steps outside 50 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 1: 2.0 steps outside 50 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 1: 4.0 steps inside 45 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 1: 4.0 steps inside 45 yd In	8.0 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"
Performer:	III 2024 GRAFTON

Perfo	rmer:	Symbol: F Label: 7 ID:56365034696440	00 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: On 40 yd In	14.0 steps in front of BACK HASH (HS)
2	8	SIDE 1: On 40 yd In	14.0 steps in front of BACK HASH (HS)
3	8	SIDE 1: On 40 yd In	14.0 steps in front of BACK HASH (HS)
4	8	SIDE 1: On 35 yd In	9.0 steps in front of BACK HASH (HS)
5	8	SIDE 1: On 35 yd In	9.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 1.0 steps outside 50 yd In	13.0 steps in front of BACK HASH (HS)
7	8	SIDE 1: 1.25 steps outside 50 yd In	11.25 steps in front of BACK HASH (HS)
8	40	SIDE 1: 1.25 steps outside 50 yd In	11.25 steps in front of BACK HASH (HS)
9	16	SIDE 1: 2.75 steps outside 50 yd In	11.0 steps behind FRONT HASH (HS)
10	16	SIDE 1: 2.75 steps outside 45 yd In	3.0 steps behind FRONT HASH (HS)
11	16	SIDE 1: 4.0 steps inside 40 yd In	On FRONT HASH (HS)
12	8	SIDE 1: 4.0 steps inside 40 yd In	On FRONT HASH (HS)
13	8	SIDE 1: 4.0 steps inside 40 yd In	On FRONT HASH (HS)
14	12	SIDE 1: 1.5 steps inside 45 yd In	5.75 steps in front of FRONT HASH (HS)
15	12	SIDE 1: 1.5 steps inside 45 yd In	5.75 steps in front of FRONT HASH (HS)
16	24	SIDE 1: 1.5 steps inside 35 yd In	5.5 steps in front of FRONT HASH (HS)
17	8	SIDE 1: 1.5 steps inside 35 yd In	5.5 steps in front of FRONT HASH (HS)
18	16	SIDE 1: 1.25 steps inside 40 yd In	5.5 steps in front of FRONT HASH (HS)
19	16	SIDE 1: 2.75 steps outside 40 yd In	11.25 steps in front of FRONT HASH (HS)
20	16	SIDE 1: On 35 yd In	8.75 steps in front of FRONT HASH (HS)

#### Performer: Symbol: F Label: 7 ID:563650346964400 Drill: 2024 GRAFTON PT2 Counts SIDE 1-SIDE 2 FRONT-BACK Set 20 0 SIDE 1: On 35 yd In 8.75 steps in front of FRONT HASH (HS) 21 16 SIDE 1: 4.0 steps inside 25 yd In 9.0 steps behind FRONT SIDELINE 22 8 SIDE 1: 4.0 steps inside 25 yd In 9.0 steps behind FRONT SIDELINE 23 8 SIDE 1: 4.0 steps inside 25 yd In 9.0 steps behind FRONT SIDELINE 24 SIDE 1: 1.75 steps outside 30 yd In 13.25 steps behind FRONT SIDELINE 25 SIDE 1: 1.75 steps outside 30 yd In 13.25 steps behind FRONT SIDELINE 26 SIDE 1: 1.75 steps outside 30 yd In 13.25 steps behind FRONT SIDELINE 27 SIDE 1: On 25 yd In 12.0 steps behind FRONT SIDELINE SIDE 1: On 25 yd In 28 12.0 steps behind FRONT SIDELINE 29 SIDE 1: 4.0 steps outside 30 yd In 12.0 steps behind FRONT SIDELINE 30 SIDE 1: 4.0 steps outside 30 yd In 12.0 steps behind FRONT SIDELINE 31 SIDE 1: 4.0 steps outside 30 yd In 12.0 steps behind FRONT SIDELINE 32 SIDE 1: 4.0 steps outside 30 yd In 12.0 steps behind FRONT SIDELINE 33 SIDE 1: 4.0 steps inside 25 yd In 12.0 steps behind FRONT SIDELINE 34 SIDE 1: 4.0 steps inside 25 yd In 12.0 steps behind FRONT SIDELINE 14 12 SIDE 1: 0.5 steps outside 20 yd In 8.0 steps behind FRONT SIDELINE

Performer: Symbol: F Label: 7 ID:563650346964400 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

RAFTON"

Perfo	rmer:		in "2024 GR	
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK	
35	0	SIDE 1: 0.5 steps outside 20 yd In	8.0 steps behind FRONT SIDELINE	
36	8	SIDE 1: 0.5 steps outside 20 yd In	8.0 steps behind FRONT SIDELINE	
37	16	SIDE 1: On 25 yd In	13.0 steps in front of FRONT HASH (HS)	
38	16	SIDE 1: On 25 yd In	On FRONT HASH (HS)	
39	16	SIDE 1: 2.0 steps inside 35 yd In	On FRONT HASH (HS)	
40	20	SIDE 1: 2.0 steps inside 35 yd In	On FRONT HASH (HS)	
41	16	SIDE 1: 2.0 steps inside 30 yd In	4.0 steps behind FRONT HASH (HS)	
42	16	SIDE 1: 2.0 steps inside 30 yd In	4.0 steps behind FRONT HASH (HS)	
43	12	SIDE 1: 2.0 steps inside 30 yd In	4.0 steps behind FRONT HASH (HS)	
44	16	SIDE 1: 0.25 steps inside 35 yd In	0.5 steps in front of FRONT HASH (HS)	
45	16	SIDE 1: 1.0 steps inside 45 yd In	4.25 steps behind FRONT HASH (HS)	
46	8	SIDE 1: 3.5 steps outside 50 yd In	7.0 steps behind FRONT HASH (HS)	
Porfe	ormer:	Symbol: F Label: 7 ID:5636503469	64400 Drill: 2024 Grafton Pt4	
Set		ts SIDE 1-SIDE 2	FRONT-BACK	
46	0	SIDE 1: 3.5 steps outside 50 yd In	7.0 steps behind FRONT HASH (HS)	
47	17	SIDE 2: 3.0 steps inside 20 yd In	5.0 steps in front of BACK HASH (HS)	
48	8	SIDE 2: 3.0 steps inside 20 yd In	5.0 steps in front of BACK HASH (HS)	
49	9	SIDE 2: 3.0 steps inside 20 yd In	5.0 steps in front of BACK HASH (HS)	
50	8	SIDE 2: 3.0 steps inside 20 yd In	1.0 steps behind BACK HASH (HS)	
51	8	SIDE 2: 3.0 steps inside 30 yd In	1.0 steps behind BACK HASH (HS)	
52	20	SIDE 2: 3.0 steps inside 30 yd In	1.0 steps behind BACK HASH (HS)	
53	16	SIDE 2: 3.0 steps inside 30 yd In	1.0 steps behind BACK HASH (HS)	
54	8	SIDE 2: 2.0 steps outside 35 yd In	On BACK HASH (HS)	
55	16	SIDE 2: 2.5 steps inside 35 yd In	3.0 steps behind FRONT HASH (HS)	
56	16	SIDE 2: 4.0 steps outside 35 yd In	4.0 steps in front of FRONT HASH (HS)	
57	8	SIDE 2: 4.0 steps outside 35 yd In	4.0 steps in front of FRONT HASH (HS)	
58	8	SIDE 2: On 35 yd In	2.0 steps in front of FRONT HASH (HS)	
59	8	SIDE 2: On 35 yd In	4.0 steps in front of FRONT HASH (HS)	
60	8	SIDE 2: On 35 yd In	4.0 steps in front of FRONT HASH (HS)	
		,		

4.0 steps in front of FRONT HASH (HS)

8.0 steps in front of FRONT HASH (HS)

8.0 steps in front of FRONT HASH (HS)

11.0 steps in front of FRONT HASH (HS)

11.0 steps in front of FRONT HASH (HS)

Printed: Sun. Jul 7, 2024 at 12:18 PM

62

63

64

65

SIDE 2: On 35 yd In

SIDE 2: On 35 yd In

SIDE 2: On 35 yd In

SIDE 2: 2.0 steps outside 35 yd In

SIDE 2: 2.0 steps outside 35 yd In

Performer: in "20"
--------------------

Performer:		Symbol: A Label: 13 ID:5632373950	78800 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 1.0 steps inside 30 yd In	7.0 steps in front of FRONT HASH (HS)
2	8	SIDE 1: 1.0 steps inside 30 yd In	7.0 steps in front of FRONT HASH (HS)
3	8	SIDE 1: 0.5 steps inside 25 yd In	4.75 steps in front of FRONT HASH (HS)
4	8	SIDE 1: 0.5 steps inside 25 yd In	4.75 steps in front of FRONT HASH (HS)
5	8	SIDE 1: 0.5 steps inside 25 yd In	4.75 steps in front of FRONT HASH (HS)
6	16	SIDE 1: 1.0 steps inside 20 yd In	11.0 steps in front of FRONT HASH (HS)
7	8	SIDE 1: 1.0 steps inside 20 yd In	2.0 steps in front of FRONT HASH (HS)
8	40	SIDE 1: 1.0 steps inside 20 yd In	2.0 steps in front of FRONT HASH (HS)
9	16	SIDE 1: On 20 yd In	7.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: On 20 yd In	5.0 steps behind FRONT HASH (HS)
11	16	SIDE 1: 2.0 steps inside 20 yd In	4.0 steps behind FRONT HASH (HS)
12	8	SIDE 1: 2.0 steps inside 15 yd In	4.0 steps behind FRONT HASH (HS)
13	8	SIDE 1: 1.5 steps inside 15 yd In	4.0 steps in front of FRONT HASH (HS)
14	12	SIDE 1: 0.25 steps outside 20 yd In	3.5 steps behind FRONT HASH (HS)
15	12	SIDE 1: 0.25 steps outside 20 yd In	3.5 steps behind FRONT HASH (HS)
16	24	SIDE 1: 2.75 steps inside 30 yd In	8.0 steps behind FRONT HASH (HS)
17	8	SIDE 1: 2.75 steps inside 30 yd In	8.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: 2.75 steps inside 20 yd In	8.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: 2.75 steps inside 15 yd In	4.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 2.25 steps outside 25 yd In	12.0 steps in front of FRONT HASH (HS)

### Performer: Symbol: A Label: 13 ID:563237395078800 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

Set	Count	S SIDE I-SIDE Z	FRONT-BACK
20	0	SIDE 1: 2.25 steps outside 25 yd In	12.0 steps in front of FRONT HASH (HS)
21	16	SIDE 1: 2.0 steps inside 25 yd In	9.0 steps in front of FRONT HASH (HS)
22	8	SIDE 1: 2.0 steps inside 25 yd In	9.0 steps in front of FRONT HASH (HS)
23	8	SIDE 1: 2.0 steps inside 25 yd In	9.0 steps in front of FRONT HASH (HS)
24	8	SIDE 1: 3.75 steps inside 25 yd In	13.75 steps behind FRONT SIDELINE
25	12	SIDE 1: 3.75 steps inside 25 yd In	13.75 steps behind FRONT SIDELINE
26	10	SIDE 1: 3.75 steps inside 25 yd In	13.75 steps behind FRONT SIDELINE
27	8	SIDE 1: On 25 yd In	12.0 steps in front of FRONT HASH (HS)
28	12	SIDE 1: On 25 yd In	12.0 steps in front of FRONT HASH (HS)
29	4	SIDE 1: On 25 yd In	12.0 steps in front of FRONT HASH (HS)
30	4	SIDE 1: On 25 yd In	12.0 steps in front of FRONT HASH (HS)
31	4	SIDE 1: On 25 yd In	12.0 steps in front of FRONT HASH (HS)
32	4	SIDE 1: On 25 yd In	12.0 steps in front of FRONT HASH (HS)
33	4	SIDE 1: On 25 yd In	8.0 steps in front of FRONT HASH (HS)
34	14	SIDE 1: On 25 yd In	8.0 steps in front of FRONT HASH (HS)
35	12	SIDE 1: 2.25 steps inside 15 yd In	12.5 steps behind FRONT SIDELINE

Performer: Symbol: A Label: 13 ID:563237395078800 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Perfo	rmer:		in "202
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 2.25 steps inside 15 yd In	12.5 steps behind FRONT SIDELINE
36	8	SIDE 1: 2.25 steps inside 15 yd In	12.5 steps behind FRONT SIDELINE
37	16	SIDE 1: On 25 yd In	10.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: On 25 yd In	4.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 2.0 steps inside 35 yd In	4.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 2.0 steps inside 35 yd In	4.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 4.0 steps outside 35 yd In	8.0 steps behind FRONT HASH (HS)
42	16	SIDE 1: 4.0 steps outside 35 yd In	8.0 steps behind FRONT HASH (HS)
43	12	SIDE 1: 4.0 steps outside 35 yd In	8.0 steps behind FRONT HASH (HS)
44	16	SIDE 1: 2.5 steps inside 35 yd In	0.25 steps in front of FRONT HASH (HS)
45	16	SIDE 1: 2.25 steps inside 45 yd In	6.0 steps behind FRONT HASH (HS)
46	8	SIDE 1: 4.0 steps inside 45 yd In	9.5 steps behind FRONT HASH (HS)
Perfo	rmer:	Symbol: A Label: 13 ID:5632373950	78800 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 4.0 steps inside 45 yd In	9.5 steps behind FRONT HASH (HS)
47	17	SIDE 1: 2.0 steps inside 30 yd In	2.0 steps in front of FRONT HASH (HS)

Perfor	mer:	Symbol: A Label: 13 ID:5632373950	78800 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 4.0 steps inside 45 yd In	9.5 steps behind FRONT HASH (HS)
47	17	SIDE 1: 2.0 steps inside 30 yd In	2.0 steps in front of FRONT HASH (HS)
48	8	SIDE 1: 2.0 steps inside 30 yd In	12.0 steps behind FRONT SIDELINE
49	9	SIDE 1: 2.0 steps inside 30 yd In	12.0 steps behind FRONT SIDELINE
50	8	SIDE 1: 2.0 steps inside 40 yd In	12.0 steps behind FRONT SIDELINE
51	8	SIDE 1: 2.0 steps inside 40 yd In	12.0 steps behind FRONT SIDELINE
52	20	On 50 yd In	12.0 steps behind FRONT SIDELINE
53	16	On 50 yd In	12.0 steps behind FRONT SIDELINE
54	8	On 50 yd In	12.0 steps behind FRONT SIDELINE
55	16	On 50 yd In	12.0 steps behind FRONT SIDELINE
56	16	On 50 yd In	12.0 steps behind FRONT SIDELINE
57	8	SIDE 2: 2.0 steps outside 50 yd In	12.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 2.0 steps outside 50 yd In	12.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: 2.0 steps outside 50 yd In	12.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 4.0 steps outside 50 yd In	8.0 steps behind FRONT SIDELINE
61	8	SIDE 2: 2.0 steps outside 45 yd In	12.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 2.0 steps outside 45 yd In	12.0 steps behind FRONT SIDELINE
63	8	SIDE 2: 2.0 steps outside 45 yd In	12.0 steps behind FRONT SIDELINE
64	16	SIDE 2: 2.0 steps inside 40 yd In	8.0 steps behind FRONT SIDELINE
65	18	SIDE 2: 2.0 steps inside 40 yd In	8.0 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: C Label: 4 ID:563237395079	3300 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 4.0 steps inside 25 yd In	2.0 steps behind FRONT SIDELINE
2	8	SIDE 1: 4.0 steps inside 25 yd In	2.0 steps behind FRONT SIDELINE
3	8	SIDE 1: 2.0 steps inside 25 yd In	4.25 steps behind FRONT SIDELINE
4	8	SIDE 1: 2.0 steps inside 25 yd In	4.25 steps behind FRONT SIDELINE
5	8	SIDE 1: 2.0 steps inside 25 yd In	4.25 steps behind FRONT SIDELINE
6	16	SIDE 1: 1.25 steps inside 20 yd In	1.25 steps in front of FRONT HASH (HS)
7	8	SIDE 1: 1.25 steps outside 25 yd In	5.5 steps behind FRONT HASH (HS)
8	40	SIDE 1: 1.25 steps outside 25 yd In	5.5 steps behind FRONT HASH (HS)
9	16	SIDE 1: 2.0 steps outside 30 yd In	6.0 steps behind FRONT HASH (HS)
10	16	SIDE 1: 2.0 steps outside 35 yd In	14.0 steps in front of BACK HASH (HS)
11	16	SIDE 1: 4.0 steps inside 30 yd In	10.0 steps behind FRONT HASH (HS)
12	8	SIDE 1: 4.0 steps inside 35 yd In	10.0 steps behind FRONT HASH (HS)
13	8	SIDE 1: 4.0 steps inside 35 yd In	12.0 steps behind FRONT HASH (HS)
14	12	SIDE 1: 2.25 steps outside 40 yd In	4.5 steps behind FRONT HASH (HS)
15	12	SIDE 1: 2.25 steps outside 40 yd In	4.5 steps behind FRONT HASH (HS)
16	24	SIDE 1: 2.75 steps outside 45 yd In	8.0 steps behind FRONT HASH (HS)
17	8	SIDE 1: 2.75 steps outside 45 yd In	8.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: 2.75 steps outside 35 yd In	8.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: 2.75 steps outside 30 yd In	4.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 2.75 steps inside 30 yd In	6.0 steps in front of FRONT HASH (HS)

#### 

20	0	SIDE 1: 2.75 steps inside 30 yd In	6.0 steps in front of FRONT HASH (HS)
21	16	SIDE 1: 2.0 steps outside 35 yd In	6.0 steps in front of FRONT HASH (HS)
22	8	SIDE 1: 2.0 steps outside 35 yd In	6.0 steps in front of FRONT HASH (HS)
23	8	SIDE 1: 2.0 steps outside 35 yd In	6.0 steps in front of FRONT HASH (HS)
24	8	SIDE 1: 2.5 steps inside 30 yd In	3.5 steps in front of FRONT HASH (HS)
25	12	SIDE 1: 2.5 steps inside 30 yd In	3.5 steps in front of FRONT HASH (HS)
26	10	SIDE 1: 2.5 steps inside 30 yd In	3.5 steps in front of FRONT HASH (HS)
27	8	SIDE 1: On 30 yd In	4.0 steps in front of FRONT HASH (HS)
28	12	SIDE 1: On 30 yd In	4.0 steps in front of FRONT HASH (HS)
29	4	SIDE 1: On 30 yd In	4.0 steps in front of FRONT HASH (HS)
30	4	SIDE 1: On 30 yd In	4.0 steps in front of FRONT HASH (HS)
31	4	SIDE 1: On 30 yd In	4.0 steps in front of FRONT HASH (HS)
32	4	SIDE 1: On 30 yd In	4.0 steps in front of FRONT HASH (HS)
33	4	SIDE 1: On 30 yd In	8.0 steps in front of FRONT HASH (HS)
34	14	SIDE 1: On 30 yd In	8.0 steps in front of FRONT HASH (HS)
35	12	SIDE 1: 1.75 steps inside 20 vd In	7.5 steps behind FRONT SIDELINE

Performer: Symbol: C Label: 4 ID:563237395079300 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Perfo	rmer:		in "2
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 1.75 steps inside 20 yd In	7.5 steps behind FRONT SIDELINE
36	8	SIDE 1: 1.75 steps inside 20 yd In	7.5 steps behind FRONT SIDELINE
37	16	SIDE 1: 4.0 steps inside 25 yd In	13.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: 4.0 steps outside 30 yd In	On FRONT HASH (HS)
39	16	SIDE 1: 3.0 steps outside 40 yd In	On FRONT HASH (HS)
40	20	SIDE 1: 3.0 steps outside 40 yd In	On FRONT HASH (HS)
41	16	SIDE 1: 3.0 steps outside 35 yd In	4.0 steps behind FRONT HASH (HS)
42	16	SIDE 1: 3.0 steps outside 35 yd In	4.0 steps behind FRONT HASH (HS)
43	12	SIDE 1: 3.0 steps outside 35 yd In	4.0 steps behind FRONT HASH (HS)
44	16	SIDE 1: 3.5 steps outside 40 yd In	0.75 steps behind FRONT HASH (HS)
45	16	SIDE 1: 3.0 steps inside 45 yd In	8.25 steps behind FRONT HASH (HS)
46	8	SIDE 1: 2.75 steps inside 45 yd In	11.5 steps behind FRONT HASH (HS)
Perfo	ormer:	Symbol: C Label: 4 ID:56323739507	9300 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 2.75 steps inside 45 yd In	11.5 steps behind FRONT HASH (HS)
47	47	CIDE 2, 4.0 stone sutside 20 ud la	4.0 stone in front of DACK LIACIL (LIC)

Perto	rmer:	Symbol: C Label: 4 ID:563237395079	300 Drill: 2024 Grafton Pt4
Set Counts SIDE 1-SIDE 2 FRONT-BACK			
46	0	SIDE 1: 2.75 steps inside 45 yd In	11.5 steps behind FRONT HASH (HS)
47	17	SIDE 2: 1.0 steps outside 30 yd In	1.0 steps in front of BACK HASH (HS)
48	8	SIDE 2: 1.0 steps outside 30 yd In	1.0 steps in front of BACK HASH (HS)
49	9	SIDE 2: 1.0 steps outside 30 yd In	1.0 steps in front of BACK HASH (HS)
50	8	SIDE 2: 1.0 steps outside 30 yd In	1.0 steps behind BACK HASH (HS)
51	8	SIDE 2: 3.0 steps inside 35 yd In	1.0 steps behind BACK HASH (HS)
52	20	SIDE 2: 3.0 steps inside 35 yd In	1.0 steps behind BACK HASH (HS)
53	16	SIDE 2: 3.0 steps inside 35 yd In	1.0 steps behind BACK HASH (HS)
54	8	SIDE 2: 2.0 steps outside 40 yd In	On BACK HASH (HS)
55	16	SIDE 2: 1.25 steps outside 40 yd In	9.75 steps behind FRONT HASH (HS)
56	16	SIDE 2: 4.0 steps outside 35 yd In	On FRONT HASH (HS)
57	8	SIDE 2: 2.0 steps inside 30 yd In	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: On 35 yd In	4.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: 2.0 steps inside 35 yd In	4.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 2.0 steps inside 35 yd In	4.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 2.0 steps inside 35 yd In	4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 2.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: 2.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: On 35 yd In	12.0 steps in front of FRONT HASH (HS)
65	18	SIDE 2: On 35 yd In	12.0 steps in front of FRONT HASH (HS)

in "2024 GRAFTON"

Performer:		Symbol: F Label: 8 ID:563650346964	500 Drill: 2024 GRAFTON PT1.3dj
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 3.0 steps outside 40 yd In	8.0 steps in front of BACK HASH (HS)
2	8	SIDE 1: 3.0 steps outside 40 yd In	8.0 steps in front of BACK HASH (HS)
3	8	SIDE 1: 3.0 steps outside 40 yd In	8.0 steps in front of BACK HASH (HS)
4	8	SIDE 1: 3.0 steps inside 35 yd In	9.0 steps in front of BACK HASH (HS)
5	8	SIDE 1: 3.0 steps inside 35 yd In	9.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 4.0 steps inside 45 yd In	13.0 steps in front of BACK HASH (HS)
7	8	SIDE 2: 1.0 steps outside 50 yd In	10.0 steps in front of BACK HASH (HS)
8	40	SIDE 2: 1.0 steps outside 50 yd In	10.0 steps in front of BACK HASH (HS)
9	16	On 50 yd In	11.0 steps behind FRONT HASH (HS)
10	16	SIDE 1: On 45 yd In	3.0 steps behind FRONT HASH (HS)
11	16	SIDE 1: 2.0 steps outside 45 yd In	2.0 steps behind FRONT HASH (HS)
12	8	SIDE 1: 2.0 steps inside 40 yd In	2.0 steps behind FRONT HASH (HS)
13	8	SIDE 1: 2.0 steps inside 40 yd In	On FRONT HASH (HS)
14	12	SIDE 1: 1.25 steps outside 45 yd In	5.25 steps in front of FRONT HASH (HS)
15	12	SIDE 1: 1.25 steps outside 45 yd In	5.25 steps in front of FRONT HASH (HS)
16	24	SIDE 1: 0.25 steps outside 35 yd In	7.25 steps in front of FRONT HASH (HS)
17	8	SIDE 1: 0.25 steps outside 35 yd In	7.25 steps in front of FRONT HASH (HS)
18	16	SIDE 1: 2.75 steps inside 40 yd In	7.25 steps in front of FRONT HASH (HS)
19	16	SIDE 1: 1.25 steps inside 40 yd In	11.75 steps in front of FRONT HASH (HS)
20	16	SIDE 1: 2.75 steps inside 35 yd In	12.25 steps in front of FRONT HASH (HS)

#### Performer: Symbol: F Label: 8 ID:563650346964500 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK SIDE 1: 2.75 steps inside 35 yd In 20 0 12.25 steps in front of FRONT HASH (HS) 21 16 SIDE 1: 2.0 steps outside 30 yd In 9.0 steps behind FRONT SIDELINE 22 8 SIDE 1: 2.0 steps outside 30 yd In 9.0 steps behind FRONT SIDELINE 23 8 SIDE 1: 2.0 steps outside 30 yd In 9.0 steps behind FRONT SIDELINE SIDE 1: 3.5 steps inside 30 yd In 24 12.5 steps behind FRONT SIDELINE 25 SIDE 1: 3.5 steps inside 30 yd In 12.5 steps behind FRONT SIDELINE 26 SIDE 1: 3.5 steps inside 30 yd In 12.5 steps behind FRONT SIDELINE 27 SIDE 1: On 30 yd In 12.0 steps in front of FRONT HASH (HS) 12 SIDE 1: On 30 yd In 28 12.0 steps in front of FRONT HASH (HS) 29 SIDE 1: On 30 yd In 12.0 steps in front of FRONT HASH (HS) 30 SIDE 1: On 30 yd In 12.0 steps in front of FRONT HASH (HS) 31 4 SIDE 1: On 30 yd In 12.0 steps in front of FRONT HASH (HS) 32 SIDE 1: On 30 yd In 12.0 steps in front of FRONT HASH (HS) 33 SIDE 1: On 30 yd In 12.0 steps behind FRONT SIDELINE 34 14 SIDE 1: On 30 yd In 12.0 steps behind FRONT SIDELINE 12 SIDE 1: 4.0 steps outside 25 yd In 7.0 steps behind FRONT SIDELINE

Performer: Symbol: F Label: 8 ID:563650346964500 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

2024 GRAFTON"

Perfo	rmer:		in "2
Set	Counts	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 4.0 steps outside 25 yd In	7.0 steps behind FRONT SIDELINE
36	8	SIDE 1: 4.0 steps outside 25 yd In	7.0 steps behind FRONT SIDELINE
37	16	SIDE 1: 4.0 steps inside 25 yd In	10.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: 4.0 steps inside 25 yd In	4.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 3.0 steps outside 40 yd In	4.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 3.0 steps outside 40 yd In	4.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 1.0 steps outside 35 yd In	8.0 steps behind FRONT HASH (HS)
42	16	SIDE 1: 1.0 steps outside 35 yd In	8.0 steps behind FRONT HASH (HS)
43	12	SIDE 1: 1.0 steps outside 35 yd In	8.0 steps behind FRONT HASH (HS)
44	16	SIDE 1: 1.75 steps outside 40 yd In	2.25 steps behind FRONT HASH (HS)
45	16	SIDE 1: 3.5 steps inside 45 yd In	10.75 steps behind FRONT HASH (HS)
46	8	SIDE 1: 1.25 steps inside 45 yd In	13.5 steps behind FRONT HASH (H\$)
Perfo	ormer:	Symbol: F Label: 8 ID:563650346964	4500 Drill: 2024 Grafton Pt4
Set	Counts	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 1.25 steps inside 45 yd In	13.5 steps behind FRONT HASH (HS)
47	17	SIDE 2: 1.0 steps inside 30 yd In	1.0 steps in front of BACK HASH (HS)
48	8	SIDE 2: 1.0 steps inside 30 vd In	1.0 steps in front of BACK HASH (HS)

Performer:		Symbol: F Label: 8 ID:563650346964	500 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 1.25 steps inside 45 yd In	13.5 steps behind FRONT HASH (HS)
47	17	SIDE 2: 1.0 steps inside 30 yd In	1.0 steps in front of BACK HASH (HS)
48	8	SIDE 2: 1.0 steps inside 30 yd In	1.0 steps in front of BACK HASH (HS)
49	9	SIDE 2: 1.0 steps inside 30 yd In	1.0 steps in front of BACK HASH (HS)
50	8	SIDE 2: 1.0 steps inside 30 yd In	1.0 steps behind BACK HASH (HS)
51	8	SIDE 2: 3.0 steps outside 40 yd In	1.0 steps behind BACK HASH (HS)
52	20	SIDE 2: 3.0 steps outside 40 yd In	1.0 steps behind BACK HASH (HS)
53	16	SIDE 2: 3.0 steps outside 40 yd In	1.0 steps behind BACK HASH (HS)
54	8	SIDE 2: 2.0 steps inside 35 yd In	On BACK HASH (HS)
55	16	SIDE 2: 3.0 steps outside 40 yd In	6.25 steps behind FRONT HASH (HS)
56	16	SIDE 2: On 35 yd In	4.0 steps in front of FRONT HASH (HS)
57	8	SIDE 2: On 35 yd In	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: On 35 yd In	2.0 steps behind FRONT HASH (HS)
59	8	SIDE 2: 4.0 steps outside 35 yd In	4.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 4.0 steps outside 35 yd In	4.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 4.0 steps outside 35 yd In	4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 4.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: 4.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: 2.0 steps inside 30 yd In	9.0 steps in front of FRONT HASH (HS)
65	18	SIDE 2: 2.0 steps inside 30 yd In	9.0 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: F Label: 6 ID:56365034696430	00 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 3.0 steps inside 35 yd In	13.0 steps behind FRONT HASH (HS)
2	8	SIDE 1: 3.0 steps inside 35 yd In	13.0 steps behind FRONT HASH (HS)
3	8	SIDE 1: 3.0 steps inside 35 yd In	13.0 steps behind FRONT HASH (HS)
4	8	SIDE 1: 3.0 steps outside 35 yd In	9.0 steps in front of BACK HASH (HS)
5	8	SIDE 1: 3.0 steps outside 35 yd In	9.0 steps in front of BACK HASH (HS)
6	16	SIDE 1: 2.0 steps outside 50 yd In	13.0 steps in front of BACK HASH (HS)
7	8	SIDE 1: 3.25 steps outside 50 yd In	12.75 steps in front of BACK HASH (HS)
8	40	SIDE 1: 3.25 steps outside 50 yd In	12.75 steps in front of BACK HASH (HS)
9	16	SIDE 1: 2.75 steps inside 45 yd In	11.0 steps behind FRONT HASH (HS)
10	16	SIDE 1: 2.75 steps inside 40 yd In	3.0 steps behind FRONT HASH (HS)
11	16	SIDE 1: 2.0 steps inside 40 yd In	2.0 steps in front of FRONT HASH (HS)
12	8	SIDE 1: 2.0 steps outside 45 yd In	2.0 steps in front of FRONT HASH (HS)
13	8	SIDE 1: 2.0 steps outside 45 yd In	On FRONT HASH (HS)
14	12	SIDE 1: 3.75 steps outside 50 yd In	5.75 steps in front of FRONT HASH (HS)
15	12	SIDE 1: 3.75 steps outside 50 yd In	5.75 steps in front of FRONT HASH (HS)
16	24	SIDE 1: 3.25 steps inside 35 yd In	3.75 steps in front of FRONT HASH (HS)
17	8	SIDE 1: 3.25 steps inside 35 yd In	3.75 steps in front of FRONT HASH (HS)
18	16	SIDE 1: 0.25 steps outside 40 yd In	3.75 steps in front of FRONT HASH (HS)
19	16	SIDE 1: 1.5 steps inside 35 yd In	10.5 steps in front of FRONT HASH (HS)
20	16	SIDE 1: 1.25 steps outside 35 yd In	4.25 steps in front of FRONT HASH (HS)

#### Set Counts SIDE 1-SIDE 2 FRONT-BACK SIDE 1: 1.25 steps outside 35 yd In 20 0 4.25 steps in front of FRONT HASH (HS) 21 16 SIDE 1: On 30 yd In 11.0 steps behind FRONT SIDELINE 22 8 SIDE 1: On 30 yd In 11.0 steps behind FRONT SIDELINE 23 8 SIDE 1: On 30 yd In 11.0 steps behind FRONT SIDELINE SIDE 1: 3.5 steps inside 35 yd In 24 12.0 steps behind FRONT SIDELINE 25 SIDE 1: 3.5 steps inside 35 yd In 12.0 steps behind FRONT SIDELINE 26 SIDE 1: 3.5 steps inside 35 yd In 12.0 steps behind FRONT SIDELINE 27 SIDE 1: On 35 yd In 12.0 steps in front of FRONT HASH (HS) 12 SIDE 1: On 35 yd In 12.0 steps in front of FRONT HASH (HS) 28 29 SIDE 1: On 35 yd In 12.0 steps in front of FRONT HASH (HS) 30 SIDE 1: On 35 yd In 12.0 steps in front of FRONT HASH (HS) 4 SIDE 1: On 35 yd In 31 12.0 steps in front of FRONT HASH (HS) 32 SIDE 1: On 35 yd In 12.0 steps in front of FRONT HASH (HS) 33 SIDE 1: On 35 yd In 8.0 steps in front of FRONT HASH (HS)

Drill: 2024 GRAFTON PT2

8.0 steps in front of FRONT HASH (HS)

7.25 steps behind FRONT SIDELINE

Performer: Symbol: F Label: 6 ID:563650346964300

Performer: Symbol: F Label: 6 ID:563650346964300 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

SIDE 1: On 35 yd In

12 SIDE 1: 3.0 steps inside 25 yd In

14

34

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 3.0 steps inside 25 yd In	7.25 steps behind FRONT SIDELINE
36	8	SIDE 1: 3.0 steps inside 25 yd In	7.25 steps behind FRONT SIDELINE
37	16	SIDE 1: On 30 yd In	13.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: On 30 yd In	On FRONT HASH (HS)
39	16	SIDE 1: On 40 yd In	On FRONT HASH (HS)
40	20	SIDE 1: On 40 yd In	On FRONT HASH (HS)
41	16	SIDE 1: On 35 yd In	4.0 steps behind FRONT HASH (HS)
42	16	SIDE 1: On 35 yd In	4.0 steps behind FRONT HASH (HS)
43	12	SIDE 1: On 35 yd In	4.0 steps behind FRONT HASH (HS)
44	16	SIDE 1: 0.5 steps outside 40 yd In	4.0 steps behind FRONT HASH (HS)
45	16	SIDE 1: 3.5 steps inside 45 yd In	13.0 steps behind FRONT HASH (HS)
46	8	SIDE 1: 0.75 steps outside 45 yd In	12.75 steps in front of BACK HASH (HS)
46	Ö	SIDE 1: 0.75 steps outside 45 yd in	12.75 Steps In Itolit of BACK HASH (

Perfo	rmer:	Symbol: F Label: 6	ID:56365034696430	0 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2		FRONT-BACK
46	0	SIDE 1: 0.75 steps out	side 45 yd In	12.75 steps in front of BACK HASH (HS)
47	17	SIDE 2: 3.0 steps insid	le 35 yd In	3.0 steps behind BACK HASH (HS)
48	8	SIDE 2: 3.0 steps insid	le 35 yd In	3.0 steps behind BACK HASH (HS)
49	9	SIDE 2: 3.0 steps insid	le 35 yd In	3.0 steps behind BACK HASH (HS)
50	8	SIDE 2: 3.0 steps insid	le 35 yd In	1.0 steps behind BACK HASH (HS)
51	8	SIDE 2: 3.0 steps insid	le 40 yd In	1.0 steps behind BACK HASH (HS)
52	20	SIDE 2: 3.0 steps insid	le 40 yd In	1.0 steps behind BACK HASH (HS)
53	16	SIDE 2: 3.0 steps insid	le 40 yd In	1.0 steps behind BACK HASH (HS)
54	8	SIDE 2: 2.0 steps outs	ide 45 yd In	On BACK HASH (HS)
55	16	SIDE 2: 0.25 steps ins	ide 45 yd In	12.5 steps in front of BACK HASH (HS)
56	16	SIDE 2: On 40 yd In		On FRONT HASH (HS)
57	8	SIDE 2: 2.0 steps outs	ide 40 yd In	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 2.0 steps outs	ide 40 yd In	4.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: On 40 yd In		2.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 2.0 steps insid	le 40 yd In	4.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 2.0 steps insid	le 40 yd In	4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 2.0 steps insid	le 40 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: 2.0 steps insid	le 40 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: 1.0 steps outs	ide 40 yd In	4.0 steps in front of FRONT HASH (HS)
65	18	SIDE 2: 1.0 steps outs	ide 40 yd In	4.0 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: C Label: 15 ID:563237395	081100 Drill: 2024 GRAFTON PT1.3dj
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 3.0 steps outside 20 yd In	1.0 steps in front of FRONT HASH (HS)
2	8	SIDE 1: 3.0 steps outside 20 yd In	1.0 steps in front of FRONT HASH (HS)
3	8	SIDE 1: On 20 yd In	5.5 steps in front of FRONT HASH (HS)
4	8	SIDE 1: On 20 yd In	5.5 steps in front of FRONT HASH (HS)
5	8	SIDE 1: On 20 yd In	5.5 steps in front of FRONT HASH (HS)
6	16	SIDE 1: 2.0 steps inside 35 yd In	5.75 steps behind FRONT HASH (HS)
7	8	SIDE 1: 1.25 steps inside 40 yd In	2.5 steps behind FRONT HASH (HS)
8	40	SIDE 1: 1.25 steps inside 40 yd In	2.5 steps behind FRONT HASH (HS)
9	16	SIDE 1: 4.0 steps inside 40 yd In	4.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: 4.0 steps inside 30 yd In	12.0 steps in front of FRONT HASH (HS)
11	16	SIDE 1: 2.0 steps inside 30 yd In	12.0 steps behind FRONT SIDELINE
12	8	SIDE 1: 2.0 steps inside 25 yd In	12.0 steps behind FRONT SIDELINE
13	8	SIDE 1: 2.0 steps outside 25 yd In	8.0 steps behind FRONT SIDELINE
14	12	SIDE 1: 0.5 steps inside 20 yd In	7.75 steps behind FRONT SIDELINE
15	12	SIDE 1: 0.5 steps inside 20 yd In	7.75 steps behind FRONT SIDELINE
16	24	SIDE 1: On 30 yd In	12.0 steps behind FRONT SIDELINE
17	8	SIDE 1: On 30 yd In	12.0 steps behind FRONT SIDELINE
18	16	SIDE 1: On 40 yd In	12.0 steps behind FRONT SIDELINE
19	16	SIDE 1: On 45 yd In	12.0 steps in front of FRONT HASH (HS)
20	16	SIDE 1: 3.75 steps inside 40 yd In	13.5 steps in front of FRONT HASH (HS)

# Performer: Symbol: C Label: 15 ID:563237395081100 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK 20 0 SIDE 1: 3.75 steps inside 40 yd In 13.5 steps in front of FRONT HASH (HS) 21 16 SIDE 1: 2.0 steps outside 40 yd In 14.0 steps behind FRONT SIDELINE

	•	0.22 0 0 0.0000.00	1010 010 00 11 11 011 11 11 11 11 11 11
21	16	SIDE 1: 2.0 steps outside 40 yd In	14.0 steps behind FRONT SIDELINE
22	8	SIDE 1: 2.0 steps outside 40 yd In	14.0 steps behind FRONT SIDELINE
23	8	SIDE 1: 2.0 steps outside 40 yd In	14.0 steps behind FRONT SIDELINE
24	8	SIDE 1: 0.25 steps inside 40 yd In	11.75 steps behind FRONT SIDELINE
25	12	SIDE 1: 0.25 steps inside 40 yd In	11.75 steps behind FRONT SIDELINE
26	10	SIDE 1: 0.25 steps inside 40 yd In	11.75 steps behind FRONT SIDELINE
27	8	SIDE 1: On 35 yd In	8.0 steps behind FRONT SIDELINE
28	12	SIDE 1: On 35 yd In	8.0 steps behind FRONT SIDELINE
29	4	SIDE 1: On 35 yd In	8.0 steps behind FRONT SIDELINE
30	4	SIDE 1: On 35 yd In	8.0 steps behind FRONT SIDELINE
31	4	SIDE 1: On 35 yd In	8.0 steps behind FRONT SIDELINE
32	4	SIDE 1: On 35 yd In	8.0 steps behind FRONT SIDELINE
33	4	SIDE 1: On 35 yd In	12.0 steps behind FRONT SIDELINE
34	14	SIDE 1: On 35 yd In	12.0 steps behind FRONT SIDELINE
35	12	SIDE 1: 2.75 steps outside 30 vd ln	7.75 steps behind FRONT SIDELINE

Performer: Symbol: C Label: 15 ID:563237395081100 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 2.75 steps outside 30 yd In	7.75 steps behind FRONT SIDELINE
36	8	SIDE 1: 2.75 steps outside 30 yd In	7.75 steps behind FRONT SIDELINE
37	16	SIDE 1: On 30 yd In	10.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: On 30 yd In	4.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: On 40 yd In	4.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: On 40 yd In	4.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 2.0 steps inside 35 yd In	8.0 steps behind FRONT HASH (HS)
42	16	SIDE 1: 2.0 steps inside 35 yd In	8.0 steps behind FRONT HASH (HS)
43	12	SIDE 1: 2.0 steps inside 35 yd In	8.0 steps behind FRONT HASH (HS)
44	16	SIDE 1: On 40 yd In	6.25 steps behind FRONT HASH (HS)
45	16	SIDE 1: 2.75 steps inside 45 yd In	12.75 steps in front of BACK HASH (HS)
46	8	SIDE 1: 3.0 steps outside 45 yd In	11.5 steps in front of BACK HASH (HS)
Perfo	rmer:	Symbol: C Label: 15 ID:5632373950	081100 Drill: 2024 Grafton Pt4

Perfo	rmer:	Symbol: C Label: 15 II	D:56323739508110	0 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	F	FRONT-BACK
46	0	SIDE 1: 3.0 steps outside	45 yd In 1	11.5 steps in front of BACK HASH (HS)
47	17	SIDE 2: 3.0 steps outside	40 yd In 3	3.0 steps behind BACK HASH (HS)
48	8	SIDE 2: 3.0 steps outside	40 yd In 3	3.0 steps behind BACK HASH (HS)
49	9	SIDE 2: 3.0 steps outside	40 yd In 3	3.0 steps behind BACK HASH (HS)
50	8	SIDE 2: 3.0 steps outside	40 yd In 1	1.0 steps behind BACK HASH (HS)
51	8	SIDE 2: 3.0 steps outside	45 yd In 1	1.0 steps behind BACK HASH (HS)
52	20	SIDE 2: 3.0 steps outside	45 yd In 1	1.0 steps behind BACK HASH (HS)
53	16	SIDE 2: 3.0 steps outside	45 yd In 1	1.0 steps behind BACK HASH (HS)
54	8	SIDE 2: 2.0 steps inside 4	10 yd In (	On BACK HASH (HS)
55	16	SIDE 2: 3.5 steps inside 4	15 yd In 1	10.5 steps in front of BACK HASH (HS)
56	16	SIDE 2: 4.0 steps outside	40 yd In (	On FRONT HASH (HS)
57	8	SIDE 2: 2.0 steps inside 3	35 yd In 4	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: On 35 yd In	4	4.0 steps behind FRONT HASH (HS)
59	8	SIDE 2: 2.0 steps inside 3	30 yd In 4	4.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 2.0 steps inside 3	30 yd In 4	4.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 2.0 steps inside 3	30 yd In 4	4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 2.0 steps inside 3	30 yd In 8	3.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: 2.0 steps inside 3	30 yd In 8	3.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: On 30 yd In	8	3.0 steps in front of FRONT HASH (HS)
65	18	SIDE 2: On 30 yd In	3	3.0 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Performer:		Symbol: F Label: 12 ID:5636503469	64900 Drill: 2024 GRAFTON PT1.3dj
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 1.0 steps inside 40 yd In	10.0 steps in front of BACK HASH (HS)
2	8	SIDE 1: 1.0 steps inside 40 yd In	10.0 steps in front of BACK HASH (HS)
3	8	SIDE 1: 1.0 steps inside 40 yd In	10.0 steps in front of BACK HASH (HS)
4	8	SIDE 1: 2.0 steps outside 40 yd In	6.0 steps in front of BACK HASH (HS)
5	8	SIDE 1: 2.0 steps outside 40 yd In	6.0 steps in front of BACK HASH (HS)
6	16	SIDE 2: 1.0 steps inside 45 yd In	10.0 steps in front of BACK HASH (HS)
7	8	SIDE 2: 3.0 steps outside 45 yd In	9.0 steps in front of BACK HASH (HS)
8	40	SIDE 2: 3.0 steps outside 45 yd In	9.0 steps in front of BACK HASH (HS)
9	16	On 50 yd In	14.0 steps in front of BACK HASH (HS)
10	16	SIDE 1: On 45 yd In	6.0 steps behind FRONT HASH (HS)
11	16	SIDE 1: On 45 yd In	4.0 steps behind FRONT HASH (HS)
12	8	SIDE 1: On 40 yd In	4.0 steps behind FRONT HASH (HS)
13	8	SIDE 1: On 40 yd In	On FRONT HASH (HS)
14	12	SIDE 1: 3.75 steps outside 45 yd In	4.0 steps in front of FRONT HASH (HS)
15	12	SIDE 1: 3.75 steps outside 45 yd In	4.0 steps in front of FRONT HASH (HS)
16	24	SIDE 1: 2.0 steps outside 35 yd In	9.0 steps in front of FRONT HASH (HS)
17	8	SIDE 1: 2.0 steps outside 35 yd In	9.0 steps in front of FRONT HASH (HS)
18	16	SIDE 1: 4.0 steps inside 40 yd In	9.0 steps in front of FRONT HASH (HS)
19	16	SIDE 1: 3.0 steps outside 45 yd In	12.0 steps in front of FRONT HASH (HS)
20	16	SIDE 1: 0.75 steps outside 40 yd In	13.25 steps in front of FRONT HASH (HS)

#### Performer: Symbol: F Label: 12 ID:563650346964900 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

Set	Count	S SIDE 1-SIDE Z	FRUNT-BACK
20	0	SIDE 1: 0.75 steps outside 40 yd In	13.25 steps in front of FRONT HASH (HS)
21	16	SIDE 1: On 30 yd In	9.0 steps behind FRONT SIDELINE
22	8	SIDE 1: On 30 yd In	9.0 steps behind FRONT SIDELINE
23	8	SIDE 1: On 30 yd In	9.0 steps behind FRONT SIDELINE
24	8	SIDE 1: 0.75 steps inside 35 yd In	12.0 steps behind FRONT SIDELINE
25	12	SIDE 1: 0.75 steps inside 35 yd In	12.0 steps behind FRONT SIDELINE
26	10	SIDE 1: 0.75 steps inside 35 yd In	12.0 steps behind FRONT SIDELINE
27	8	SIDE 1: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
28	12	SIDE 1: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
29	4	SIDE 1: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
30	4	SIDE 1: 4.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
31	4	SIDE 1: 4.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
32	4	SIDE 1: 4.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
33	4	SIDE 1: 4.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
34	14	SIDE 1: 4.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
35	12	SIDE 1: 0.25 steps outside 30 yd In	8.0 steps behind FRONT SIDELINE

Performer: Symbol: F Label: 12 ID:563650346964900 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Coun	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 0.25 steps outside 30 yd In	8.0 steps behind FRONT SIDELINE
36	8	SIDE 1: 0.25 steps outside 30 yd In	8.0 steps behind FRONT SIDELINE
37	16	SIDE 1: On 30 yd In	7.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: On 30 yd In	8.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: On 40 yd In	8.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: On 40 yd In	8.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 3.0 steps outside 40 yd In	12.0 steps behind FRONT HASH (HS)
42	16	SIDE 1: 3.0 steps outside 40 yd In	12.0 steps behind FRONT HASH (HS)
43	12	SIDE 1: 3.0 steps outside 40 yd In	12.0 steps behind FRONT HASH (HS)
44	16	SIDE 1: 0.25 steps inside 40 yd In	8.5 steps behind FRONT HASH (HS)
45	16	SIDE 1: 1.25 steps inside 45 yd In	11.25 steps in front of BACK HASH (HS)
46	8	SIDE 1: 2.5 steps inside 40 yd In	11.0 steps in front of BACK HASH (HS)
Perfo	rmer:	Symbol: F Label: 12 ID:5636503469	064900 Drill: 2024 Grafton Pt4

Performer:		Symbol: F Label: 12 ID:563650346964	4900 Drill: 2024 Grafton Pt4
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 2.5 steps inside 40 yd In	11.0 steps in front of BACK HASH (HS)
47	17	SIDE 2: 1.0 steps outside 45 yd In	7.0 steps behind BACK HASH (HS)
48	8	SIDE 2: 1.0 steps outside 45 yd In	7.0 steps behind BACK HASH (HS)
49	9	SIDE 2: 1.0 steps outside 45 yd In	7.0 steps behind BACK HASH (HS)
50	8	SIDE 2: 1.0 steps outside 45 yd In	1.0 steps behind BACK HASH (HS)
51	8	SIDE 2: 3.0 steps inside 45 yd In	1.0 steps behind BACK HASH (HS)
52	20	SIDE 2: 3.0 steps inside 45 yd In	1.0 steps behind BACK HASH (HS)
53	16	SIDE 2: 3.0 steps inside 45 yd In	1.0 steps behind BACK HASH (HS)
54	8	SIDE 2: 2.0 steps outside 50 yd In	On BACK HASH (HS)
55	16	SIDE 2: 1.0 steps inside 40 yd In	12.0 steps behind FRONT HASH (HS)
56	16	SIDE 2: On 35 yd In	On FRONT HASH (HS)
57	8	SIDE 2: 2.0 steps outside 35 yd In	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: On 35 yd In	On FRONT HASH (HS)
59	8	SIDE 2: 2.0 steps outside 35 yd In	4.0 steps in front of FRONT HASH (HS)
60	8	SIDE 2: 2.0 steps outside 35 yd In	4.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 2.0 steps outside 35 yd In	4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 2.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: 2.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: 4.0 steps outside 35 yd In	10.0 steps in front of FRONT HASH (HS)
65	18	SIDE 2: 4.0 steps outside 35 yd In	10.0 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Performer:		Symbol: C Label: 14 ID:56323739508	1000 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 2.0 steps inside 15 yd In	6.0 steps in front of FRONT HASH (HS)
2	8	SIDE 1: 2.0 steps inside 15 yd In	6.0 steps in front of FRONT HASH (HS)
3	8	SIDE 1: 0.25 steps outside 20 yd In	7.5 steps in front of FRONT HASH (HS)
4	8	SIDE 1: 0.25 steps outside 20 yd In	7.5 steps in front of FRONT HASH (HS)
5	8	SIDE 1: 0.25 steps outside 20 yd In	7.5 steps in front of FRONT HASH (HS)
6	16	SIDE 1: 0.5 steps outside 35 yd In	6.5 steps behind FRONT HASH (HS)
7	8	SIDE 1: 1.0 steps outside 40 yd In	3.75 steps behind FRONT HASH (HS)
8	40	SIDE 1: 1.0 steps outside 40 yd In	3.75 steps behind FRONT HASH (HS)
9	16	SIDE 1: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: On 30 yd In	12.0 steps in front of FRONT HASH (HS)
11	16	SIDE 1: On 30 yd In	12.0 steps behind FRONT SIDELINE
12	8	SIDE 1: On 25 yd In	12.0 steps behind FRONT SIDELINE
13	8	SIDE 1: 4.0 steps inside 20 yd In	8.0 steps behind FRONT SIDELINE
14	12	SIDE 1: 2.0 steps outside 20 yd In	9.0 steps behind FRONT SIDELINE
15	12	SIDE 1: 2.0 steps outside 20 yd In	9.0 steps behind FRONT SIDELINE
16	24	SIDE 1: On 30 yd In	12.0 steps in front of FRONT HASH (HS)
17	8	SIDE 1: On 30 yd In	12.0 steps in front of FRONT HASH (HS)
18	16	SIDE 1: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
19	16	SIDE 1: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
20	16	SIDE 1: 1.5 steps inside 40 yd In	13.5 steps in front of FRONT HASH (HS)

### Performer: Symbol: C Label: 14 ID:563237395081000 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

Counts	S SIDE 1-SIDE 2	FRUNT-BACK
0	SIDE 1: 1.5 steps inside 40 yd In	13.5 steps in front of FRONT HASH (HS)
16	SIDE 1: 2.0 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
8	SIDE 1: 2.0 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
8	SIDE 1: 2.0 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
8	SIDE 1: 2.5 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
12	SIDE 1: 2.5 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
10	SIDE 1: 2.5 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
8	SIDE 1: On 35 yd In	12.0 steps behind FRONT SIDELINE
12	SIDE 1: On 35 yd In	12.0 steps behind FRONT SIDELINE
4	SIDE 1: On 35 yd In	12.0 steps behind FRONT SIDELINE
4	SIDE 1: 4.0 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
4	SIDE 1: 4.0 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
4	SIDE 1: 4.0 steps outside 40 yd In	12.0 steps behind FRONT SIDELINE
4	SIDE 1: 4.0 steps inside 35 yd In	12.0 steps behind FRONT SIDELINE
14	SIDE 1: 4.0 steps inside 35 yd In	12.0 steps behind FRONT SIDELINE
12	SIDE 1: 2.0 steps inside 30 yd In	8.5 steps behind FRONT SIDELINE
	0 16 8 8 8 12 10 8 12 4 4 4 4 4	0 SIDE 1: 1.5 steps inside 40 yd In 16 SIDE 1: 2.0 steps outside 40 yd In 8 SIDE 1: 2.0 steps outside 40 yd In 8 SIDE 1: 2.0 steps outside 40 yd In 8 SIDE 1: 2.0 steps outside 40 yd In 8 SIDE 1: 2.5 steps outside 40 yd In 12 SIDE 1: 2.5 steps outside 40 yd In 10 SIDE 1: 2.5 steps outside 40 yd In 11 SIDE 1: 0.35 yd In 12 SIDE 1: 0.0 35 yd In 13 SIDE 1: 0.0 35 yd In 14 SIDE 1: 4.0 steps outside 40 yd In 15 SIDE 1: 4.0 steps outside 40 yd In 16 SIDE 1: 4.0 steps outside 40 yd In 17 SIDE 1: 4.0 steps outside 40 yd In 18 SIDE 1: 4.0 steps outside 40 yd In 19 SIDE 1: 4.0 steps inside 35 yd In 10 SIDE 1: 4.0 steps inside 35 yd In 11 SIDE 1: 4.0 steps inside 35 yd In 12 SIDE 1: 4.0 steps inside 35 yd In

Performer: Symbol: C Label: 14 ID:563237395081000 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 2.0 steps inside 30 yd In	8.5 steps behind FRONT SIDELINE
36	8	SIDE 1: 2.0 steps inside 30 yd In	8.5 steps behind FRONT SIDELINE
37	16	SIDE 1: On 30 yd In	4.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: On 30 yd In	12.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: On 40 yd In	12.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: On 40 yd In	12.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: On 40 yd In	12.0 steps in front of BACK HASH (HS)
42	16	SIDE 1: On 40 yd In	12.0 steps in front of BACK HASH (HS)
43	12	SIDE 1: On 40 yd In	12.0 steps in front of BACK HASH (HS)
44	16	SIDE 1: On 40 yd In	10.75 steps behind FRONT HASH (HS)
45	16	SIDE 1: 1.0 steps outside 45 yd In	10.5 steps in front of BACK HASH (HS)
46	8	SIDE 1: On 40 yd In	10.5 steps in front of BACK HASH (HS)

Performer:		Symbol: C Label: 14 ID:563237395081	000 Drill: 2024 Grafton Pt4
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: On 40 yd In	10.5 steps in front of BACK HASH (HS)
47	17	SIDE 2: 1.0 steps inside 45 yd In	7.0 steps behind BACK HASH (HS)
48	8	SIDE 2: 1.0 steps inside 45 yd In	7.0 steps behind BACK HASH (HS)
49	9	SIDE 2: 1.0 steps inside 45 yd In	7.0 steps behind BACK HASH (HS)
50	8	SIDE 2: 1.0 steps inside 45 yd In	1.0 steps behind BACK HASH (HS)
51	8	SIDE 2: 3.0 steps outside 50 yd In	1.0 steps behind BACK HASH (HS)
52	20	SIDE 2: 3.0 steps outside 50 yd In	1.0 steps behind BACK HASH (HS)
53	16	SIDE 2: 3.0 steps outside 50 yd In	1.0 steps behind BACK HASH (HS)
54	8	SIDE 2: 2.0 steps inside 45 yd In	On BACK HASH (HS)
55	16	SIDE 2: 3.25 steps outside 45 yd In	13.75 steps behind FRONT HASH (HS)
56	16	SIDE 2: 4.0 steps inside 40 yd In	On FRONT HASH (HS)
57	8	SIDE 2: 2.0 steps inside 40 yd In	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 2: 2.0 steps inside 40 yd In	4.0 steps in front of FRONT HASH (HS)
59	8	SIDE 2: On 40 yd In	2.0 steps behind FRONT HASH (HS)
60	8	SIDE 2: 2.0 steps outside 40 yd In	4.0 steps in front of FRONT HASH (HS)
61	8	SIDE 2: 2.0 steps outside 40 yd In	4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 2: 2.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: 2.0 steps outside 40 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: 3.0 steps outside 40 yd In	On FRONT HASH (HS)
65	18	SIDE 2: 3.0 steps outside 40 yd In	On FRONT HASH (HS)

Performer: ii	n "2024 GRAFTON"
---------------	------------------

Perfo	rmer:	Symbol: F Label: 5 ID:563650346964	100 Drill: 2024 GRAFTON PT1.3dj
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 4.0 steps inside 30 yd In	14.0 steps in front of BACK HASH (HS)
2	8	SIDE 1: 4.0 steps inside 30 yd In	14.0 steps in front of BACK HASH (HS)
3	8	SIDE 1: 4.0 steps inside 30 yd In	14.0 steps in front of BACK HASH (HS)
4	8	SIDE 1: 2.0 steps inside 30 yd In	9.0 steps in front of BACK HASH (HS)
5	8	SIDE 1: 2.0 steps inside 30 yd In	9.0 steps in front of BACK HASH (HS)
6	16	SIDE 1: 3.0 steps inside 45 yd In	13.0 steps in front of BACK HASH (HS)
7	8	SIDE 1: 3.0 steps inside 45 yd In	13.5 steps behind FRONT HASH (HS)
8	40	SIDE 1: 3.0 steps inside 45 yd In	13.5 steps behind FRONT HASH (HS)
9	16	SIDE 1: On 45 yd In	11.0 steps behind FRONT HASH (HS)
10	16	SIDE 1: On 40 yd In	3.0 steps behind FRONT HASH (HS)
11	16	SIDE 1: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
12	8	SIDE 1: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
13	8	SIDE 1: On 45 yd In	On FRONT HASH (HS)
14	12	SIDE 1: 1.0 steps outside 50 yd In	5.0 steps in front of FRONT HASH (HS)
15	12	SIDE 1: 1.0 steps outside 50 yd In	5.0 steps in front of FRONT HASH (HS)
16	24	SIDE 1: 3.0 steps outside 40 yd In	2.0 steps in front of FRONT HASH (HS)
17	8	SIDE 1: 3.0 steps outside 40 yd In	2.0 steps in front of FRONT HASH (HS)
18	16	SIDE 1: 1.5 steps outside 40 yd In	2.0 steps in front of FRONT HASH (HS)
19	16	SIDE 1: 1.75 steps outside 35 yd In	8.5 steps in front of FRONT HASH (HS)
20	16	SIDE 1: 3.0 steps outside 35 yd In	On FRONT HASH (HS)

#### Performer: Symbol: F Label: 5 ID:563650346964100 Drill: 2024 GRAFTON PT2 Counts SIDE 1-SIDE 2 FRONT-BACK SIDE 1: 3.0 steps outside 35 yd In 20 0 On FRONT HASH (HS) 16 SIDE 1: 2.0 steps outside 30 yd In 21 11.0 steps behind FRONT SIDELINE 22 8 SIDE 1: 2.0 steps outside 30 yd In 11.0 steps behind FRONT SIDELINE 23 8 SIDE 1: 2.0 steps outside 30 yd In 11.0 steps behind FRONT SIDELINE SIDE 1: 1.75 steps outside 35 yd In 24 12.25 steps behind FRONT SIDELINE 25 12 SIDE 1: 1.75 steps outside 35 yd In 12.25 steps behind FRONT SIDELINE 26 SIDE 1: 1.75 steps outside 35 yd In 12.25 steps behind FRONT SIDELINE 27 8 SIDE 1: On 30 yd In 12.0 steps behind FRONT SIDELINE 12 SIDE 1: On 30 yd In 28 12.0 steps behind FRONT SIDELINE 29 SIDE 1: On 30 yd In 12.0 steps behind FRONT SIDELINE 30 SIDE 1: 4.0 steps outside 35 yd In 12.0 steps behind FRONT SIDELINE 31 4 SIDE 1: 4.0 steps outside 35 yd In 12.0 steps behind FRONT SIDELINE 32 4 SIDE 1: 4.0 steps outside 35 yd In 12.0 steps behind FRONT SIDELINE 33 SIDE 1: 4.0 steps inside 30 yd In 12.0 steps behind FRONT SIDELINE 34 SIDE 1: 4.0 steps inside 30 yd In 12.0 steps behind FRONT SIDELINE 14 12 SIDE 1: 0.75 steps inside 25 yd In 7.0 steps behind FRONT SIDELINE

Performer: Symbol: F Label: 5 ID:563650346964100 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Perfo	rmer:		in "2
Set	Counts	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 0.75 steps inside 25 yd In	7.0 steps behind FRONT SIDELINE
36	8	SIDE 1: 0.75 steps inside 25 yd In	7.0 steps behind FRONT SIDELINE
37	16	SIDE 1: 4.0 steps inside 25 yd In	4.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: 4.0 steps inside 25 yd In	12.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 3.0 steps outside 40 yd In	12.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 3.0 steps outside 40 yd In	12.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 3.0 steps outside 40 yd In	12.0 steps in front of BACK HASH (HS)
42	16	SIDE 1: 3.0 steps outside 40 yd In	12.0 steps in front of BACK HASH (HS)
43	12	SIDE 1: 3.0 steps outside 40 yd In	12.0 steps in front of BACK HASH (HS)
44	16	SIDE 1: 1.0 steps outside 40 yd In	12.75 steps behind FRONT HASH (HS)
45	16	SIDE 1: 3.5 steps outside 45 yd In	10.5 steps in front of BACK HASH (HS)
46	8	SIDE 1: 2.5 steps outside 40 yd In	10.75 steps in front of BACK HASH (HS)
Perfo	ormer:	Symbol: F Label: 5 ID:5636503469641	00 Drill: 2024 Grafton Pt4
Set	Counts	S SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 2.5 steps outside 40 yd In	10.75 steps in front of BACK HASH (HS)
47	17	SIDE 1: 3.0 steps outside 40 yd In	3.0 steps behind BACK HASH (HS)

remoi	mer.	Symbol. F Laber. 5 ID.3030303409	04 100 Dilli. 2024 Grafton Pt4
Set	Counts	S SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 2.5 steps outside 40 yd In	10.75 steps in front of BACK HASH (HS)
47	17	SIDE 1: 3.0 steps outside 40 yd In	3.0 steps behind BACK HASH (HS)
48	8	SIDE 1: 3.0 steps outside 40 yd In	3.0 steps behind BACK HASH (HS)
49	9	SIDE 1: 3.0 steps outside 40 yd In	3.0 steps behind BACK HASH (HS)
50	8	SIDE 1: 3.0 steps outside 40 yd In	1.0 steps behind BACK HASH (HS)
51	8	SIDE 1: 3.0 steps outside 45 yd In	1.0 steps behind BACK HASH (HS)
52	20	SIDE 1: 3.0 steps outside 45 yd In	1.0 steps behind BACK HASH (HS)
53	16	SIDE 1: 3.0 steps outside 45 yd In	1.0 steps behind BACK HASH (HS)
54	8	SIDE 1: 2.0 steps inside 40 yd In	On BACK HASH (HS)
55	16	SIDE 1: 3.25 steps inside 45 yd In	10.5 steps in front of BACK HASH (HS)
56	16	SIDE 1: 4.0 steps inside 35 yd In	On FRONT HASH (HS)
57	8	SIDE 1: 2.0 steps outside 40 yd In	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: 2.0 steps outside 40 yd In	4.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: On 40 yd In	4.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 2.0 steps outside 45 yd In	4.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 2.0 steps outside 45 yd In	4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 2.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: 2.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: On 40 yd In	6.0 steps in front of FRONT HASH (HS)
65	18	SIDE 1: On 40 yd In	6.0 steps in front of FRONT HASH (HS)

Performer: in	"2024 GRAFTON"
---------------	----------------

Performer:		Symbol: C Label: 11 ID:56323739508	0000 Drill: 2024 GRAFTON PT1.3dj	
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK	
1	0	SIDE 1: 3.0 steps outside 20 yd In	10.0 steps in front of FRONT HASH (HS)	
2	8	SIDE 1: 3.0 steps outside 20 yd In	10.0 steps in front of FRONT HASH (HS)	
3	8	SIDE 1: 0.5 steps inside 20 yd In	13.5 steps in front of FRONT HASH (HS)	
4	8	SIDE 1: 0.5 steps inside 20 yd In	13.5 steps in front of FRONT HASH (HS)	
5	8	SIDE 1: 0.5 steps inside 20 yd In	13.5 steps in front of FRONT HASH (HS)	
6	16	SIDE 1: On 30 yd In	7.75 steps behind FRONT HASH (HS)	
7	8	SIDE 1: On 35 yd In	6.25 steps behind FRONT HASH (HS)	
8	40	SIDE 1: On 35 yd In	6.25 steps behind FRONT HASH (HS)	
9	16	SIDE 1: 4.0 steps inside 25 yd In	8.0 steps behind FRONT HASH (HS)	
10	16	SIDE 1: 4.0 steps inside 30 yd In	12.0 steps in front of BACK HASH (HS)	
11	16	SIDE 1: 2.0 steps inside 30 yd In	12.0 steps in front of BACK HASH (HS)	
12	8	SIDE 1: 2.0 steps outside 30 yd In	12.0 steps in front of BACK HASH (HS)	
13	8	SIDE 1: 2.0 steps outside 30 yd In	12.0 steps behind FRONT HASH (HS)	
14	12	SIDE 1: 0.5 steps outside 30 yd In	13.75 steps behind FRONT HASH (HS)	
15	12	SIDE 1: 0.5 steps outside 30 yd In	13.75 steps behind FRONT HASH (HS)	
16	24	SIDE 1: 2.75 steps inside 35 yd In	12.0 steps behind FRONT HASH (HS)	
17	8	SIDE 1: 2.75 steps inside 35 yd In	12.0 steps behind FRONT HASH (HS)	
18	16	SIDE 1: 2.75 steps inside 25 yd In	12.0 steps behind FRONT HASH (HS)	
19	16	SIDE 1: 2.75 steps inside 20 yd In	8.0 steps behind FRONT HASH (HS)	
20	16	SIDE 1: 3.5 steps outside 20 yd In	2.5 steps in front of FRONT HASH (HS)	

### Performer: Symbol: C Label: 11 ID:563237395080000 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

Set	Count	S SIDE I-SIDE Z	FRONT-DACK
20	0	SIDE 1: 3.5 steps outside 20 yd In	2.5 steps in front of FRONT HASH (HS)
21	16	SIDE 1: On 20 yd In	On FRONT HASH (HS)
22	8	SIDE 1: On 20 yd In	On FRONT HASH (HS)
23	8	SIDE 1: On 20 yd In	On FRONT HASH (HS)
24	8	SIDE 1: 1.25 steps inside 20 yd In	1.75 steps behind FRONT HASH (HS)
25	12	SIDE 1: 1.25 steps inside 20 yd In	1.75 steps behind FRONT HASH (HS)
26	10	SIDE 1: 1.25 steps inside 20 yd In	1.75 steps behind FRONT HASH (HS)
27	8	SIDE 1: On 15 yd In	12.0 steps in front of FRONT HASH (HS)
28	12	SIDE 1: On 15 yd In	12.0 steps in front of FRONT HASH (HS)
29	4	SIDE 1: On 15 yd In	12.0 steps in front of FRONT HASH (HS)
30	4	SIDE 1: On 15 yd In	12.0 steps in front of FRONT HASH (HS)
31	4	SIDE 1: On 15 yd In	12.0 steps in front of FRONT HASH (HS)
32	4	SIDE 1: On 15 yd In	12.0 steps in front of FRONT HASH (HS)
33	4	SIDE 1: On 15 yd In	8.0 steps in front of FRONT HASH (HS)
34	14	SIDE 1: On 15 yd In	8.0 steps in front of FRONT HASH (HS)
35	12	SIDE 1: 3.5 steps outside 20 yd In	2.0 steps behind FRONT HASH (HS)

Performer: Symbol: C Label: 11 ID:563237395080000 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 3.5 steps outside 20 yd In	2.0 steps behind FRONT HASH (HS)
36	8	SIDE 1: 3.5 steps outside 20 yd In	2.0 steps behind FRONT HASH (HS)
37	16	SIDE 1: On 25 yd In	4.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: On 25 yd In	12.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 2.0 steps inside 35 yd In	12.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 2.0 steps inside 35 yd In	12.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 2.0 steps inside 35 yd In	12.0 steps in front of BACK HASH (HS)
42	16	SIDE 1: 2.0 steps inside 35 yd In	12.0 steps in front of BACK HASH (HS)
43	12	SIDE 1: 2.0 steps inside 35 yd In	12.0 steps in front of BACK HASH (HS)
44	16	SIDE 1: 2.5 steps outside 40 yd In	13.75 steps in front of BACK HASH (HS)
45	16	SIDE 1: 2.25 steps inside 40 yd In	11.0 steps in front of BACK HASH (HS)
46	8	SIDE 1: 3.0 steps inside 35 yd In	11.25 steps in front of BACK HASH (HS)

Performer:		Symbol: C Label: 11	ID:5632373950800	000 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2		FRONT-BACK
46	0	SIDE 1: 3.0 steps insid	le 35 yd In	11.25 steps in front of BACK HASH (HS)
47	17	SIDE 1: 3.0 steps insid	le 35 yd In	3.0 steps behind BACK HASH (HS)
48	8	SIDE 1: 3.0 steps insid	e 35 yd In	3.0 steps behind BACK HASH (HS)
49	9	SIDE 1: 3.0 steps insid	e 35 yd In	3.0 steps behind BACK HASH (HS)
50	8	SIDE 1: 3.0 steps insid	le 35 yd In	1.0 steps behind BACK HASH (HS)
51	8	SIDE 1: 3.0 steps insid	le 40 yd In	1.0 steps behind BACK HASH (HS)
52	20	SIDE 1: 3.0 steps insid	le 40 yd In	1.0 steps behind BACK HASH (HS)
53	16	SIDE 1: 3.0 steps insid	le 40 yd In	1.0 steps behind BACK HASH (HS)
54	8	SIDE 1: 2.0 steps outs	ide 45 yd In	On BACK HASH (HS)
55	16	SIDE 1: 0.5 steps insid	le 45 yd In	13.5 steps in front of BACK HASH (HS)
56	16	SIDE 1: On 40 yd In		On FRONT HASH (HS)
57	8	SIDE 1: 2.0 steps insid	le 40 yd In	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: 2.0 steps insid	le 40 yd In	4.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: On 40 yd In		On FRONT HASH (HS)
60	8	SIDE 1: 2.0 steps insid	le 40 yd In	4.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 2.0 steps insid	le 40 yd In	4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 2.0 steps insid	le 40 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: 2.0 steps insid	le 40 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: 2.0 steps outs	ide 40 yd In	2.0 steps in front of FRONT HASH (HS)
65	18	SIDE 1: 2.0 steps outs	ide 40 yd In	2.0 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: C Label: 13 ID:563237395080	0900 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 1.0 steps outside 15 yd In	12.0 steps in front of FRONT HASH (HS)
2	8	SIDE 1: 1.0 steps outside 15 yd In	12.0 steps in front of FRONT HASH (HS)
3	8	SIDE 1: 0.25 steps outside 20 yd In	9.5 steps in front of FRONT HASH (HS)
4	8	SIDE 1: 0.25 steps outside 20 yd In	9.5 steps in front of FRONT HASH (HS)
5	8	SIDE 1: 0.25 steps outside 20 yd In	9.5 steps in front of FRONT HASH (HS)
6	16	SIDE 1: 3.0 steps outside 35 yd In	7.25 steps behind FRONT HASH (HS)
7	8	SIDE 1: 3.25 steps outside 40 yd In	4.75 steps behind FRONT HASH (HS)
8	40	SIDE 1: 3.25 steps outside 40 yd In	4.75 steps behind FRONT HASH (HS)
9	16	SIDE 1: On 30 yd In	8.0 steps behind FRONT HASH (HS)
10	16	SIDE 1: On 35 yd In	12.0 steps in front of BACK HASH (HS)
11	16	SIDE 1: 4.0 steps inside 30 yd In	10.0 steps in front of BACK HASH (HS)
12	8	SIDE 1: 4.0 steps inside 25 yd In	10.0 steps in front of BACK HASH (HS)
13	8	SIDE 1: 4.0 steps inside 25 yd In	12.0 steps behind FRONT HASH (HS)
14	12	SIDE 1: 3.0 steps outside 30 yd In	13.0 steps behind FRONT HASH (HS)
15	12	SIDE 1: 3.0 steps outside 30 yd In	13.0 steps behind FRONT HASH (HS)
16	24	SIDE 1: 2.75 steps inside 35 yd In	8.0 steps behind FRONT HASH (HS)
17	8	SIDE 1: 2.75 steps inside 35 yd In	8.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: 2.75 steps inside 25 yd In	8.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: 2.75 steps inside 20 yd In	4.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 3.5 steps outside 30 yd In	12.5 steps in front of FRONT HASH (HS)

#### Performer: Symbol: C Label: 13 ID:563237395080900 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

Set	Count	S SIDE 1-SIDE 2	FRONT-BACK
20	0	SIDE 1: 3.5 steps outside 30 yd In	12.5 steps in front of FRONT HASH (HS)
21	16	SIDE 1: 3.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
22	8	SIDE 1: 3.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
23	8	SIDE 1: 3.0 steps outside 35 yd In	8.0 steps in front of FRONT HASH (HS)
24	8	SIDE 1: 0.25 steps inside 30 yd In	4.0 steps in front of FRONT HASH (HS)
25	12	SIDE 1: 0.25 steps inside 30 yd In	4.0 steps in front of FRONT HASH (HS)
26	10	SIDE 1: 0.25 steps inside 30 yd In	4.0 steps in front of FRONT HASH (HS)
27	8	SIDE 1: On 30 yd In	8.0 steps in front of FRONT HASH (HS)
28	12	SIDE 1: On 30 yd In	8.0 steps in front of FRONT HASH (HS)
29	4	SIDE 1: On 30 yd In	8.0 steps in front of FRONT HASH (HS)
30	4	SIDE 1: 4.0 steps inside 30 yd In	8.0 steps in front of FRONT HASH (HS)
31	4	SIDE 1: 4.0 steps inside 30 yd In	8.0 steps in front of FRONT HASH (HS)
32	4	SIDE 1: 4.0 steps inside 30 yd In	8.0 steps in front of FRONT HASH (HS)
33	4	SIDE 1: 4.0 steps inside 30 yd In	8.0 steps in front of FRONT HASH (HS)
34	14	SIDE 1: 4.0 steps inside 30 yd In	8.0 steps in front of FRONT HASH (HS)
35	12	SIDE 1: 1.75 steps outside 25 yd In	7.0 steps behind FRONT SIDELINE

Performer: Symbol: C Label: 13 ID:563237395080900 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 1.75 steps outside 25 yd In	7.0 steps behind FRONT SIDELINE
36	8	SIDE 1: 1.75 steps outside 25 yd In	7.0 steps behind FRONT SIDELINE
37	16	SIDE 1: 4.0 steps inside 25 yd In	7.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: 4.0 steps inside 25 yd In	8.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 3.0 steps outside 40 yd In	8.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 3.0 steps outside 40 yd In	8.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 2.0 steps inside 35 yd In	12.0 steps behind FRONT HASH (HS)
42	16	SIDE 1: 2.0 steps inside 35 yd In	12.0 steps behind FRONT HASH (HS)
43	12	SIDE 1: 2.0 steps inside 35 yd In	12.0 steps behind FRONT HASH (HS)
44	16	SIDE 1: 3.5 steps inside 35 yd In	13.0 steps in front of BACK HASH (HS)
45	16	SIDE 1: On 40 yd In	11.5 steps in front of BACK HASH (HS)
46	8	SIDE 1: 0.75 steps inside 35 yd In	12.0 steps in front of BACK HASH (HS)

Performer:		Symbol: C Label: 13 ID:563237395080	900 Drill: 2024 Grafton Pt4
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 0.75 steps inside 35 yd In	12.0 steps in front of BACK HASH (HS)
47	17	SIDE 1: 1.0 steps inside 30 yd In	3.0 steps in front of BACK HASH (HS)
48	8	SIDE 1: 1.0 steps inside 30 yd In	3.0 steps in front of BACK HASH (HS)
49	9	SIDE 1: 1.0 steps inside 30 yd In	3.0 steps in front of BACK HASH (HS)
50	8	SIDE 1: 1.0 steps inside 30 yd In	1.0 steps behind BACK HASH (HS)
51	8	SIDE 1: 3.0 steps outside 40 yd In	1.0 steps behind BACK HASH (HS)
52	20	SIDE 1: 3.0 steps outside 40 yd In	1.0 steps behind BACK HASH (HS)
53	16	SIDE 1: 3.0 steps outside 40 yd In	1.0 steps behind BACK HASH (HS)
54	8	SIDE 1: 2.0 steps inside 35 yd In	On BACK HASH (HS)
55	16	SIDE 1: 2.0 steps inside 35 yd In	3.5 steps behind FRONT HASH (HS)
56	16	SIDE 1: 4.0 steps inside 30 yd In	4.0 steps in front of FRONT HASH (HS)
57	8	SIDE 1: 4.0 steps inside 30 yd In	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: On 35 yd In	4.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: 4.0 steps inside 35 yd In	4.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 4.0 steps inside 35 yd In	4.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 4.0 steps inside 35 yd In	4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 4.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: 4.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: On 35 yd In	13.0 steps in front of FRONT HASH (HS)
65	18	SIDE 1: On 35 yd In	13.0 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"

Perfo	ormer:	Symbol: C Label: 8 ID:563237395079	•
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 3.0 steps outside 25 yd In	5.0 steps behind FRONT SIDELINE
2	8	SIDE 1: 3.0 steps outside 25 yd In	5.0 steps behind FRONT SIDELINE
3	8	SIDE 1: 3.5 steps inside 20 yd In	9.0 steps behind FRONT SIDELINE
4	8	SIDE 1: 3.5 steps inside 20 yd In	9.0 steps behind FRONT SIDELINE
5	8	SIDE 1: 3.5 steps inside 20 yd In	9.0 steps behind FRONT SIDELINE
6	16	SIDE 1: 0.5 steps inside 25 yd In	6.0 steps behind FRONT HASH (HS)
7	8	SIDE 1: 0.5 steps inside 30 yd In	7.25 steps behind FRONT HASH (HS)
8	40	SIDE 1: 0.5 steps inside 30 yd In	7.25 steps behind FRONT HASH (HS)
9	16	SIDE 1: 2.0 steps outside 25 yd In	10.0 steps behind FRONT HASH (HS)
10	16	SIDE 1: 2.0 steps outside 30 yd In	10.0 steps in front of BACK HASH (HS)
11	16	SIDE 1: 2.0 steps outside 30 yd In	10.0 steps in front of BACK HASH (HS)
12	8	SIDE 1: 2.0 steps outside 25 yd In	10.0 steps in front of BACK HASH (HS)
13	8	SIDE 1: 2.0 steps outside 25 yd In	12.0 steps behind FRONT HASH (HS)
14	12	SIDE 1: 2.5 steps outside 25 yd In	9.25 steps behind FRONT HASH (HS)
15	12	SIDE 1: 2.5 steps outside 25 yd In	9.25 steps behind FRONT HASH (HS)
16	24	SIDE 1: 2.75 steps outside 35 yd In	12.0 steps behind FRONT HASH (HS)
17	8	SIDE 1: 2.75 steps outside 35 yd In	12.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: 2.75 steps outside 25 yd In	12.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: 2.75 steps outside 20 yd In	8.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 1.5 steps outside 20 yd In	6.5 steps in front of FRONT HASH (HS)

#### Performer: Symbol: C Label: 8 ID:563237395079700 Drill: 2024 GRAFTON PT2 Counts SIDE 1-SIDE 2 FRONT-BACK SIDE 1: 1.5 steps outside 20 yd In 6.5 steps in front of FRONT HASH (HS) 20 0 16 SIDE 1: 4.0 steps inside 20 yd In On FRONT HASH (HS) 21 22 8 SIDE 1: 4.0 steps inside 20 yd In On FRONT HASH (HS) 23 8 SIDE 1: 4.0 steps inside 20 yd In On FRONT HASH (HS) 3.5 steps in front of FRONT HASH (HS) 24 SIDE 1: 1.0 steps inside 20 yd In 25 12 SIDE 1: 1.0 steps inside 20 yd In 3.5 steps in front of FRONT HASH (HS) 26 10 SIDE 1: 1.0 steps inside 20 yd In 3.5 steps in front of FRONT HASH (HS) 27 8 SIDE 1: On 15 yd In 8.0 steps behind FRONT SIDELINE 12 SIDE 1: On 15 yd In 8.0 steps behind FRONT SIDELINE 28 29 4 SIDE 1: On 15 yd In 8.0 steps behind FRONT SIDELINE 30 4 SIDE 1: On 15 yd In 8.0 steps behind FRONT SIDELINE 31 4 SIDE 1: On 15 yd In 8.0 steps behind FRONT SIDELINE 32 4 SIDE 1: On 15 yd In 8.0 steps behind FRONT SIDELINE 33 4 SIDE 1: On 15 yd In 12.0 steps behind FRONT SIDELINE 34 14 SIDE 1: On 15 yd In 12.0 steps behind FRONT SIDELINE 12 SIDE 1: 3.0 steps inside 15 yd In On FRONT HASH (HS)

Performer: Symbol: C Label: 8 ID:563237395079700 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Perio	rmer:		III 20
Set	Counts	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 3.0 steps inside 15 yd In	On FRONT HASH (HS)
36	8	SIDE 1: 3.0 steps inside 15 yd In	On FRONT HASH (HS)
37	16	SIDE 1: 4.0 steps inside 20 yd In	4.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: 4.0 steps inside 20 yd In	12.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 1.0 steps outside 35 yd In	12.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 1.0 steps outside 35 yd In	12.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 1.0 steps outside 35 yd In	12.0 steps in front of BACK HASH (HS)
42	16	SIDE 1: 1.0 steps outside 35 yd In	12.0 steps in front of BACK HASH (HS)
43	12	SIDE 1: 1.0 steps outside 35 yd In	12.0 steps in front of BACK HASH (HS)
44	16	SIDE 1: 1.25 steps inside 35 yd In	12.75 steps in front of BACK HASH (HS)
45	16	SIDE 1: 2.25 steps outside 40 yd In	12.25 steps in front of BACK HASH (HS)
46	8	SIDE 1: 1.5 steps outside 35 yd In	13.5 steps in front of BACK HASH (HS)
Perfo	rmer:	Symbol: C Label: 8 ID:5632373950797	700 Drill: 2024 Grafton Pt4
Set	Counts	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 1.5 steps outside 35 yd In	13.5 steps in front of BACK HASH (HS)

Perfo	rmer:	Symbol: C Label: 8 I	D:56323739507970	Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2		FRONT-BACK
46	0	SIDE 1: 1.5 steps outsid	de 35 yd In	13.5 steps in front of BACK HASH (HS)
47	17	SIDE 1: 1.0 steps outsid	de 30 yd In	3.0 steps in front of BACK HASH (HS)
48	8	SIDE 1: 1.0 steps outsid	de 30 yd In	3.0 steps in front of BACK HASH (HS)
49	9	SIDE 1: 1.0 steps outsid	de 30 yd In	3.0 steps in front of BACK HASH (HS)
50	8	SIDE 1: 1.0 steps outsid	de 30 yd In	1.0 steps behind BACK HASH (HS)
51	8	SIDE 1: 3.0 steps inside	35 yd In	1.0 steps behind BACK HASH (HS)
52	20	SIDE 1: 3.0 steps inside	35 yd In	1.0 steps behind BACK HASH (HS)
53	16	SIDE 1: 3.0 steps inside	35 yd In	1.0 steps behind BACK HASH (HS)
54	8	SIDE 1: 2.0 steps outsid	de 40 yd In	On BACK HASH (HS)
55	16	SIDE 1: On 35 yd In		On FRONT HASH (HS)
56	16	SIDE 1: 4.0 steps inside	30 yd In	8.0 steps in front of FRONT HASH (HS)
57	8	SIDE 1: 2.0 steps outsid	de 35 yd In	8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: 2.0 steps outsid	de 35 yd In	8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: 2.0 steps outsid	de 35 yd In	8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 2.0 steps outsid	de 35 yd In	8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 2.0 steps outsid	de 35 yd In	8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 2.0 steps outsid	de 35 yd In	12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: 2.0 steps outsid	de 35 yd In	12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: 1.25 steps insid	le 35 yd In	12.5 steps behind FRONT SIDELINE
65	18	SIDE 1: 1.25 steps insid	le 35 yd In	12.5 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"

		Symbol: A Label: 3 ID:5632373950776	•
Set		s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 3.0 steps outside 35 yd In	6.0 steps behind FRONT SIDELINE
2	8	SIDE 1: 3.0 steps outside 35 yd In	6.0 steps behind FRONT SIDELINE
3	8	SIDE 1: 1.5 steps outside 30 yd In	6.0 steps behind FRONT SIDELINE
4	8	SIDE 1: 1.5 steps outside 30 yd In	6.0 steps behind FRONT SIDELINE
5	8	SIDE 1: 1.5 steps outside 30 yd In	6.0 steps behind FRONT SIDELINE
6	16	SIDE 1: 2.75 steps outside 35 yd In	7.5 steps behind FRONT SIDELINE
7	8	SIDE 1: 0.5 steps inside 30 yd In	8.75 steps behind FRONT SIDELINE
8	40	SIDE 1: 0.5 steps inside 30 yd In	8.75 steps behind FRONT SIDELINE
9	16	SIDE 1: 4.0 steps inside 20 yd In	13.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: 4.0 steps inside 20 yd In	1.0 steps in front of FRONT HASH (HS)
11	16	SIDE 1: 1.75 steps inside 20 yd In	6.25 steps in front of FRONT HASH (HS)
12	8	SIDE 1: 0.5 steps outside 25 yd In	6.25 steps in front of FRONT HASH (HS)
13	8	SIDE 1: 2.0 steps inside 25 yd In	4.0 steps in front of FRONT HASH (HS)
14	12	SIDE 1: 2.75 steps outside 30 yd In	9.5 steps in front of FRONT HASH (HS)
15	12	SIDE 1: 2.75 steps outside 30 yd In	9.5 steps in front of FRONT HASH (HS)
16	24	SIDE 1: On 40 yd In	5.0 steps behind FRONT HASH (HS)
17	8	SIDE 1: On 40 yd In	5.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: 3.0 steps outside 35 yd In	5.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: 3.0 steps inside 30 yd In	8.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 3.75 steps inside 20 yd In	7.75 steps behind FRONT HASH (HS)

### Performer: Symbol: A Label: 3 ID:563237395077600 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 1: 3.75 steps inside 20 yd In	7.75 steps behind FRONT HASH (HS)
21	16	SIDE 1: On 25 yd In	7.0 steps in front of FRONT HASH (HS)
22	8	SIDE 1: On 25 yd In	7.0 steps in front of FRONT HASH (HS)
23	8	SIDE 1: On 25 yd In	7.0 steps in front of FRONT HASH (HS)
24	8	SIDE 1: 3.25 steps outside 25 yd In	10.5 steps in front of FRONT HASH (HS)
25	12	SIDE 1: 3.25 steps outside 25 yd In	10.5 steps in front of FRONT HASH (HS)
26	10	SIDE 1: 3.25 steps outside 25 yd In	10.5 steps in front of FRONT HASH (HS)
27	8	SIDE 1: On 20 yd In	12.0 steps in front of FRONT HASH (HS)
28	12	SIDE 1: On 20 yd In	12.0 steps in front of FRONT HASH (HS)
29	4	SIDE 1: On 20 yd In	12.0 steps in front of FRONT HASH (HS)
30	4	SIDE 1: On 20 yd In	12.0 steps in front of FRONT HASH (HS)
31	4	SIDE 1: On 20 yd In	12.0 steps in front of FRONT HASH (HS)
32	4	SIDE 1: On 20 yd In	12.0 steps in front of FRONT HASH (HS)
33	4	SIDE 1: On 20 yd In	12.0 steps behind FRONT SIDELINE
34	14	SIDE 1: On 20 yd In	12.0 steps behind FRONT SIDELINE
35	12	SIDE 1: 0.5 steps inside 15 yd In	8.75 steps in front of FRONT HASH (HS)

Performer: Symbol: A Label: 3 ID:563237395077600 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 0.5 steps inside 15 yd In	8.75 steps in front of FRONT HASH (HS)
36	8	SIDE 1: 0.5 steps inside 15 yd In	8.75 steps in front of FRONT HASH (HS)
37	16	SIDE 1: On 25 yd In	7.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: On 25 yd In	8.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 2.0 steps inside 35 yd In	8.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 2.0 steps inside 35 yd In	8.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 1.0 steps outside 35 yd In	12.0 steps behind FRONT HASH (HS)
42	16	SIDE 1: 1.0 steps outside 35 yd In	12.0 steps behind FRONT HASH (HS)
43	12	SIDE 1: 1.0 steps outside 35 yd In	12.0 steps behind FRONT HASH (HS)
44	16	SIDE 1: 1.0 steps outside 35 yd In	13.0 steps in front of BACK HASH (HS)
45	16	SIDE 1: 3.5 steps inside 35 yd In	13.25 steps in front of BACK HASH (HS)
46	8	SIDE 1: 2.75 steps outside 35 yd In	12.5 steps behind FRONT HASH (HS)

Perfo	rmer:	Symbol: A Label: 3 ID:56323	7395077600 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 2.75 steps outside 35 yd	In 12.5 steps behind FRONT HASH (HS)
47	17	SIDE 1: 2.0 steps inside 20 yd In	2.0 steps in front of FRONT HASH (HS)
48	8	SIDE 1: 2.0 steps inside 20 yd In	12.0 steps behind FRONT SIDELINE
49	9	SIDE 1: 2.0 steps inside 20 yd In	12.0 steps behind FRONT SIDELINE
50	8	SIDE 1: 2.0 steps inside 30 yd In	12.0 steps behind FRONT SIDELINE
51	8	SIDE 1: 2.0 steps inside 30 yd In	12.0 steps behind FRONT SIDELINE
52	20	SIDE 1: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
53	16	SIDE 1: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
54	8	SIDE 1: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
55	16	SIDE 1: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
56	16	SIDE 1: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
57	8	SIDE 1: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: 0.25 steps inside 40 yd l	8.75 steps in front of FRONT HASH (HS)
65	18	SIDE 1: 0.25 steps inside 40 yd l	8.75 steps in front of FRONT HASH (HS)

Performer: ii	n "2024 GRAFTON"
---------------	------------------

Perfo	rmer:	Symbol: C Label: 7 ID:	563237395079600	Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FR	RONT-BACK
1	0	SIDE 1: 2.0 steps inside 1	5 yd In 8.0	3 steps behind FRONT SIDELINE
2	8	SIDE 1: 2.0 steps inside 1	5 yd ln 8.0	steps behind FRONT SIDELINE
3	8	SIDE 1: 3.0 steps outside	25 yd In 7.5	5 steps behind FRONT SIDELINE
4	8	SIDE 1: 3.0 steps outside	25 yd In 7.5	5 steps behind FRONT SIDELINE
5	8	SIDE 1: 3.0 steps outside	25 yd In 7.5	5 steps behind FRONT SIDELINE
6	16	SIDE 1: 1.75 steps outside	25 yd ln 4.5	5 steps behind FRONT HASH (HS)
7	8	SIDE 1: 2.0 steps outside	30 yd In 7.2	25 steps behind FRONT HASH (HS)
8	40	SIDE 1: 2.0 steps outside	30 yd In 7.2	25 steps behind FRONT HASH (HS)
9	16	SIDE 1: 4.0 steps inside 2	) yd ln 8.0	0 steps behind FRONT HASH (HS)
10	16	SIDE 1: 4.0 steps inside 2	5 yd ln 12	2.0 steps in front of BACK HASH (HS)
11	16	SIDE 1: 2.0 steps outside	30 yd In 12	2.0 steps behind FRONT HASH (HS)
12	8	SIDE 1: 2.0 steps inside 3	) yd ln 12	2.0 steps behind FRONT HASH (HS)
13	8	SIDE 1: 2.0 steps inside 3	) yd ln 12	2.0 steps behind FRONT HASH (HS)
14	12	SIDE 1: 3.0 steps outside	35 yd In 13	3.75 steps in front of BACK HASH (HS)
15	12	SIDE 1: 3.0 steps outside	35 yd In 13	3.75 steps in front of BACK HASH (HS)
16	24	SIDE 1: 2.75 steps outside	40 yd ln 12	2.0 steps behind FRONT HASH (HS)
17	8	SIDE 1: 2.75 steps outside	40 yd ln 12	2.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: 2.75 steps outside	30 yd ln 12	2.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: 2.75 steps outside	25 yd ln 8.0	0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 3.75 steps outside	20 yd In Or	n FRONT HASH (HS)

#### Performer: Symbol: C Label: 7 ID:563237395079600 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK SIDE 1: 3.75 steps outside 20 yd In On FRONT HASH (HS) 20 0 16 SIDE 1: On 20 yd In 2.0 steps behind FRONT HASH (HS) 21 22 8 SIDE 1: On 20 yd In 2.0 steps behind FRONT HASH (HS) 23 8 SIDE 1: On 20 yd In 2.0 steps behind FRONT HASH (HS) SIDE 1: 2.25 steps inside 20 yd In 4.25 steps behind FRONT HASH (HS) 24 25 12 SIDE 1: 2.25 steps inside 20 yd In 4.25 steps behind FRONT HASH (HS) 26 SIDE 1: 2.25 steps inside 20 yd In 4.25 steps behind FRONT HASH (HS) 27 8 SIDE 1: On 15 yd In 8.0 steps in front of FRONT HASH (HS) 12 SIDE 1: On 15 yd In 8.0 steps in front of FRONT HASH (HS) 28 29 SIDE 1: 4.0 steps inside 15 yd In 8.0 steps in front of FRONT HASH (HS) 30 SIDE 1: 4.0 steps inside 15 yd In 8.0 steps in front of FRONT HASH (HS) 31 4 SIDE 1: 4.0 steps inside 15 yd In 8.0 steps in front of FRONT HASH (HS) 32 SIDE 1: 4.0 steps inside 15 yd In 8.0 steps in front of FRONT HASH (HS) 33 SIDE 1: 4.0 steps inside 15 yd In 8.0 steps in front of FRONT HASH (HS) 34 14 SIDE 1: 4.0 steps inside 15 yd In 8.0 steps in front of FRONT HASH (HS) 12 SIDE 1: 2.0 steps inside 15 yd In 2.0 steps in front of FRONT HASH (HS)

Drill: 2024 GRAFTON PT3 Performer: Symbol: C Label: 7 ID:563237395079600

Printed: Sun. Jul 7, 2024 at 12:18 PM

2024 GRAFTON"

Perfo	rmer:		in "2
Set	Counts	SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 2.0 steps inside 15 yd In	2.0 steps in front of FRONT HASH (HS)
36	8	SIDE 1: 2.0 steps inside 15 yd In	2.0 steps in front of FRONT HASH (HS)
37	16	SIDE 1: On 20 yd In	4.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: On 20 yd In	12.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 4.0 steps inside 30 yd In	12.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 4.0 steps inside 30 yd In	12.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 4.0 steps outside 35 yd In	12.0 steps in front of BACK HASH (HS)
42	16	SIDE 1: 4.0 steps outside 35 yd In	12.0 steps in front of BACK HASH (HS)
43	12	SIDE 1: 4.0 steps outside 35 yd In	12.0 steps in front of BACK HASH (HS)
44	16	SIDE 1: 3.25 steps outside 35 yd In	13.75 steps in front of BACK HASH (HS)
45	16	SIDE 1: 1.75 steps inside 35 yd In	13.25 steps behind FRONT HASH (HS)
46	8	SIDE 1: 3.5 steps outside 35 yd In	10.0 steps behind FRONT HASH (HS)
Perfo	ormer: S	Symbol: C Label: 7 ID:56323739507	9600 Drill: 2024 Grafton Pt4
Set	Counts	SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 3.5 steps outside 35 yd In	10.0 steps behind FRONT HASH (HS)
47	17	SIDE 1: 3.0 steps outside 25 yd In	7.0 steps in front of BACK HASH (HS)
48	8	SIDE 1: 3.0 steps outside 25 yd In	7.0 steps in front of BACK HASH (HS)
49	9	SIDE 1: 3.0 steps outside 25 vd ln	7.0 steps in front of BACK HASH (HS)

Set	Counts	SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 3.5 steps outside 35 yd In	10.0 steps behind FRONT HASH (HS)
47	17	SIDE 1: 3.0 steps outside 25 yd In	7.0 steps in front of BACK HASH (HS)
48	8	SIDE 1: 3.0 steps outside 25 yd In	7.0 steps in front of BACK HASH (HS)
49	9	SIDE 1: 3.0 steps outside 25 yd In	7.0 steps in front of BACK HASH (HS)
50	8	SIDE 1: 3.0 steps outside 25 yd In	1.0 steps behind BACK HASH (HS)
51	8	SIDE 1: 3.0 steps outside 35 yd In	1.0 steps behind BACK HASH (HS)
52	20	SIDE 1: 3.0 steps outside 35 yd In	1.0 steps behind BACK HASH (HS)
53	16	SIDE 1: 3.0 steps outside 35 yd In	1.0 steps behind BACK HASH (HS)
54	8	SIDE 1: 2.0 steps inside 30 yd In	On BACK HASH (HS)
55	16	SIDE 1: 2.75 steps outside 40 yd In	10.75 steps behind FRONT HASH (HS)
56	16	SIDE 1: 4.0 steps inside 30 yd In	On FRONT HASH (HS)
57	8	SIDE 1: 2.0 steps outside 35 yd In	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: On 35 yd In	2.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: 2.0 steps inside 35 yd In	4.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 2.0 steps inside 35 yd In	4.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 2.0 steps inside 35 yd In	4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 2.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: 2.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: 2.0 steps outside 35 yd In	11.75 steps in front of FRONT HASH (HS)
65	18	SIDE 1: 2.0 steps outside 35 yd In	11.75 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Performer:		Symbol: A Label: 12 ID:5632373950	78600 Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 2.0 steps outside 30 yd In	3.0 steps in front of FRONT HASH (HS)
2	8	SIDE 1: 2.0 steps outside 30 yd In	3.0 steps in front of FRONT HASH (HS)
3	8	SIDE 1: On 25 yd In	6.5 steps in front of FRONT HASH (HS)
4	8	SIDE 1: On 25 yd In	6.5 steps in front of FRONT HASH (HS)
5	8	SIDE 1: On 25 yd In	6.5 steps in front of FRONT HASH (HS)
6	16	SIDE 1: 2.25 steps inside 20 yd In	13.25 steps in front of FRONT HASH (HS)
7	8	SIDE 1: 1.25 steps inside 20 yd In	4.25 steps in front of FRONT HASH (HS)
8	40	SIDE 1: 1.25 steps inside 20 yd In	4.25 steps in front of FRONT HASH (HS)
9	16	SIDE 1: On 20 yd In	10.0 steps in front of FRONT HASH (HS)
10	16	SIDE 1: On 20 yd In	2.0 steps behind FRONT HASH (HS)
11	16	SIDE 1: On 20 yd In	4.0 steps behind FRONT HASH (HS)
12	8	SIDE 1: On 15 yd In	4.0 steps behind FRONT HASH (HS)
13	8	SIDE 1: On 15 yd In	4.0 steps in front of FRONT HASH (HS)
14	12	SIDE 1: 1.5 steps inside 20 yd In	5.5 steps behind FRONT HASH (HS)
15	12	SIDE 1: 1.5 steps inside 20 yd In	5.5 steps behind FRONT HASH (HS)
16	24	SIDE 1: 2.75 steps inside 30 yd In	12.0 steps behind FRONT HASH (HS)
17	8	SIDE 1: 2.75 steps inside 30 yd In	12.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: 2.75 steps inside 20 yd In	12.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: 2.75 steps inside 15 yd In	8.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: On 20 yd In	8.25 steps in front of FRONT HASH (HS)

### Performer: Symbol: A Label: 12 ID:563237395078600 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-RACK

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
20	0	SIDE 1: On 20 yd In	8.25 steps in front of FRONT HASH (HS)
21	16	SIDE 1: 2.0 steps outside 25 yd In	7.0 steps in front of FRONT HASH (HS)
22	8	SIDE 1: 2.0 steps outside 25 yd In	7.0 steps in front of FRONT HASH (HS)
23	8	SIDE 1: 2.0 steps outside 25 yd In	7.0 steps in front of FRONT HASH (HS)
24	8	SIDE 1: 1.75 steps inside 20 yd In	6.25 steps in front of FRONT HASH (HS)
25	12	SIDE 1: 1.75 steps inside 20 yd In	6.25 steps in front of FRONT HASH (HS)
26	10	SIDE 1: 1.75 steps inside 20 yd In	6.25 steps in front of FRONT HASH (HS)
27	8	SIDE 1: On 20 yd In	4.0 steps in front of FRONT HASH (HS)
28	12	SIDE 1: On 20 yd In	4.0 steps in front of FRONT HASH (HS)
29	4	SIDE 1: On 20 yd In	4.0 steps in front of FRONT HASH (HS)
30	4	SIDE 1: On 20 yd In	4.0 steps in front of FRONT HASH (HS)
31	4	SIDE 1: On 20 yd In	4.0 steps in front of FRONT HASH (HS)
32	4	SIDE 1: On 20 yd In	4.0 steps in front of FRONT HASH (HS)
33	4	SIDE 1: On 20 yd In	8.0 steps in front of FRONT HASH (HS)
34	14	SIDE 1: On 20 yd In	8.0 steps in front of FRONT HASH (HS)
35	12	SIDE 1: 0.75 steps inside 15 yd In	6.5 steps in front of FRONT HASH (HS)

Performer: Symbol: A Label: 12 ID:563237395078600 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 0.75 steps inside 15 yd In	6.5 steps in front of FRONT HASH (HS)
36	8	SIDE 1: 0.75 steps inside 15 yd In	6.5 steps in front of FRONT HASH (HS)
37	16	SIDE 1: 4.0 steps inside 20 yd In	7.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: 4.0 steps inside 20 yd In	8.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 1.0 steps outside 35 yd In	8.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 1.0 steps outside 35 yd In	8.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 4.0 steps outside 35 yd In	12.0 steps behind FRONT HASH (HS)
42	16	SIDE 1: 4.0 steps outside 35 yd In	12.0 steps behind FRONT HASH (HS)
43	12	SIDE 1: 4.0 steps outside 35 yd In	12.0 steps behind FRONT HASH (HS)
44	16	SIDE 1: 2.75 steps inside 30 yd In	13.25 steps behind FRONT HASH (HS)
45	16	SIDE 1: 0.5 steps inside 35 yd In	11.25 steps behind FRONT HASH (HS)
46	8	SIDE 1: 3.25 steps outside 35 yd In	7.5 steps behind FRONT HASH (HS)

Perfo	rmer:	Symbol: A Label: 12 ID:56323739507	'8600 Drill: 2024 Grafton Pt4
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 3.25 steps outside 35 yd In	7.5 steps behind FRONT HASH (HS)
47	17	SIDE 1: 2.0 steps outside 20 yd In	2.0 steps in front of FRONT HASH (HS)
48	8	SIDE 1: 2.0 steps outside 20 yd In	12.0 steps behind FRONT SIDELINE
49	9	SIDE 1: 2.0 steps outside 20 yd In	12.0 steps behind FRONT SIDELINE
50	8	SIDE 1: 2.0 steps outside 30 yd In	12.0 steps behind FRONT SIDELINE
51	8	SIDE 1: 2.0 steps outside 30 yd In	12.0 steps behind FRONT SIDELINE
52	20	SIDE 1: 4.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
53	16	SIDE 1: 4.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
54	8	SIDE 1: 4.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
55	16	SIDE 1: 4.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
56	16	SIDE 1: 4.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
57	8	SIDE 1: 4.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: 4.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
59	8	SIDE 1: 4.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: 4.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: 4.0 steps inside 35 yd In	8.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: 4.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: 4.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: 2.75 steps outside 40 yd In	11.0 steps in front of FRONT HASH (HS)
65	18	SIDE 1: 2.75 steps outside 40 yd In	11.0 steps in front of FRONT HASH (HS)

Performer: ii	n "2024 GRAFTON"
---------------	------------------

Perfo	rmer:	Symbol: C Label: 12 ID:5632373950	80800 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 3.0 steps inside 15 yd In	13.0 steps behind FRONT SIDELINE
2	8	SIDE 1: 3.0 steps inside 15 yd In	13.0 steps behind FRONT SIDELINE
3	8	SIDE 1: On 20 yd In	11.5 steps in front of FRONT HASH (HS)
4	8	SIDE 1: On 20 yd In	11.5 steps in front of FRONT HASH (HS)
5	8	SIDE 1: On 20 yd In	11.5 steps in front of FRONT HASH (HS)
6	16	SIDE 1: 2.5 steps inside 30 yd In	7.5 steps behind FRONT HASH (HS)
7	8	SIDE 1: 2.5 steps inside 35 yd In	5.5 steps behind FRONT HASH (HS)
8	40	SIDE 1: 2.5 steps inside 35 yd In	5.5 steps behind FRONT HASH (HS)
9	16	SIDE 1: 2.0 steps outside 30 yd In	10.0 steps behind FRONT HASH (HS)
10	16	SIDE 1: 2.0 steps outside 35 yd In	10.0 steps in front of BACK HASH (HS)
11	16	SIDE 1: 2.0 steps inside 30 yd In	10.0 steps in front of BACK HASH (HS)
12	8	SIDE 1: 2.0 steps inside 25 yd In	10.0 steps in front of BACK HASH (HS)
13	8	SIDE 1: 2.0 steps inside 25 yd In	12.0 steps behind FRONT HASH (HS)
14	12	SIDE 1: 2.25 steps inside 25 yd In	12.25 steps behind FRONT HASH (HS)
15	12	SIDE 1: 2.25 steps inside 25 yd In	12.25 steps behind FRONT HASH (HS)
16	24	SIDE 1: On 35 yd In	12.0 steps behind FRONT HASH (HS)
17	8	SIDE 1: On 35 yd In	12.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: On 25 yd In	12.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: On 20 yd In	8.0 steps behind FRONT HASH (HS)
20	16	SIDE 1: 2.75 steps outside 20 yd In	4.5 steps in front of FRONT HASH (HS)

#### Counts SIDE 1-SIDE 2 FRONT-BACK Set 20 0 SIDE 1: 2.75 steps outside 20 yd In 4.5 steps in front of FRONT HASH (HS) 16 SIDE 1: 2.0 steps inside 20 yd In On FRONT HASH (HS) 21 22 8 SIDE 1: 2.0 steps inside 20 yd In On FRONT HASH (HS) 23 8 SIDE 1: 2.0 steps inside 20 yd In On FRONT HASH (HS) 24 SIDE 1: 0.75 steps inside 20 yd In 1.0 steps in front of FRONT HASH (HS) 25 12 SIDE 1: 0.75 steps inside 20 yd In 1.0 steps in front of FRONT HASH (HS) 26 SIDE 1: 0.75 steps inside 20 yd In 1.0 steps in front of FRONT HASH (HS) 27 SIDE 1: On 15 yd In 12.0 steps behind FRONT SIDELINE 12 SIDE 1: On 15 yd In 28 12.0 steps behind FRONT SIDELINE 29 SIDE 1: 4.0 steps inside 15 yd In 12.0 steps behind FRONT SIDELINE 30 SIDE 1: 4.0 steps inside 15 yd In 12.0 steps behind FRONT SIDELINE

4.25 steps in front of FRONT HASH (HS)

Performer: Symbol: C Label: 12 ID:563237395080800 Drill: 2024 GRAFTON PT2

Performer: Symbol: C Label: 12 ID:563237395080800 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

14

4 SIDE 1: 4.0 steps inside 15 yd In

12 SIDE 1: 1.25 steps inside 15 yd In

SIDE 1: 4.0 steps inside 15 yd In

SIDE 1: 4.0 steps inside 15 yd In

SIDE 1: 4.0 steps inside 15 yd In

31

32

33

34

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 1.25 steps inside 15 yd In	4.25 steps in front of FRONT HASH (HS)
36	8	SIDE 1: 1.25 steps inside 15 yd In	4.25 steps in front of FRONT HASH (HS)
37	16	SIDE 1: On 20 yd In	7.0 steps in front of FRONT HASH (HS)
38	16	SIDE 1: On 20 yd In	8.0 steps behind FRONT HASH (HS)
39	16	SIDE 1: 4.0 steps inside 30 yd In	8.0 steps behind FRONT HASH (HS)
40	20	SIDE 1: 4.0 steps inside 30 yd In	8.0 steps behind FRONT HASH (HS)
41	16	SIDE 1: 1.0 steps inside 30 yd In	12.0 steps behind FRONT HASH (HS)
42	16	SIDE 1: 1.0 steps inside 30 yd In	12.0 steps behind FRONT HASH (HS)
43	12	SIDE 1: 1.0 steps inside 30 yd In	12.0 steps behind FRONT HASH (HS)
44	16	SIDE 1: 1.0 steps inside 30 yd In	12.0 steps behind FRONT HASH (HS)
45	16	SIDE 1: On 35 yd In	9.0 steps behind FRONT HASH (HS)
46	8	SIDE 1: 3.0 steps outside 35 yd In	5.0 steps behind FRONT HASH (HS)

Perfo	rmer:	Symbol: C Label: 12 ID:563237395086	0800 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 3.0 steps outside 35 yd In	5.0 steps behind FRONT HASH (HS)
47	17	SIDE 1: 3.0 steps inside 20 yd In	7.0 steps in front of BACK HASH (HS)
48	8	SIDE 1: 3.0 steps inside 20 yd In	7.0 steps in front of BACK HASH (HS)
49	9	SIDE 1: 3.0 steps inside 20 yd In	7.0 steps in front of BACK HASH (HS)
50	8	SIDE 1: 3.0 steps inside 20 yd In	1.0 steps behind BACK HASH (HS)
51	8	SIDE 1: 3.0 steps inside 30 yd In	1.0 steps behind BACK HASH (HS)
52	20	SIDE 1: 3.0 steps inside 30 yd In	1.0 steps behind BACK HASH (HS)
53	16	SIDE 1: 3.0 steps inside 30 yd In	1.0 steps behind BACK HASH (HS)
54	8	SIDE 1: 2.0 steps outside 35 yd In	On BACK HASH (HS)
55	16	SIDE 1: 3.75 steps inside 35 yd In	7.0 steps behind FRONT HASH (HS)
56	16	SIDE 1: On 35 yd In	4.0 steps in front of FRONT HASH (HS)
57	8	SIDE 1: On 35 yd In	4.0 steps in front of FRONT HASH (HS)
58	8	SIDE 1: On 35 yd In	On FRONT HASH (HS)
59	8	SIDE 1: On 35 yd In	4.0 steps in front of FRONT HASH (HS)
60	8	SIDE 1: On 35 yd In	4.0 steps in front of FRONT HASH (HS)
61	8	SIDE 1: On 35 yd In	4.0 steps in front of FRONT HASH (HS)
62	8	SIDE 1: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: 4.0 steps inside 30 yd In	10.5 steps in front of FRONT HASH (HS)
65	18	SIDE 1: 4.0 steps inside 30 yd In	10.5 steps in front of FRONT HASH (HS)

Performer: in "20"
--------------------

		Symbol: G Label: 19 ID:5627498940	•
Set	Counts	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 2: On 45 yd In	5.0 steps behind BACK HASH (HS)
2	8	SIDE 2: On 45 yd In	5.0 steps behind BACK HASH (HS)
3	8	SIDE 2: On 45 yd In	5.0 steps behind BACK HASH (HS)
4	8	SIDE 2: On 45 yd In	5.0 steps behind BACK HASH (HS)
5	8	SIDE 2: On 45 yd In	5.0 steps behind BACK HASH (HS)
6	16	SIDE 2: 2.0 steps outside 50 yd In	2.0 steps behind BACK HASH (HS)
7	8	SIDE 1: 1.0 steps outside 45 yd In	2.0 steps in front of BACK HASH (HS)
8	40	SIDE 1: 1.0 steps outside 45 yd In	2.0 steps in front of BACK HASH (HS)
9	16	SIDE 2: 3.25 steps outside 45 yd In	0.25 steps behind BACK HASH (HS)
10	16	SIDE 2: 1.5 steps outside 35 yd In	4.25 steps in front of BACK HASH (HS)
11	16	SIDE 2: 3.0 steps inside 30 yd In	13.5 steps in front of BACK HASH (HS)
12	8	SIDE 2: 0.25 steps inside 35 yd In	12.5 steps behind FRONT HASH (HS)
13	8	SIDE 2: 3.25 steps outside 40 yd In	11.75 steps in front of BACK HASH (HS)
14	12	SIDE 2: 3.75 steps outside 40 yd In	11.5 steps in front of BACK HASH (HS)
15	12	SIDE 2: 3.75 steps outside 40 yd In	11.5 steps in front of BACK HASH (HS)
16	24	SIDE 2: On 40 yd In	8.0 steps in front of BACK HASH (HS)
17	8	SIDE 2: On 40 yd In	4.0 steps in front of BACK HASH (HS)
18	16	SIDE 2: On 40 yd In	4.0 steps in front of BACK HASH (HS)
19	16	SIDE 2: On 40 yd In	10.0 steps in front of BACK HASH (HS)
20	16	SIDE 2: On 40 yd In	8.0 steps in front of BACK HASH (HS)

#### Performer: Symbol: G Label: 19 ID:562749894051700 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

Jei	Count	S SIDE 1-SIDE 2	I KONT-DACK
20	0	SIDE 2: On 40 yd In	8.0 steps in front of BACK HASH (HS)
21	16	SIDE 2: 4.0 steps outside 40 yd In	1.0 steps behind BACK HASH (HS)
22	8	SIDE 2: 4.0 steps outside 40 yd In	1.0 steps behind BACK HASH (HS)
23	8	SIDE 2: 3.5 steps outside 35 yd In	3.75 steps in front of BACK HASH (HS)
24	8	SIDE 2: 3.5 steps outside 35 yd In	3.75 steps in front of BACK HASH (HS)
25	12	SIDE 2: 2.5 steps outside 35 yd In	6.0 steps in front of BACK HASH (HS)
26	10	SIDE 2: 2.5 steps outside 35 yd In	6.0 steps in front of BACK HASH (HS)
27	8	SIDE 2: 2.5 steps outside 35 yd In	6.0 steps in front of BACK HASH (HS)
28	12	SIDE 2: On 30 yd In	10.0 steps in front of BACK HASH (HS)
29	4	SIDE 2: On 30 yd In	10.0 steps in front of BACK HASH (HS)
30	4	SIDE 2: On 30 yd In	10.0 steps in front of BACK HASH (HS)
31	4	SIDE 2: On 30 yd In	10.0 steps in front of BACK HASH (HS)
32	4	SIDE 2: On 30 yd In	10.0 steps in front of BACK HASH (HS)
33	4	SIDE 2: On 30 yd In	10.0 steps in front of BACK HASH (HS)
34	14	SIDE 2: On 30 yd In	10.0 steps in front of BACK HASH (HS)
35	12	SIDE 2: On 30 yd In	3.0 steps in front of BACK HASH (HS)

Performer: Symbol: G Label: 19 ID:562749894051700 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: On 30 yd In	3.0 steps in front of BACK HASH (HS)
36	8	SIDE 2: On 30 yd In	3.0 steps in front of BACK HASH (HS)
37	16	SIDE 2: On 35 yd In	4.0 steps in front of BACK HASH (HS)
38	16	SIDE 2: On 35 yd In	4.0 steps in front of BACK HASH (HS)
39	16	SIDE 2: On 35 yd In	12.0 steps in front of BACK HASH (HS)
40	20	SIDE 2: On 35 yd In	12.0 steps in front of BACK HASH (HS)
41	16	SIDE 2: 4.0 steps outside 45 yd In	12.0 steps behind FRONT HASH (HS)
42	16	SIDE 2: 1.0 steps inside 40 yd In	8.0 steps behind FRONT HASH (HS)
43	12	SIDE 2: 1.0 steps inside 40 yd In	8.0 steps behind FRONT HASH (HS)
44	16	SIDE 2: 1.0 steps inside 35 yd In	12.0 steps in front of BACK HASH (HS)
45	16	SIDE 2: 3.0 steps outside 30 yd In	12.0 steps in front of BACK HASH (HS)
46	8	SIDE 2: 4.0 steps outside 30 yd In	8.0 steps in front of BACK HASH (HS)

Perfo	rmer:	Symbol: G Label: 19 ID:562749894	051700 Drill: 2024 Grafton Pt4
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 4.0 steps outside 30 yd In	8.0 steps in front of BACK HASH (HS)
47	17	SIDE 2: 3.0 steps inside 20 yd In	7.0 steps in front of BACK HASH (HS)
48	8	SIDE 2: 3.0 steps inside 20 yd In	7.0 steps in front of BACK HASH (HS)
49	9	SIDE 2: On 20 yd In	12.0 steps in front of BACK HASH (HS)
50	8	SIDE 2: 1.0 steps inside 30 yd In	6.0 steps in front of BACK HASH (HS)
51	8	SIDE 2: On 40 yd In	8.0 steps in front of BACK HASH (HS)
52	20	SIDE 2: On 20 yd In	On FRONT HASH (HS)
53	16	SIDE 2: On 20 yd In	On FRONT HASH (HS)
54	8	SIDE 2: On 20 yd In	On FRONT HASH (HS)
55	16	SIDE 2: 0.5 steps inside 25 yd In	8.5 steps behind FRONT HASH (HS)
56	16	SIDE 2: On 20 yd In	On FRONT HASH (HS)
57	8	SIDE 2: On 20 yd In	5.75 steps in front of FRONT HASH (HS)
58	8	SIDE 2: On 20 yd In	5.75 steps in front of FRONT HASH (HS)
59	8	SIDE 2: On 20 yd In	5.75 steps in front of FRONT HASH (HS)
60	8	SIDE 2: On 20 yd In	5.75 steps in front of FRONT HASH (HS)
61	8	SIDE 2: On 20 yd In	5.75 steps in front of FRONT HASH (HS)
62	8	SIDE 2: On 20 yd In	8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 2: On 20 yd In	8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 2: On 15 yd In	12.0 steps behind FRONT SIDELINE
65	18	SIDE 2: On 15 yd In	12.0 steps behind FRONT SIDELINE

Performer: in "20	024 GRAFTON"
-------------------	--------------

Perfo	ormer:	Symbol: G Label: 17 ID:5627498940	51700 Drill: 2024 GRAFTON PT1.3dj
Set	Counts	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: On 45 yd In	5.0 steps behind BACK HASH (HS)
2	8	SIDE 1: On 45 yd In	5.0 steps behind BACK HASH (HS)
3	8	SIDE 1: On 45 yd In	5.0 steps behind BACK HASH (HS)
4	8	SIDE 1: On 45 yd In	5.0 steps behind BACK HASH (HS)
5	8	SIDE 1: On 45 yd In	5.0 steps behind BACK HASH (HS)
6	16	SIDE 1: 2.25 steps inside 45 yd In	1.75 steps in front of BACK HASH (HS)
7	8	SIDE 1: 0.25 steps inside 40 yd In	4.0 steps in front of BACK HASH (HS)
8	40	SIDE 1: 0.25 steps inside 40 yd In	4.0 steps in front of BACK HASH (HS)
9	16	SIDE 2: 1.75 steps outside 50 yd In	1.5 steps in front of BACK HASH (HS)
10	16	SIDE 2: 3.25 steps outside 45 yd In	3.0 steps in front of BACK HASH (HS)
11	16	SIDE 2: 3.5 steps outside 45 yd In	3.0 steps in front of BACK HASH (HS)
12	8	SIDE 2: 3.0 steps inside 45 yd In	6.5 steps in front of BACK HASH (HS)
13	8	SIDE 1: 0.75 steps outside 50 yd In	5.5 steps in front of BACK HASH (HS)
14	12	SIDE 2: 0.5 steps outside 50 yd In	3.0 steps in front of BACK HASH (HS)
15	12	SIDE 2: 0.5 steps outside 50 yd In	3.0 steps in front of BACK HASH (HS)
16	24	On 50 yd In	8.0 steps in front of BACK HASH (HS)
17	8	On 50 yd In	4.0 steps in front of BACK HASH (HS)
18	16	On 50 yd In	4.0 steps in front of BACK HASH (HS)
19	16	On 50 yd In	10.0 steps in front of BACK HASH (HS)
20	16	On 50 yd In	8.0 steps in front of BACK HASH (HS)

#### Performer: Symbol: G Label: 17 ID:562749894051500 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

Set	Count	S SIDE I-SIDE Z	FRONT-BACK
20	0	On 50 yd In	8.0 steps in front of BACK HASH (HS)
21	16	SIDE 1: On 45 yd In	5.0 steps behind BACK HASH (HS)
22	8	SIDE 1: On 45 yd In	5.0 steps behind BACK HASH (HS)
23	8	SIDE 1: 0.5 steps outside 40 yd In	1.25 steps in front of BACK HASH (HS)
24	8	SIDE 1: 0.5 steps outside 40 yd In	1.25 steps in front of BACK HASH (HS)
25	12	SIDE 1: On 40 yd In	3.5 steps in front of BACK HASH (HS)
26	10	SIDE 1: On 40 yd In	3.5 steps in front of BACK HASH (HS)
27	8	SIDE 1: 3.0 steps outside 45 yd In	8.0 steps in front of BACK HASH (HS)
28	12	SIDE 1: On 40 yd In	10.0 steps in front of BACK HASH (HS)
29	4	SIDE 1: On 40 yd In	10.0 steps in front of BACK HASH (HS)
30	4	SIDE 1: On 40 yd In	10.0 steps in front of BACK HASH (HS)
31	4	SIDE 1: On 40 yd In	10.0 steps in front of BACK HASH (HS)
32	4	SIDE 1: On 40 yd In	10.0 steps in front of BACK HASH (HS)
33	4	SIDE 1: On 40 yd In	10.0 steps in front of BACK HASH (HS)
34	14	SIDE 1: On 40 yd In	10.0 steps in front of BACK HASH (HS)
35	12	SIDE 1: On 45 yd In	5.0 steps behind BACK HASH (HS)

Performer: Symbol: G Label: 17 ID:562749894051500 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: On 45 yd In	5.0 steps behind BACK HASH (HS)
36	8	SIDE 1: On 45 yd In	5.0 steps behind BACK HASH (HS)
37	16	On 50 yd In	4.0 steps in front of BACK HASH (HS)
38	16	On 50 yd In	4.0 steps in front of BACK HASH (HS)
39	16	SIDE 2: On 40 yd In	4.0 steps in front of BACK HASH (HS)
40	20	SIDE 2: On 40 yd In	4.0 steps in front of BACK HASH (HS)
41	16	On 50 yd In	8.0 steps in front of BACK HASH (HS)
42	16	SIDE 2: 3.0 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
43	12	SIDE 2: 3.0 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
44	16	SIDE 2: 3.0 steps outside 45 yd In	12.0 steps in front of BACK HASH (HS)
45	16	SIDE 2: 1.0 steps inside 35 yd In	12.0 steps in front of BACK HASH (HS)
46	8	SIDE 2: 2.0 steps outside 35 yd In	8.0 steps in front of BACK HASH (HS)

Perfo	rmer:	Symbol: G Label: 17 ID:5627498940	51500 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 2.0 steps outside 35 yd In	8.0 steps in front of BACK HASH (HS)
47	17	SIDE 2: 1.0 steps outside 45 yd In	5.0 steps behind BACK HASH (HS)
48	8	SIDE 2: 1.0 steps outside 45 yd In	5.0 steps behind BACK HASH (HS)
49	9	SIDE 2: 1.25 steps outside 45 yd In	1.5 steps in front of BACK HASH (HS)
50	8	SIDE 1: 0.75 steps outside 45 yd In	1.5 steps in front of BACK HASH (HS)
51	8	SIDE 1: 3.0 steps outside 40 yd In	8.5 steps in front of BACK HASH (HS)
52	20	SIDE 2: 2.0 steps outside 40 yd In	8.5 steps in front of BACK HASH (HS)
53	16	SIDE 2: 2.0 steps outside 40 yd In	8.5 steps in front of BACK HASH (HS)
54	8	SIDE 2: 2.0 steps outside 40 yd In	8.5 steps in front of BACK HASH (HS)
55	16	SIDE 2: 2.0 steps inside 45 yd In	6.0 steps in front of BACK HASH (HS)
56	16	SIDE 2: 2.0 steps outside 40 yd In	8.5 steps in front of BACK HASH (HS)
57	8	SIDE 2: 2.0 steps outside 40 yd In	13.75 steps behind FRONT HASH (HS)
58	8	SIDE 2: 2.0 steps outside 40 yd In	13.75 steps behind FRONT HASH (HS)
59	8	SIDE 2: 2.0 steps outside 40 yd In	13.75 steps behind FRONT HASH (HS)
60	8	SIDE 2: 2.0 steps outside 40 yd In	13.75 steps behind FRONT HASH (HS)
61	8	SIDE 2: 2.0 steps outside 40 yd In	13.75 steps behind FRONT HASH (HS)
62	8	SIDE 2: 2.25 steps outside 40 yd In	13.25 steps behind FRONT HASH (HS)
63	8	SIDE 2: 2.25 steps outside 40 yd In	13.25 steps behind FRONT HASH (HS)
64	16	SIDE 2: 3.0 steps outside 40 yd In	12.0 steps behind FRONT HASH (HS)
65	18	SIDE 2: 3.0 steps outside 40 yd In	12.0 steps behind FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo		Symbol: G Label: 15 ID:5		Drill: 2024 GRAFTON PT1.3dj
1	0	SIDE 1: 4.0 steps inside 35 y	rd In 1.0 s	steps behind BACK HASH (HS)
2	8	SIDE 1: 4.0 steps inside 35 y	rd In 1.0 s	steps behind BACK HASH (HS)
3	8	SIDE 1: 4.0 steps inside 35 y	rd In 1.0 s	steps behind BACK HASH (HS)
4	8	SIDE 1: 4.0 steps inside 35 y	rd In 1.0 s	steps behind BACK HASH (HS)
5	8	SIDE 1: 4.0 steps inside 35 y	rd In 1.0 s	steps behind BACK HASH (HS)
6	16	SIDE 1: 3.75 steps inside 40	yd In 6.5 s	steps in front of BACK HASH (HS)
7	8	SIDE 1: 4.0 steps inside 35 y	rd In 9.5 s	steps in front of BACK HASH (HS)
8	40	SIDE 1: 4.0 steps inside 35 y	rd In 9.5 s	steps in front of BACK HASH (HS)
9	16	SIDE 1: 0.75 steps inside 45	yd In 5.25	steps in front of BACK HASH (HS)
10	16	SIDE 1: 3.0 steps outside 50	yd In 7.0 s	steps in front of BACK HASH (HS)
11	16	SIDE 1: 0.25 steps outside 4	5 yd In 3.25	steps in front of BACK HASH (HS)
12	8	SIDE 1: 0.25 steps inside 40	yd In 5.25	steps in front of BACK HASH (HS)
13	8	SIDE 1: 2.5 steps inside 35 y	rd In 6.25	steps in front of BACK HASH (HS)
14	12	SIDE 1: 2.5 steps inside 35 y	rd In 4.25	steps in front of BACK HASH (HS)
15	12	SIDE 1: 2.5 steps inside 35 y	rd In 4.25	steps in front of BACK HASH (HS)
16	24	SIDE 1: On 40 yd In	8.0 9	steps in front of BACK HASH (HS)
17	8	SIDE 1: On 40 yd In	4.0 9	steps in front of BACK HASH (HS)
18	16	SIDE 1: On 40 yd In	4.0 9	steps in front of BACK HASH (HS)
19	16	SIDE 1: On 40 yd In	10.0	steps in front of BACK HASH (HS)
20	16	SIDE 1: On 40 yd In	8.0 8	steps in front of BACK HASH (HS)

### Performer: Symbol: G Label: 15 ID:562749894051100 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

Set	Count	S SIDE I-SIDE Z	FRONT-BACK
20	0	SIDE 1: On 40 yd In	8.0 steps in front of BACK HASH (HS)
21	16	SIDE 1: On 30 yd In	3.0 steps in front of BACK HASH (HS)
22	8	SIDE 1: On 30 yd In	3.0 steps in front of BACK HASH (HS)
23	8	SIDE 1: 2.0 steps inside 25 yd In	7.25 steps in front of BACK HASH (HS)
24	8	SIDE 1: 2.0 steps inside 25 yd In	7.25 steps in front of BACK HASH (HS)
25	12	SIDE 1: 1.0 steps inside 25 yd In	10.0 steps in front of BACK HASH (HS)
26	10	SIDE 1: 1.0 steps inside 25 yd In	10.0 steps in front of BACK HASH (HS)
27	8	SIDE 1: On 25 yd In	6.0 steps in front of BACK HASH (HS)
28	12	SIDE 1: On 20 yd In	10.0 steps in front of BACK HASH (HS)
29	4	SIDE 1: On 20 yd In	10.0 steps in front of BACK HASH (HS)
30	4	SIDE 1: On 20 yd In	10.0 steps in front of BACK HASH (HS)
31	4	SIDE 1: On 20 yd In	10.0 steps in front of BACK HASH (HS)
32	4	SIDE 1: On 20 yd In	10.0 steps in front of BACK HASH (HS)
33	4	SIDE 1: On 20 yd In	10.0 steps in front of BACK HASH (HS)
34	14	SIDE 1: On 20 yd In	10.0 steps in front of BACK HASH (HS)
35	12	SIDE 1: On 30 yd In	3.0 steps in front of BACK HASH (HS)

Performer: Symbol: G Label: 15 ID:562749894051100 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: On 30 yd In	3.0 steps in front of BACK HASH (HS)
36	8	SIDE 1: On 30 yd In	3.0 steps in front of BACK HASH (HS)
37	16	SIDE 1: On 40 yd In	4.0 steps in front of BACK HASH (HS)
38	16	SIDE 1: On 40 yd In	4.0 steps in front of BACK HASH (HS)
39	16	On 50 yd In	4.0 steps in front of BACK HASH (HS)
40	20	On 50 yd In	4.0 steps in front of BACK HASH (HS)
41	16	SIDE 1: 4.0 steps inside 40 yd In	8.0 steps in front of BACK HASH (HS)
42	16	SIDE 1: 1.0 steps outside 45 yd In	8.0 steps behind FRONT HASH (HS)
43	12	SIDE 1: 1.0 steps outside 45 yd In	8.0 steps behind FRONT HASH (HS)
44	16	SIDE 1: 1.0 steps outside 50 yd In	12.0 steps in front of BACK HASH (HS)
45	16	SIDE 2: 3.0 steps outside 45 yd In	12.0 steps in front of BACK HASH (HS)
46	8	SIDE 2: On 40 yd In	8.0 steps in front of BACK HASH (HS)

Perfor	mer:	Symbol: G Label: 15 ID:562749894051	100 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: On 40 yd In	8.0 steps in front of BACK HASH (HS)
47	17	SIDE 1: 1.0 steps inside 45 yd In	5.0 steps behind BACK HASH (HS)
48	8	SIDE 1: 1.0 steps inside 45 yd In	5.0 steps behind BACK HASH (HS)
49	9	SIDE 1: 4.0 steps inside 45 yd In	1.0 steps in front of BACK HASH (HS)
50	8	SIDE 1: 2.0 steps inside 35 yd In	3.5 steps in front of BACK HASH (HS)
51	8	SIDE 1: 1.75 steps inside 30 yd In	11.25 steps in front of BACK HASH (HS)
52	20	SIDE 2: 2.0 steps inside 45 yd In	6.25 steps in front of BACK HASH (HS)
53	16	SIDE 2: 2.0 steps inside 45 yd In	6.25 steps in front of BACK HASH (HS)
54	8	SIDE 2: 2.0 steps inside 45 yd In	6.25 steps in front of BACK HASH (HS)
55	16	SIDE 2: 2.0 steps outside 40 yd In	8.5 steps in front of BACK HASH (HS)
56	16	SIDE 2: 2.0 steps inside 45 yd In	6.25 steps in front of BACK HASH (HS)
57	8	SIDE 2: 2.0 steps inside 45 yd In	12.0 steps in front of BACK HASH (HS)
58	8	SIDE 2: 2.0 steps inside 45 yd In	12.0 steps in front of BACK HASH (HS)
59	8	SIDE 2: 2.0 steps inside 45 yd In	12.0 steps in front of BACK HASH (HS)
60	8	SIDE 2: 2.0 steps inside 45 yd In	12.0 steps in front of BACK HASH (HS)
61	8	SIDE 2: 2.0 steps inside 45 yd In	12.0 steps in front of BACK HASH (HS)
62	8	SIDE 2: 1.75 steps inside 45 yd In	12.25 steps in front of BACK HASH (HS)
63	8	SIDE 2: 1.75 steps inside 45 yd In	12.25 steps in front of BACK HASH (HS)
64	16	SIDE 2: On 45 yd In	10.0 steps in front of BACK HASH (HS)
65	18	SIDE 2: On 45 yd In	10.0 steps in front of BACK HASH (HS)

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: G Label: 2 ID:5628104210449	99 Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 3.0 steps inside 35 yd In	8.0 steps behind FRONT SIDELINE
2	8	SIDE 1: 3.0 steps inside 35 yd In	8.0 steps behind FRONT SIDELINE
3	8	SIDE 1: 3.0 steps inside 35 yd In	8.0 steps behind FRONT SIDELINE
4	8	SIDE 1: 2.5 steps inside 40 yd In	13.25 steps in front of FRONT HASH (HS)
5	8	SIDE 1: 0.25 steps outside 45 yd In	5.25 steps in front of FRONT HASH (HS)
6	16	SIDE 1: 1.5 steps inside 40 yd In	7.5 steps in front of FRONT HASH (HS)
7	8	SIDE 1: 1.5 steps inside 40 yd In	7.5 steps in front of FRONT HASH (HS)
8	40	SIDE 1: 1.5 steps inside 40 yd In	7.5 steps in front of FRONT HASH (HS)
9	16	SIDE 1: 1.5 steps inside 35 yd In	4.5 steps behind FRONT HASH (HS)
10	16	SIDE 1: 3.0 steps inside 35 yd In	3.5 steps in front of FRONT HASH (HS)
11	16	SIDE 1: 3.75 steps outside 45 yd In	9.25 steps in front of FRONT HASH (HS)
12	8	SIDE 1: 2.5 steps inside 45 yd In	10.25 steps in front of FRONT HASH (HS)
13	8	SIDE 2: 3.0 steps outside 50 yd In	7.25 steps in front of FRONT HASH (HS)
14	12	SIDE 2: 2.25 steps inside 45 yd In	10.25 steps in front of FRONT HASH (HS)
15	12	SIDE 2: 2.25 steps inside 45 yd In	10.25 steps in front of FRONT HASH (HS)
16	24	SIDE 2: 4.0 steps outside 50 yd In	2.0 steps behind FRONT HASH (HS)
17	8	SIDE 2: 4.0 steps outside 50 yd In	2.0 steps behind FRONT HASH (HS)
18	16	SIDE 2: 4.0 steps outside 50 yd In	2.0 steps behind FRONT HASH (HS)
19	16	SIDE 2: 2.0 steps outside 50 yd In	2.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: On 45 yd In	8.5 steps behind FRONT HASH (HS)

#### Counts SIDE 1-SIDE 2 FRONT-BACK 8.5 steps behind FRONT HASH (HS) 20 0 SIDE 2: On 45 yd In 21 16 SIDE 2: 1.0 steps inside 45 yd In 5.0 steps behind BACK HASH (HS) 22 SIDE 2: 1.0 steps inside 45 yd In 5.0 steps behind BACK HASH (HS) 23 8 SIDE 2: 2.5 steps inside 45 yd In 0.25 steps in front of BACK HASH (HS) SIDE 2: 2.5 steps inside 45 yd In 24 0.25 steps in front of BACK HASH (HS) 25 12 SIDE 2: 2.5 steps inside 45 yd In 2.5 steps in front of BACK HASH (HS) 26 SIDE 2: 2.5 steps inside 45 yd In 2.5 steps in front of BACK HASH (HS) 27 8 SIDE 2: 2.5 steps inside 45 yd In 2.5 steps in front of BACK HASH (HS) 12 SIDE 2: On 40 yd In 10.0 steps in front of BACK HASH (HS) 28 29 SIDE 2: On 40 yd In 10.0 steps in front of BACK HASH (HS) 30 SIDE 2: On 40 yd In 10.0 steps in front of BACK HASH (HS) 31 4 SIDE 2: On 40 yd In 10.0 steps in front of BACK HASH (HS) 32 4 SIDE 2: On 40 yd In 10.0 steps in front of BACK HASH (HS) 33 SIDE 2: On 40 yd In 10.0 steps in front of BACK HASH (HS) 34 14 SIDE 2: On 40 yd In 10.0 steps in front of BACK HASH (HS)

Performer: Symbol: G Label: 2 ID:562810421045700 Drill: 2024 GRAFTON PT2

Performer: Symbol: G Label: 2 ID:562810421045700 Drill: 2024 GRAFTON PT3

1.0 steps behind BACK HASH (HS)

Printed: Sun. Jul 7, 2024 at 12:18 PM

12 SIDE 2: 4.0 steps outside 40 yd In

Performer:	in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 4.0 steps outside 40 yd In	1.0 steps behind BACK HASH (HS)
36	8	SIDE 2: 4.0 steps outside 40 yd In	1.0 steps behind BACK HASH (HS)
37	16	SIDE 2: On 40 yd In	4.0 steps in front of BACK HASH (HS)
38	16	SIDE 2: On 40 yd In	4.0 steps in front of BACK HASH (HS)
39	16	SIDE 2: On 30 yd In	4.0 steps in front of BACK HASH (HS)
40	20	SIDE 2: On 30 yd In	4.0 steps in front of BACK HASH (HS)
41	16	SIDE 2: 4.0 steps outside 45 yd In	8.0 steps in front of BACK HASH (HS)
42	16	SIDE 2: 1.0 steps outside 45 yd In	8.0 steps behind FRONT HASH (HS)
43	12	SIDE 2: 1.0 steps outside 45 yd In	8.0 steps behind FRONT HASH (HS)
44	16	SIDE 2: 1.0 steps outside 40 yd In	12.0 steps in front of BACK HASH (HS)
45	16	SIDE 2: 3.0 steps inside 30 yd In	12.0 steps in front of BACK HASH (HS)
46	8	SIDE 2: On 30 yd In	12.0 steps in front of BACK HASH (HS)

Perfo	rmer:	Symbol: G Label: 2	ID:56281042104570	00 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2		FRONT-BACK
46	0	SIDE 2: On 30 yd In		12.0 steps in front of BACK HASH (HS)
47	17	SIDE 2: 3.0 steps outs	ide 25 yd In	7.0 steps in front of BACK HASH (HS)
48	8	SIDE 2: 3.0 steps outs	ide 25 yd In	7.0 steps in front of BACK HASH (HS)
49	9	SIDE 2: 1.75 steps ou	tside 25 yd In	9.5 steps in front of BACK HASH (HS)
50	8	SIDE 2: 0.5 steps outs	ide 35 yd In	4.25 steps in front of BACK HASH (HS)
51	8	SIDE 2: 2.25 steps out	tside 45 yd In	7.25 steps in front of BACK HASH (HS)
52	20	SIDE 2: 3.75 steps out	tside 25 yd In	4.5 steps behind FRONT HASH (HS)
53	16	SIDE 2: 3.75 steps out	tside 25 yd In	4.5 steps behind FRONT HASH (HS)
54	8	SIDE 2: 3.75 steps out	tside 25 yd In	4.5 steps behind FRONT HASH (HS)
55	16	SIDE 2: 3.5 steps outs	ide 25 yd In	4.0 steps behind FRONT HASH (HS)
56	16	SIDE 2: 3.75 steps out	tside 25 yd In	4.5 steps behind FRONT HASH (HS)
57	8	SIDE 2: 3.75 steps out	tside 25 yd In	7.5 steps behind FRONT HASH (HS)
58	8	SIDE 2: 3.75 steps out	tside 25 yd In	7.5 steps behind FRONT HASH (HS)
59	8	SIDE 2: 3.75 steps out	tside 25 yd In	7.5 steps behind FRONT HASH (HS)
60	8	SIDE 2: 3.75 steps out	tside 25 yd In	7.5 steps behind FRONT HASH (HS)
61	8	SIDE 2: 3.75 steps out	tside 25 yd In	7.5 steps behind FRONT HASH (HS)
62	8	SIDE 2: 4.0 steps insid	de 20 yd In	3.25 steps in front of FRONT HASH (HS)
63	8	SIDE 2: 4.0 steps insid	de 20 yd In	3.25 steps in front of FRONT HASH (HS)
64	16	SIDE 2: 2.0 steps outs	ide 20 yd In	2.0 steps in front of FRONT HASH (HS)
65	18	SIDE 2: 2.0 steps outs	ide 20 yd In	2.0 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: G Label: 4 ID:5627498940503	300 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: On 45 yd In	5.0 steps in front of FRONT HASH (HS)
2	8	SIDE 1: On 45 yd In	5.0 steps in front of FRONT HASH (HS)
3	8	SIDE 1: On 45 yd In	5.0 steps in front of FRONT HASH (HS)
4	8	SIDE 1: 0.5 steps outside 40 yd In	0.75 steps in front of FRONT HASH (HS)
5	8	SIDE 1: 1.25 steps outside 35 yd In	2.75 steps behind FRONT HASH (HS)
6	16	SIDE 1: On 35 yd In	On FRONT HASH (HS)
7	8	SIDE 1: On 35 yd In	On FRONT HASH (HS)
8	40	SIDE 1: On 35 yd In	On FRONT HASH (HS)
9	16	SIDE 1: 3.5 steps inside 35 yd In	9.0 steps behind FRONT HASH (HS)
10	16	SIDE 1: On 35 yd In	3.0 steps behind FRONT HASH (HS)
11	16	SIDE 1: 2.25 steps inside 35 yd In	9.25 steps in front of FRONT HASH (HS)
12	8	SIDE 1: 0.25 steps outside 40 yd In	9.5 steps in front of FRONT HASH (HS)
13	8	SIDE 1: 1.75 steps inside 45 yd In	9.0 steps in front of FRONT HASH (HS)
14	12	SIDE 1: 2.5 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
15	12	SIDE 1: 2.5 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
16	24	On 50 yd In	4.0 steps in front of FRONT HASH (HS)
17	8	On 50 yd In	4.0 steps in front of FRONT HASH (HS)
18	16	On 50 yd In	4.0 steps in front of FRONT HASH (HS)
19	16	SIDE 1: 4.0 steps inside 45 yd In	2.0 steps in front of FRONT HASH (HS)
20	16	On 50 yd In	3.0 steps behind FRONT HASH (HS)

### Performer: Symbol: G Label: 4 ID:562749894050300 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

00.	Oount	O OIDE I OIDE E	THORT BROKE
20	0	On 50 yd In	3.0 steps behind FRONT HASH (HS)
21	16	SIDE 1: 1.0 steps inside 45 yd In	5.0 steps behind BACK HASH (HS)
22	8	SIDE 1: 1.0 steps inside 45 yd In	5.0 steps behind BACK HASH (HS)
23	8	SIDE 1: 2.5 steps inside 45 yd In	0.25 steps in front of BACK HASH (HS)
24	8	SIDE 1: 2.5 steps inside 45 yd In	0.25 steps in front of BACK HASH (HS)
25	12	SIDE 1: 4.0 steps inside 45 yd In	8.5 steps in front of BACK HASH (HS)
26	10	SIDE 1: 4.0 steps inside 45 yd In	8.5 steps in front of BACK HASH (HS)
27	8	SIDE 1: 4.0 steps inside 45 yd In	8.5 steps in front of BACK HASH (HS)
28	12	On 50 yd In	10.0 steps in front of BACK HASH (HS)
29	4	On 50 yd In	10.0 steps in front of BACK HASH (HS)
30	4	On 50 yd In	10.0 steps in front of BACK HASH (HS)
31	4	On 50 yd In	10.0 steps in front of BACK HASH (HS)
32	4	On 50 yd In	10.0 steps in front of BACK HASH (HS)
33	4	On 50 yd In	10.0 steps in front of BACK HASH (HS)
34	14	On 50 yd In	10.0 steps in front of BACK HASH (HS)
35	12	SIDE 2: On 45 vd In	5.0 steps behind BACK HASH (HS)

Performer: Symbol: G Label: 4 ID:562749894050300 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: On 45 yd In	5.0 steps behind BACK HASH (HS)
36	8	SIDE 2: On 45 yd In	5.0 steps behind BACK HASH (HS)
37	16	SIDE 2: On 45 yd In	4.0 steps in front of BACK HASH (HS)
38	16	SIDE 2: On 45 yd In	4.0 steps in front of BACK HASH (HS)
39	16	SIDE 2: On 45 yd In	12.0 steps in front of BACK HASH (HS)
40	20	SIDE 2: On 45 yd In	12.0 steps in front of BACK HASH (HS)
41	16	On 50 yd In	12.0 steps behind FRONT HASH (HS)
42	16	SIDE 1: 3.0 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
43	12	SIDE 1: 3.0 steps outside 50 yd In	8.0 steps behind FRONT HASH (HS)
44	16	SIDE 2: 3.0 steps inside 45 yd In	12.0 steps in front of BACK HASH (HS)
45	16	SIDE 2: 1.0 steps outside 40 yd In	12.0 steps in front of BACK HASH (HS)
46	8	SIDE 2: 2.0 steps inside 35 yd In	12.0 steps in front of BACK HASH (HS)

Perfo	rmer:	Symbol: G Label: 4	ID:56274989405030	00 Drill: 2024 Grafton Pt4
Set	Coun	ts SIDE 1-SIDE 2		FRONT-BACK
46	0	SIDE 2: 2.0 steps insid	le 35 yd In	12.0 steps in front of BACK HASH (HS)
47	17	SIDE 2: 1.0 steps insid	le 45 yd In	5.0 steps behind BACK HASH (HS)
48	8	SIDE 2: 1.0 steps insid	le 45 yd In	5.0 steps behind BACK HASH (HS)
49	9	SIDE 2: 2.5 steps outs	ide 50 yd In	1.0 steps in front of BACK HASH (HS)
50	8	SIDE 1: 0.75 steps ins	ide 40 yd In	2.25 steps in front of BACK HASH (HS)
51	8	SIDE 1: 0.75 steps out	side 35 yd In	9.5 steps in front of BACK HASH (HS)
52	20	SIDE 2: 4.0 steps insid	le 40 yd In	7.25 steps in front of BACK HASH (HS)
53	16	SIDE 2: 4.0 steps insid	le 40 yd In	7.25 steps in front of BACK HASH (HS)
54	8	SIDE 2: 4.0 steps insid	le 40 yd In	7.25 steps in front of BACK HASH (HS)
55	16	SIDE 2: 4.0 steps outs	ide 45 yd In	7.5 steps in front of BACK HASH (HS)
56	16	SIDE 2: 4.0 steps insid	le 40 yd In	7.25 steps in front of BACK HASH (HS)
57	8	SIDE 2: 4.0 steps insid	le 40 yd In	4.25 steps in front of BACK HASH (HS)
58	8	SIDE 2: 4.0 steps insid	le 40 yd In	4.25 steps in front of BACK HASH (HS)
59	8	SIDE 2: 4.0 steps insid	le 40 yd In	4.25 steps in front of BACK HASH (HS)
60	8	SIDE 2: 4.0 steps insid	le 40 yd In	4.25 steps in front of BACK HASH (HS)
61	8	SIDE 2: 4.0 steps insid	le 40 yd In	4.25 steps in front of BACK HASH (HS)
62	8	SIDE 2: 3.75 steps ins	ide 40 yd In	13.25 steps in front of BACK HASH (HS)
63	8	SIDE 2: 3.75 steps ins	ide 40 yd In	13.25 steps in front of BACK HASH (HS)
64	16	SIDE 2: 3.0 steps insid	le 40 yd In	3.0 steps in front of BACK HASH (HS)
65	18	SIDE 2: 3.0 steps insid	le 40 yd In	3.0 steps in front of BACK HASH (HS)

Performer: i	in "2024 GRAFTON"
--------------	-------------------

Perfo	rmer:	Symbol: G Label: 14 ID:5628104210	46200 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: On 30 yd In	1.0 steps in front of BACK HASH (HS)
2	8	SIDE 1: On 30 yd In	1.0 steps in front of BACK HASH (HS)
3	8	SIDE 1: On 30 yd In	1.0 steps in front of BACK HASH (HS)
4	8	SIDE 1: On 30 yd In	1.0 steps in front of BACK HASH (HS)
5	8	SIDE 1: On 30 yd In	1.0 steps in front of BACK HASH (HS)
6	16	SIDE 1: 0.75 steps inside 40 yd In	9.5 steps in front of BACK HASH (HS)
7	8	SIDE 1: 3.25 steps outside 45 yd In	13.5 steps behind FRONT HASH (HS)
8	40	SIDE 1: 3.25 steps outside 45 yd In	13.5 steps behind FRONT HASH (HS)
9	16	SIDE 1: 2.75 steps outside 50 yd In	3.0 steps in front of BACK HASH (HS)
10	16	SIDE 2: 4.0 steps outside 50 yd In	4.75 steps in front of BACK HASH (HS)
11	16	SIDE 2: 1.5 steps outside 50 yd In	0.5 steps in front of BACK HASH (HS)
12	8	SIDE 1: 2.75 steps inside 45 yd In	5.0 steps in front of BACK HASH (HS)
13	8	SIDE 1: 3.25 steps outside 45 yd In	5.0 steps in front of BACK HASH (HS)
14	12	SIDE 1: 2.75 steps outside 45 yd In	2.75 steps in front of BACK HASH (HS)
15	12	SIDE 1: 2.75 steps outside 45 yd In	2.75 steps in front of BACK HASH (HS)
16	24	SIDE 1: On 45 yd In	8.0 steps in front of BACK HASH (HS)
17	8	SIDE 1: On 45 yd In	8.0 steps in front of BACK HASH (HS)
18	16	SIDE 1: On 45 yd In	8.0 steps in front of BACK HASH (HS)
19	16	SIDE 1: On 45 yd In	4.0 steps in front of BACK HASH (HS)
20	16	SIDE 1: On 45 yd In	8.0 steps in front of BACK HASH (HS)

# Performer: Symbol: G Label: 14 ID:562810421046400 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 1: On 45 yd In	8.0 steps in front of BACK HASH (HS)
21	16	SIDE 1: 4.0 steps inside 35 yd In	1.0 steps behind BACK HASH (HS)
22	8	SIDE 1: 4.0 steps inside 35 yd In	1.0 steps behind BACK HASH (HS)
23	8	SIDE 1: 3.5 steps outside 35 yd In	3.75 steps in front of BACK HASH (HS)
24	8	SIDE 1: 3.5 steps outside 35 yd In	3.75 steps in front of BACK HASH (HS)
25	12	SIDE 1: 0.5 steps outside 35 yd In	11.0 steps in front of BACK HASH (HS)
26	10	SIDE 1: 0.5 steps outside 35 yd In	11.0 steps in front of BACK HASH (HS)
27	8	SIDE 1: On 35 yd In	6.0 steps in front of BACK HASH (HS)
28	12	SIDE 1: On 30 yd In	10.0 steps in front of BACK HASH (HS)
29	4	SIDE 1: On 30 yd In	10.0 steps in front of BACK HASH (HS)
30	4	SIDE 1: On 30 yd In	10.0 steps in front of BACK HASH (HS)
31	4	SIDE 1: On 30 yd In	10.0 steps in front of BACK HASH (HS)
32	4	SIDE 1: On 30 yd In	10.0 steps in front of BACK HASH (HS)
33	4	SIDE 1: On 30 yd In	10.0 steps in front of BACK HASH (HS)
34	14	SIDE 1: On 30 yd In	10.0 steps in front of BACK HASH (HS)
35	12	SIDE 1: 4.0 steps inside 35 yd In	1.0 steps behind BACK HASH (HS)

Performer: Symbol: G Label: 14 ID:562810421046400 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 4.0 steps inside 35 yd In	1.0 steps behind BACK HASH (HS)
36	8	SIDE 1: 4.0 steps inside 35 yd In	1.0 steps behind BACK HASH (HS)
37	16	SIDE 1: On 45 yd In	4.0 steps in front of BACK HASH (HS)
38	16	SIDE 1: On 45 yd In	4.0 steps in front of BACK HASH (HS)
39	16	SIDE 1: On 45 yd In	12.0 steps in front of BACK HASH (HS)
40	20	SIDE 1: On 45 yd In	12.0 steps in front of BACK HASH (HS)
41	16	SIDE 1: 4.0 steps inside 40 yd In	12.0 steps behind FRONT HASH (HS)
42	16	SIDE 1: 1.0 steps inside 40 yd In	8.0 steps behind FRONT HASH (HS)
43	12	SIDE 1: 1.0 steps inside 40 yd In	8.0 steps behind FRONT HASH (HS)
44	16	SIDE 1: 1.0 steps inside 45 yd In	12.0 steps in front of BACK HASH (HS)
45	16	SIDE 2: 3.0 steps inside 45 yd In	12.0 steps in front of BACK HASH (HS)
46	8	SIDE 2: 4.0 steps outside 45 yd In	12.0 steps in front of BACK HASH (HS)

Perfo	rmer:	Symbol: G Label: 14 ID:562810	0421046400 Drill: 2024 Grafton Pt4
Set	Coun	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 4.0 steps outside 45 yd In	12.0 steps in front of BACK HASH (HS)
47	17	SIDE 1: 1.0 steps outside 45 yd In	5.0 steps behind BACK HASH (HS)
48	8	SIDE 1: 1.0 steps outside 45 yd In	5.0 steps behind BACK HASH (HS)
49	9	SIDE 1: 2.75 steps outside 45 yd li	1.5 steps in front of BACK HASH (HS)
50	8	SIDE 1: 3.75 steps inside 30 yd In	5.5 steps in front of BACK HASH (HS)
51	8	SIDE 1: 3.75 steps outside 30 yd li	13.5 steps in front of BACK HASH (HS)
52	20	SIDE 2: On 50 yd In	6.0 steps in front of BACK HASH (HS)
53	16	SIDE 2: On 50 yd In	6.0 steps in front of BACK HASH (HS)
54	8	SIDE 2: On 50 yd In	6.0 steps in front of BACK HASH (HS)
55	16	SIDE 2: On 50 yd In	6.0 steps in front of BACK HASH (HS)
56	16	SIDE 2: On 50 yd In	6.0 steps in front of BACK HASH (HS)
57	8	On 50 yd In	3.0 steps in front of BACK HASH (HS)
58	8	On 50 yd In	3.0 steps in front of BACK HASH (HS)
59	8	On 50 yd In	3.0 steps in front of BACK HASH (HS)
60	8	On 50 yd In	3.0 steps in front of BACK HASH (HS)
61	8	On 50 yd In	3.0 steps in front of BACK HASH (HS)
62	8	SIDE 1: On 50 yd In	12.0 steps in front of BACK HASH (HS)
63	8	SIDE 1: On 50 yd In	12.0 steps in front of BACK HASH (HS)
64	16	On 50 yd In	2.0 steps in front of BACK HASH (HS)
65	18	On 50 yd In	2.0 steps in front of BACK HASH (HS)

Performer: ii	n "2024 GRAFTON"
---------------	------------------

Perfo	rmer:	Symbol: G Label: 16 ID:56281042104	46400 Drill: 2024 GRAFTON PT1.3dj
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 4.0 steps inside 35 yd In	3.0 steps behind BACK HASH (HS)
2	8	SIDE 1: 4.0 steps inside 35 yd In	3.0 steps behind BACK HASH (HS)
3	8	SIDE 1: 4.0 steps inside 35 yd In	3.0 steps behind BACK HASH (HS)
4	8	SIDE 1: 4.0 steps inside 35 yd In	3.0 steps behind BACK HASH (HS)
5	8	SIDE 1: 4.0 steps inside 35 yd In	3.0 steps behind BACK HASH (HS)
6	16	SIDE 1: 1.0 steps outside 45 yd In	4.0 steps in front of BACK HASH (HS)
7	8	SIDE 1: 0.25 steps outside 45 yd In	8.75 steps in front of BACK HASH (HS)
8	40	SIDE 1: 0.25 steps outside 45 yd In	8.75 steps in front of BACK HASH (HS)
9	16	SIDE 2: 1.75 steps inside 45 yd In	0.25 steps in front of BACK HASH (HS)
10	16	SIDE 2: 2.5 steps outside 40 yd In	2.75 steps in front of BACK HASH (HS)
11	16	SIDE 2: 3.5 steps inside 35 yd In	7.75 steps in front of BACK HASH (HS)
12	8	SIDE 2: 1.0 steps inside 40 yd In	10.0 steps in front of BACK HASH (HS)
13	8	SIDE 2: 1.5 steps outside 45 yd In	8.0 steps in front of BACK HASH (HS)
14	12	SIDE 2: 3.25 steps outside 45 yd In	5.0 steps in front of BACK HASH (HS)
15	12	SIDE 2: 3.25 steps outside 45 yd In	5.0 steps in front of BACK HASH (HS)
16	24	SIDE 2: On 45 yd In	8.0 steps in front of BACK HASH (HS)
17	8	SIDE 2: On 45 yd In	8.0 steps in front of BACK HASH (HS)
18	16	SIDE 2: On 45 yd In	8.0 steps in front of BACK HASH (HS)
19	16	SIDE 2: On 45 yd In	4.0 steps in front of BACK HASH (HS)
20	16	SIDE 2: On 45 yd In	8.0 steps in front of BACK HASH (HS)

#### Performer: Symbol: G Label: 16 ID:562810421046600 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK 8.0 steps in front of BACK HASH (HS) 20 0 SIDE 2: On 45 yd In 21 16 SIDE 2: On 45 yd In 5.0 steps behind BACK HASH (HS) 22 8 SIDE 2: On 45 yd In 5.0 steps behind BACK HASH (HS) 23 8 SIDE 2: 0.5 steps outside 40 yd In 1.25 steps in front of BACK HASH (HS) SIDE 2: 0.5 steps outside 40 yd In 24 1.25 steps in front of BACK HASH (HS) 25 12 SIDE 2: On 40 yd In 10.5 steps in front of BACK HASH (HS) 26 10 SIDE 2: On 40 yd In 10.5 steps in front of BACK HASH (HS) 27 8 SIDE 2: On 40 yd In 10.5 steps in front of BACK HASH (HS) 12 SIDE 2: On 45 yd In 2.0 steps in front of FRONT HASH (HS) 28 29 4 SIDE 2: On 45 yd In 2.0 steps in front of FRONT HASH (HS) 30 4 SIDE 2: On 45 yd In 2.0 steps in front of FRONT HASH (HS) 31 4 SIDE 2: On 45 yd In 2.0 steps in front of FRONT HASH (HS) 32 4 SIDE 2: On 45 yd In 2.0 steps in front of FRONT HASH (HS) 33 SIDE 2: On 45 yd In 2.0 steps in front of FRONT HASH (HS) 34 14 SIDE 2: On 45 yd In 2.0 steps in front of FRONT HASH (HS)

Performer: Symbol: G Label: 16 ID:562810421046600 Drill: 2024 GRAFTON PT3

On FRONT SIDELINE

12 SIDE 2: 4.0 steps outside 45 yd In

Printed: Sun. Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 4.0 steps outsid	de 45 yd In On FRONT SIDELINE
36	8	SIDE 2: 4.0 steps outsid	de 45 yd In On FRONT SIDELINE
37	16	SIDE 2: 4.0 steps outsid	de 45 yd In On FRONT SIDELINE
38	16	SIDE 2: On 45 yd In	4.0 steps behind FRONT SIDELINE
39	16	SIDE 1: On 45 yd In	10.0 steps behind FRONT SIDELINE
40	20	SIDE 1: On 45 yd In	10.0 steps behind FRONT SIDELINE
41	16	SIDE 2: 4.0 steps outsid	de 45 yd In 4.0 steps behind FRONT SIDELINE
42	16	SIDE 2: 1.0 steps inside	e 40 yd In 8.0 steps in front of FRONT HASH (HS)
43	12	SIDE 2: 1.0 steps inside	e 40 yd In 8.0 steps in front of FRONT HASH (HS)
44	16	SIDE 2: 4.0 steps outsid	de 45 yd In 4.0 steps behind FRONT HASH (HS)
45	16	SIDE 2: 2.0 steps inside	e 30 yd In 4.0 steps behind FRONT HASH (HS)
46	8	SIDE 2: 4.0 steps outsid	de 35 yd In 12.0 steps behind FRONT HASH (HS)
Performer:		Symbol: G Label: 16	ID:562810421046600 Drill: 2024 Grafton Pt4

Perfor	mer:	Symbol: G Label: 16	ID:5628104210	146600 Drill: 2024 Grafton Pt4
Set	Coun	ts SIDE 1-SIDE 2		FRONT-BACK
46	0	SIDE 2: 4.0 steps outs	side 35 yd In	12.0 steps behind FRONT HASH (HS)
47	17	SIDE 2: 1.0 steps outs	side 30 yd In	3.0 steps in front of BACK HASH (HS)
48	8	SIDE 2: 1.0 steps outs	side 30 yd In	3.0 steps in front of BACK HASH (HS)
49	9	SIDE 2: 3.5 steps outs	side 30 yd In	7.25 steps in front of BACK HASH (HS
50	8	SIDE 2: 2.0 steps outs	side 40 yd In	2.75 steps in front of BACK HASH (HS
51	8	SIDE 2: 3.75 steps ins	side 45 yd In	6.75 steps in front of BACK HASH (HS
52	20	SIDE 2: 0.75 steps ins	side 25 yd In	8.25 steps behind FRONT HASH (HS)
53	16	SIDE 2: 0.75 steps ins	side 25 yd In	8.25 steps behind FRONT HASH (HS)
54	8	SIDE 2: 0.75 steps ins	side 25 yd In	8.25 steps behind FRONT HASH (HS)
55	16	SIDE 2: 0.25 steps ou	tside 20 yd In	0.25 steps behind FRONT HASH (HS)
56	16	SIDE 2: 0.75 steps ins	side 25 yd In	8.25 steps behind FRONT HASH (HS)
57	8	SIDE 2: 0.75 steps ins	side 25 yd In	2.75 steps behind FRONT HASH (HS)
58	8	SIDE 2: 0.75 steps ins	side 25 yd In	2.75 steps behind FRONT HASH (HS)
59	8	SIDE 2: 0.75 steps ins	side 25 yd In	2.75 steps behind FRONT HASH (HS)
60	8	SIDE 2: 0.75 steps ins	side 25 yd In	2.75 steps behind FRONT HASH (HS)
61	8	SIDE 2: 0.75 steps ins	side 25 yd In	2.75 steps behind FRONT HASH (HS)
62	8	SIDE 2: 0.5 steps insid	de 25 yd In	1.0 steps behind FRONT HASH (HS)
63	8	SIDE 2: 0.5 steps insid	de 25 yd In	1.0 steps behind FRONT HASH (HS)
64	16	SIDE 2: On 25 yd In		8.0 steps in front of FRONT HASH (H
65	18	SIDE 2: On 25 yd In		8.0 steps in front of FRONT HASH (H

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: G Label: 18 ID	562810421046600 Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: On 45 yd In	7.0 steps behind BACK HASH (HS)
2	8	SIDE 1: On 45 yd In	7.0 steps behind BACK HASH (HS)
3	8	SIDE 1: On 45 yd In	7.0 steps behind BACK HASH (HS)
4	8	SIDE 1: On 45 yd In	7.0 steps behind BACK HASH (HS)
5	8	SIDE 1: On 45 yd In	7.0 steps behind BACK HASH (HS)
6	16	SIDE 1: 2.0 steps outside 5	0 yd In 0.25 steps behind BACK HASH (HS)
7	8	SIDE 1: 4.0 steps inside 45	yd In 4.0 steps in front of BACK HASH (HS)
8	40	SIDE 1: 4.0 steps inside 45	yd In 4.0 steps in front of BACK HASH (HS)
9	16	SIDE 2: On 40 yd In	On BACK HASH (HS)
10	16	SIDE 2: On 30 yd In	8.0 steps in front of BACK HASH (HS)
11	16	SIDE 2: 3.0 steps inside 25	yd In 8.0 steps behind FRONT HASH (HS)
12	8	SIDE 2: 1.0 steps inside 30	yd In 5.0 steps behind FRONT HASH (HS)
13	8	SIDE 2: 3.0 steps inside 30	yd In 12.0 steps behind FRONT HASH (HS)
14	12	SIDE 2: 1.0 steps inside 35	yd In 6.0 steps behind FRONT HASH (HS)
15	12	SIDE 2: 1.0 steps inside 35	yd In 6.0 steps behind FRONT HASH (HS)
16	24	SIDE 2: On 35 yd In	8.0 steps in front of BACK HASH (HS)
17	8	SIDE 2: On 35 yd In	8.0 steps in front of BACK HASH (HS)
18	16	SIDE 2: On 35 yd In	8.0 steps in front of BACK HASH (HS)
19	16	SIDE 2: On 35 yd In	4.0 steps in front of BACK HASH (HS)
20	16	SIDE 2: On 35 yd In	8.0 steps in front of BACK HASH (HS)

#### Performer: Symbol: G Label: 18 ID:562749894051900 Drill: 2024 GRAFTON PT2

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
20	0	SIDE 2: On 35 yd In	8.0 steps in front of BACK HASH (HS)
21	16	SIDE 2: 4.0 steps outside 25 yd In	7.0 steps in front of BACK HASH (HS)
22	8	SIDE 2: 4.0 steps outside 25 yd In	7.0 steps in front of BACK HASH (HS)
23	8	SIDE 2: On 20 yd In	12.0 steps in front of BACK HASH (HS)
24	8	SIDE 2: On 20 yd In	12.0 steps in front of BACK HASH (HS)
25	12	SIDE 2: 3.5 steps outside 25 yd In	12.0 steps behind FRONT HASH (HS)
26	10	SIDE 2: 3.5 steps outside 25 yd In	12.0 steps behind FRONT HASH (HS)
27	8	SIDE 2: 3.5 steps outside 25 yd In	12.0 steps behind FRONT HASH (HS)
28	12	SIDE 2: On 25 yd In	2.0 steps in front of FRONT HASH (HS)
29	4	SIDE 2: On 25 yd In	2.0 steps in front of FRONT HASH (HS)
30	4	SIDE 2: On 25 yd In	2.0 steps in front of FRONT HASH (HS)
31	4	SIDE 2: On 25 yd In	2.0 steps in front of FRONT HASH (HS)
32	4	SIDE 2: On 25 yd In	2.0 steps in front of FRONT HASH (HS)
33	4	SIDE 2: On 25 yd In	2.0 steps in front of FRONT HASH (HS)
34	14	SIDE 2: On 25 yd In	2.0 steps in front of FRONT HASH (HS)
35	12	SIDE 2: 4.0 steps outside 35 yd In	On FRONT SIDELINE

Performer: Symbol: G Label: 18 ID:562749894051900 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 4.0 steps outside 35 yd In	On FRONT SIDELINE
36	8	SIDE 2: 4.0 steps outside 35 yd In	On FRONT SIDELINE
37	16	SIDE 2: 4.0 steps outside 35 yd In	On FRONT SIDELINE
38	16	SIDE 2: On 35 yd In	4.0 steps behind FRONT SIDELINE
39	16	SIDE 2: On 45 yd In	10.0 steps behind FRONT SIDELINE
40	20	SIDE 2: On 45 yd In	10.0 steps behind FRONT SIDELINE
41	16	SIDE 2: 4.0 steps outside 45 yd In	12.0 steps in front of FRONT HASH (HS)
42	16	SIDE 2: 3.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
43	12	SIDE 2: 3.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
44	16	SIDE 2: 4.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
45	16	SIDE 2: 2.0 steps outside 40 yd In	4.0 steps behind FRONT HASH (HS)
46	8	SIDE 2: 2.0 steps outside 40 yd In	12.0 steps behind FRONT HASH (HS)

Perfo	rmer:	Symbol: G Label: 18 ID:	562749894051900	Drill: 2024 Grafton Pt4
Set	Coun	s SIDE 1-SIDE 2	FR	ONT-BACK
46	0	SIDE 2: 2.0 steps outside 4	0 yd In 12.	.0 steps behind FRONT HASH (HS)
47	17	SIDE 2: 3.0 steps inside 35	yd In 1.0	steps behind BACK HASH (HS)
48	8	SIDE 2: 3.0 steps inside 35	yd In 1.0	steps behind BACK HASH (HS)
49	9	SIDE 2: 1.5 steps inside 35	yd In 3.7	75 steps in front of BACK HASH (HS)
50	8	SIDE 2: 3.25 steps inside 4	5 yd ln 1.2	25 steps in front of BACK HASH (HS)
51	8	SIDE 1: 0.75 steps inside 4	5 yd In 7.0	steps in front of BACK HASH (HS)
52	20	SIDE 2: 3.0 steps inside 30	yd In 13.	.0 steps in front of BACK HASH (HS)
53	16	SIDE 2: 3.0 steps inside 30	yd In 13.	.0 steps in front of BACK HASH (HS)
54	8	SIDE 2: 3.0 steps inside 30	yd In 13.	.0 steps in front of BACK HASH (HS)
55	16	SIDE 2: 3.0 steps inside 30	yd In 13.	.5 steps in front of BACK HASH (HS)
56	16	SIDE 2: 3.0 steps inside 30	yd In 13.	.0 steps in front of BACK HASH (HS)
57	8	SIDE 2: 2.75 steps inside 3	0 yd ln 9.2	25 steps behind FRONT HASH (HS)
58	8	SIDE 2: 2.75 steps inside 3	0 yd In 9.2	25 steps behind FRONT HASH (HS)
59	8	SIDE 2: 2.75 steps inside 3	0 yd ln 9.2	25 steps behind FRONT HASH (HS)
60	8	SIDE 2: 2.75 steps inside 3	0 yd In 9.2	25 steps behind FRONT HASH (HS)
61	8	SIDE 2: 2.75 steps inside 3	0 yd ln 9.2	25 steps behind FRONT HASH (HS)
62	8	SIDE 2: 2.5 steps inside 30	yd In 8.2	25 steps behind FRONT HASH (HS)
63	8	SIDE 2: 2.5 steps inside 30	yd In 8.2	25 steps behind FRONT HASH (HS)
64	16	SIDE 2: On 30 yd In	3.0	steps behind FRONT HASH (HS)
65	18	SIDE 2: On 30 yd In	3.0	steps behind FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: G Label: 3 ID:562810421045	700 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: On 45 yd In	11.0 steps behind FRONT SIDELINE
2	8	SIDE 1: On 45 yd In	11.0 steps behind FRONT SIDELINE
3	8	SIDE 1: On 45 yd In	11.0 steps behind FRONT SIDELINE
4	8	SIDE 1: 4.0 steps inside 40 yd In	6.25 steps in front of FRONT HASH (HS)
5	8	SIDE 1: 1.25 steps inside 40 yd In	2.75 steps behind FRONT HASH (HS)
6	16	SIDE 1: On 40 yd In	1.0 steps in front of FRONT HASH (HS)
7	8	SIDE 1: On 40 yd In	1.0 steps in front of FRONT HASH (HS)
8	40	SIDE 1: On 40 yd In	1.0 steps in front of FRONT HASH (HS)
9	16	SIDE 1: 1.75 steps outside 40 yd In	13.0 steps behind FRONT HASH (HS)
10	16	SIDE 1: 2.25 steps inside 35 yd In	9.75 steps behind FRONT HASH (HS)
11	16	SIDE 1: 1.0 steps outside 35 yd In	0.25 steps in front of FRONT HASH (HS)
12	8	SIDE 1: 1.25 steps outside 35 yd In	4.25 steps in front of FRONT HASH (HS)
13	8	SIDE 1: 0.5 steps inside 40 yd In	7.0 steps in front of FRONT HASH (HS)
14	12	SIDE 1: On 40 yd In	7.25 steps in front of FRONT HASH (HS)
15	12	SIDE 1: On 40 yd In	7.25 steps in front of FRONT HASH (HS)
16	24	SIDE 1: 4.0 steps inside 45 yd In	2.0 steps behind FRONT HASH (HS)
17	8	SIDE 1: 4.0 steps inside 45 yd In	2.0 steps behind FRONT HASH (HS)
18	16	SIDE 1: 4.0 steps inside 45 yd In	2.0 steps behind FRONT HASH (HS)
19	16	SIDE 1: 2.0 steps outside 45 yd In	2.0 steps in front of FRONT HASH (HS)
20	16	SIDE 1: On 45 yd In	2.5 steps in front of FRONT HASH (HS)

# Performer: Symbol: G Label: 3 ID:562810421045900 Drill: 2024 GRAFTON PT2 Set Counts FRONT-BACK 20 0 SIDE 1: On 45 yd In 2.5 steps in front of FRONT HASH (HS) 21 16 SIDE 1: On 35 yd In On FRONT SIDELINE

20	0	SIDE 1: On 45 yd In	2.5 steps in front of FRONT HASH (HS)
21	16	SIDE 1: On 35 yd In	On FRONT SIDELINE
22	8	SIDE 1: 2.5 steps outside 30 yd In	10.0 steps in front of FRONT HASH (HS)
23	8	SIDE 1: 2.5 steps outside 30 yd In	10.0 steps in front of FRONT HASH (HS)
24	8	SIDE 1: 2.5 steps outside 30 yd In	10.0 steps in front of FRONT HASH (HS)
25	12	SIDE 1: 2.5 steps outside 30 yd In	10.0 steps in front of FRONT HASH (HS)
26	10	SIDE 1: 2.5 steps outside 30 yd In	10.0 steps in front of FRONT HASH (HS)
27	8	SIDE 1: On 25 yd In	2.0 steps in front of FRONT HASH (HS)
28	12	SIDE 1: On 25 yd In	2.0 steps in front of FRONT HASH (HS)
29	4	SIDE 1: On 25 yd In	2.0 steps in front of FRONT HASH (HS)
30	4	SIDE 1: On 25 yd In	2.0 steps in front of FRONT HASH (HS)
31	4	SIDE 1: On 25 yd In	2.0 steps in front of FRONT HASH (HS)
32	4	SIDE 1: On 25 yd In	2.0 steps in front of FRONT HASH (HS)
33	4	SIDE 1: On 25 yd In	2.0 steps in front of FRONT HASH (HS)
34	14	SIDE 1: On 25 yd In	2.0 steps in front of FRONT HASH (HS)
35	12	SIDE 1: On 35 vd In	On FRONT SIDELINE

Performer: Symbol: G Label: 3 ID:562810421045900 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: On 35 yd In	On FRONT SIDELINE
36	8	SIDE 1: On 35 yd In	On FRONT SIDELINE
37	16	SIDE 1: On 35 yd In	On FRONT SIDELINE
38	16	On 50 yd In	4.0 steps behind FRONT SIDELINE
39	16	SIDE 1: On 40 yd In	4.0 steps behind FRONT SIDELINE
40	20	SIDE 1: On 40 yd In	4.0 steps behind FRONT SIDELINE
41	16	SIDE 1: 4.0 steps inside 40 yd In	10.0 steps behind FRONT SIDELINE
42	16	SIDE 1: 1.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
43	12	SIDE 1: 1.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
44	16	SIDE 1: 4.0 steps inside 40 yd In	2.0 steps in front of FRONT HASH (HS)
45	16	SIDE 2: 2.0 steps inside 45 yd In	4.0 steps behind FRONT HASH (HS)
46	8	SIDE 2: On 45 yd In	12.0 steps behind FRONT HASH (HS)

Perfo	rmer:	Symbol: G Label: 3 ID:5628104210459	Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: On 45 yd In	12.0 steps behind FRONT HASH (HS)
47	17	SIDE 1: 3.0 steps outside 40 yd In	1.0 steps behind BACK HASH (HS)
48	8	SIDE 1: 3.0 steps outside 40 yd In	1.0 steps behind BACK HASH (HS)
49	9	SIDE 1: 1.5 steps outside 40 yd In	2.5 steps in front of BACK HASH (HS)
50	8	SIDE 1: 2.5 steps outside 30 yd In	8.25 steps in front of BACK HASH (HS)
51	8	SIDE 1: 0.5 steps outside 25 yd In	11.25 steps behind FRONT HASH (HS)
52	20	SIDE 1: 2.0 steps inside 45 yd In	6.25 steps in front of BACK HASH (HS)
53	16	SIDE 1: 2.0 steps inside 45 yd In	6.25 steps in front of BACK HASH (HS)
54	8	SIDE 1: 2.0 steps inside 45 yd In	6.25 steps in front of BACK HASH (HS)
55	16	SIDE 1: 2.0 steps outside 40 yd In	8.5 steps in front of BACK HASH (HS)
56	16	SIDE 1: 2.0 steps inside 45 yd In	6.25 steps in front of BACK HASH (HS)
57	8	SIDE 1: 2.0 steps inside 45 yd In	12.0 steps in front of BACK HASH (HS)
58	8	SIDE 1: 2.0 steps inside 45 yd In	12.0 steps in front of BACK HASH (HS)
59	8	SIDE 1: 2.0 steps inside 45 yd In	12.0 steps in front of BACK HASH (HS)
60	8	SIDE 1: 2.0 steps inside 45 yd In	12.0 steps in front of BACK HASH (HS)
61	8	SIDE 1: 2.0 steps inside 45 yd In	12.0 steps in front of BACK HASH (HS)
62	8	SIDE 1: 1.75 steps inside 45 yd In	12.25 steps in front of BACK HASH (HS)
63	8	SIDE 1: 1.75 steps inside 45 yd In	12.25 steps in front of BACK HASH (HS)
64	16	SIDE 1: On 45 yd In	10.0 steps in front of BACK HASH (HS)
65	18	SIDE 1: On 45 yd In	10.0 steps in front of BACK HASH (HS)

Perfo	rmer:	Symbol: G Label: 5 ID:5617955600633	99 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 1.0 steps inside 40 yd In	3.0 steps behind FRONT HASH (HS)
2	8	SIDE 1: 1.0 steps inside 40 yd In	3.0 steps behind FRONT HASH (HS)
3	8	SIDE 1: 1.0 steps inside 40 yd In	3.0 steps behind FRONT HASH (HS)
4	8	SIDE 1: 0.5 steps inside 35 yd In	0.75 steps in front of FRONT HASH (HS)
5	8	SIDE 1: 0.25 steps inside 30 yd In	5.25 steps in front of FRONT HASH (HS)
6	16	SIDE 1: 0.25 steps inside 35 yd In	6.5 steps in front of FRONT HASH (HS)
7	8	SIDE 1: 0.25 steps inside 35 yd In	6.5 steps in front of FRONT HASH (HS)
8	40	SIDE 1: 0.25 steps inside 35 yd In	6.5 steps in front of FRONT HASH (HS)
9	16	SIDE 1: On 35 yd In	On FRONT HASH (HS)
10	16	SIDE 1: On 40 yd In	9.0 steps in front of FRONT HASH (HS)
11	16	SIDE 1: 2.0 steps outside 50 yd In	6.0 steps in front of FRONT HASH (HS)
12	8	SIDE 2: 3.0 steps inside 45 yd In	9.0 steps in front of FRONT HASH (HS)
13	8	SIDE 2: 4.0 steps outside 45 yd In	4.0 steps in front of FRONT HASH (HS)
14	12	SIDE 2: On 40 yd In	5.0 steps in front of FRONT HASH (HS)
15	12	SIDE 2: On 40 yd In	5.0 steps in front of FRONT HASH (HS)
16	24	SIDE 2: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
17	8	SIDE 2: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
18	16	SIDE 2: On 45 yd In	4.0 steps in front of FRONT HASH (HS)
19	16	SIDE 2: On 45 yd In	2.0 steps in front of FRONT HASH (HS)
20	16	SIDE 2: On 40 yd In	14.0 steps in front of BACK HASH (HS)

## Performer: Symbol: G Label: 5 ID:561795560063399 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 2: On 40 yd In	14.0 steps in front of BACK HASH (HS)
21	16	SIDE 2: On 30 yd In	3.0 steps in front of BACK HASH (HS)
22	8	SIDE 2: On 30 yd In	3.0 steps in front of BACK HASH (HS)
23	8	SIDE 2: 2.0 steps inside 25 yd In	7.25 steps in front of BACK HASH (HS)
24	8	SIDE 2: 2.0 steps inside 25 yd In	7.25 steps in front of BACK HASH (HS)
25	12	SIDE 2: 0.5 steps inside 30 yd In	11.0 steps behind FRONT HASH (HS)
26	10	SIDE 2: 0.5 steps inside 30 yd In	11.0 steps behind FRONT HASH (HS)
27	8	SIDE 2: 0.5 steps inside 30 yd In	11.0 steps behind FRONT HASH (HS)
28	12	SIDE 2: On 35 yd In	2.0 steps in front of FRONT HASH (HS)
29	4	SIDE 2: On 35 yd In	2.0 steps in front of FRONT HASH (HS)
30	4	SIDE 2: On 35 yd In	2.0 steps in front of FRONT HASH (HS)
31	4	SIDE 2: On 35 yd In	2.0 steps in front of FRONT HASH (HS)
32	4	SIDE 2: On 35 yd In	2.0 steps in front of FRONT HASH (HS)
33	4	SIDE 2: On 35 yd In	2.0 steps in front of FRONT HASH (HS)
34	14	SIDE 2: On 35 yd In	2.0 steps in front of FRONT HASH (HS)
35	12	SIDE 2: 4.0 steps outside 40 vd In	On FRONT SIDELINE

Performer: Symbol: G Label: 5 ID:561795560063399 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: 4.0 steps outside 40 yd In	On FRONT SIDELINE
36	8	SIDE 2: 4.0 steps outside 40 yd In	On FRONT SIDELINE
37	16	SIDE 2: 4.0 steps outside 40 yd In	On FRONT SIDELINE
38	16	SIDE 2: On 40 yd In	4.0 steps behind FRONT SIDELINE
39	16	On 50 yd In	4.0 steps behind FRONT SIDELINE
40	20	On 50 yd In	4.0 steps behind FRONT SIDELINE
41	16	SIDE 2: 4.0 steps outside 45 yd In	10.0 steps behind FRONT SIDELINE
42	16	SIDE 2: 1.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
43	12	SIDE 2: 1.0 steps outside 45 yd In	8.0 steps in front of FRONT HASH (HS)
44	16	SIDE 2: 4.0 steps outside 45 yd In	2.0 steps in front of FRONT HASH (HS)
45	16	SIDE 2: On 35 yd In	4.0 steps behind FRONT HASH (HS)
46	8	SIDE 2: On 35 yd In	8.0 steps behind FRONT HASH (HS)

Perfo	rmer:	Symbol: G Label: 5 ID:561795560063	3399 Drill: 2024 Grafton Pt4
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: On 35 yd In	8.0 steps behind FRONT HASH (HS)
47	17	SIDE 2: 1.0 steps inside 30 yd In	3.0 steps in front of BACK HASH (HS)
48	8	SIDE 2: 1.0 steps inside 30 yd In	3.0 steps in front of BACK HASH (HS)
49	9	SIDE 2: 3.0 steps inside 30 yd In	5.25 steps in front of BACK HASH (HS)
50	8	SIDE 2: 3.5 steps outside 45 yd In	1.75 steps in front of BACK HASH (HS)
51	8	SIDE 1: 1.5 steps outside 50 yd In	6.75 steps in front of BACK HASH (HS)
52	20	SIDE 2: 2.25 steps outside 30 yd In	11.75 steps behind FRONT HASH (HS)
53	16	SIDE 2: 2.25 steps outside 30 yd In	11.75 steps behind FRONT HASH (HS)
54	8	SIDE 2: 2.25 steps outside 30 yd In	11.75 steps behind FRONT HASH (HS)
55	16	SIDE 2: 0.25 steps inside 35 yd In	10.5 steps in front of BACK HASH (HS)
56	16	SIDE 2: 2.25 steps outside 30 yd In	11.75 steps behind FRONT HASH (HS)
57	8	SIDE 2: 2.25 steps outside 30 yd In	13.0 steps in front of BACK HASH (HS)
58	8	SIDE 2: 2.25 steps outside 30 yd In	13.0 steps in front of BACK HASH (HS)
59	8	SIDE 2: 2.25 steps outside 30 yd In	13.0 steps in front of BACK HASH (HS)
60	8	SIDE 2: 2.25 steps outside 30 yd In	13.0 steps in front of BACK HASH (HS)
61	8	SIDE 2: 2.25 steps outside 30 yd In	13.0 steps in front of BACK HASH (HS)
62	8	SIDE 2: 2.75 steps outside 30 yd In	5.0 steps behind FRONT HASH (HS)
63	8	SIDE 2: 2.75 steps outside 30 yd In	5.0 steps behind FRONT HASH (HS)
64	16	SIDE 2: On 25 yd In	12.0 steps behind FRONT HASH (HS)
65	18	SIDE 2: On 25 yd In	12.0 steps behind FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfor	rmer:	Symbol: G Label: 12 ID:56281042104	45900 Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 4.0 steps inside 20 yd In	5.0 steps in front of BACK HASH (HS)
2	8	SIDE 1: 4.0 steps inside 20 yd In	5.0 steps in front of BACK HASH (HS)
3	8	SIDE 1: 4.0 steps inside 20 yd In	5.0 steps in front of BACK HASH (HS)
4	8	SIDE 1: 4.0 steps inside 20 yd In	5.0 steps in front of BACK HASH (HS)
5	8	SIDE 1: 4.0 steps inside 20 yd In	5.0 steps in front of BACK HASH (HS)
6	16	SIDE 1: 4.0 steps outside 40 yd In	12.0 steps behind FRONT HASH (HS)
7	8	SIDE 1: 3.25 steps inside 40 yd In	7.25 steps behind FRONT HASH (HS)
8	40	SIDE 1: 3.25 steps inside 40 yd In	7.25 steps behind FRONT HASH (HS)
9	16	SIDE 1: 3.0 steps outside 45 yd In	8.0 steps in front of BACK HASH (HS)
10	16	SIDE 1: 1.75 steps outside 45 yd In	10.0 steps in front of BACK HASH (HS)
11	16	SIDE 1: 0.25 steps inside 40 yd In	10.0 steps in front of BACK HASH (HS)
12	8	SIDE 1: 2.0 steps outside 35 yd In	7.0 steps in front of BACK HASH (HS)
13	8	SIDE 1: On 30 yd In	8.0 steps in front of BACK HASH (HS)
14	12	SIDE 1: On 30 yd In	8.0 steps in front of BACK HASH (HS)
15	12	SIDE 1: On 30 yd In	8.0 steps in front of BACK HASH (HS)
16	24	SIDE 1: On 35 yd In	8.0 steps in front of BACK HASH (HS)
17	8	SIDE 1: On 35 yd In	8.0 steps in front of BACK HASH (HS)
18	16	SIDE 1: On 35 yd In	8.0 steps in front of BACK HASH (HS)
19	16	SIDE 1: On 35 yd In	4.0 steps in front of BACK HASH (HS)
20	16	SIDE 1: On 35 yd In	8.0 steps in front of BACK HASH (HS)

### Performer: Symbol: G Label: 12 ID:562810421046200 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

00.	Oount	O OIDE I OIDE E	THORT BROK
20	0	SIDE 1: On 35 yd In	8.0 steps in front of BACK HASH (HS)
21	16	SIDE 1: 4.0 steps inside 20 yd In	7.0 steps in front of BACK HASH (HS)
22	8	SIDE 1: 4.0 steps inside 20 yd In	7.0 steps in front of BACK HASH (HS)
23	8	SIDE 1: On 20 yd In	12.0 steps in front of BACK HASH (HS)
24	8	SIDE 1: On 20 yd In	12.0 steps in front of BACK HASH (HS)
25	12	SIDE 1: 3.5 steps inside 15 yd In	9.5 steps behind FRONT HASH (HS)
26	10	SIDE 1: 3.5 steps inside 15 yd In	9.5 steps behind FRONT HASH (HS)
27	8	SIDE 1: On 15 yd In	2.0 steps in front of FRONT HASH (HS)
28	12	SIDE 1: On 15 yd In	2.0 steps in front of FRONT HASH (HS)
29	4	SIDE 1: On 15 yd In	2.0 steps in front of FRONT HASH (HS)
30	4	SIDE 1: On 15 yd In	2.0 steps in front of FRONT HASH (HS)
31	4	SIDE 1: On 15 yd In	2.0 steps in front of FRONT HASH (HS)
32	4	SIDE 1: On 15 yd In	2.0 steps in front of FRONT HASH (HS)
33	4	SIDE 1: On 15 yd In	2.0 steps in front of FRONT HASH (HS)
34	14	SIDE 1: On 15 yd In	2.0 steps in front of FRONT HASH (HS)
35	12	SIDE 1: On 30 vd In	On FRONT SIDELINE

Performer: Symbol: G Label: 12 ID:562810421046200 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: On 30 yd In	On FRONT SIDELINE
36	8	SIDE 1: On 30 yd In	On FRONT SIDELINE
37	16	SIDE 1: On 30 yd In	On FRONT SIDELINE
38	16	SIDE 1: On 40 yd In	4.0 steps behind FRONT SIDELINE
39	16	SIDE 1: On 30 yd In	4.0 steps behind FRONT SIDELINE
40	20	SIDE 1: On 30 yd In	4.0 steps behind FRONT SIDELINE
41	16	SIDE 1: 4.0 steps inside 40 yd In	4.0 steps behind FRONT SIDELINE
42	16	SIDE 1: 1.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
43	12	SIDE 1: 1.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
44	16	SIDE 1: 4.0 steps inside 40 yd In	4.0 steps behind FRONT HASH (HS)
45	16	SIDE 2: 4.0 steps outside 45 yd In	4.0 steps behind FRONT HASH (HS)
46	8	SIDE 2: 2.0 steps inside 40 yd In	8.0 steps behind FRONT HASH (HS)

Perfo	rmer:	Symbol: G Label: 12 ID:5628	10421046200 Drill: 2024 Grafton Pt4
Set	Coun	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 2: 2.0 steps inside 40 yd In	8.0 steps behind FRONT HASH (HS)
47	17	SIDE 2: 3.0 steps outside 40 yd I	n 1.0 steps behind BACK HASH (HS)
48	8	SIDE 2: 3.0 steps outside 40 yd I	n 1.0 steps behind BACK HASH (HS)
49	9	SIDE 2: On 40 yd In	2.5 steps in front of BACK HASH (HS)
50	8	SIDE 1: 2.0 steps outside 50 yd I	n 1.0 steps in front of BACK HASH (HS)
51	8	SIDE 1: 2.75 steps inside 40 yd I	7.75 steps in front of BACK HASH (HS)
52	20	SIDE 2: 0.5 steps inside 35 yd In	10.5 steps in front of BACK HASH (HS)
53	16	SIDE 2: 0.5 steps inside 35 yd In	10.5 steps in front of BACK HASH (HS)
54	8	SIDE 2: 0.5 steps inside 35 yd In	10.5 steps in front of BACK HASH (HS)
55	16	SIDE 2: 2.5 steps outside 30 yd I	n 12.0 steps behind FRONT HASH (HS)
56	16	SIDE 2: 0.5 steps inside 35 yd In	10.5 steps in front of BACK HASH (HS)
57	8	SIDE 2: 0.5 steps inside 35 yd In	7.5 steps in front of BACK HASH (HS)
58	8	SIDE 2: 0.5 steps inside 35 yd In	7.5 steps in front of BACK HASH (HS)
59	8	SIDE 2: 0.5 steps inside 35 yd In	7.5 steps in front of BACK HASH (HS)
60	8	SIDE 2: 0.5 steps inside 35 yd In	7.5 steps in front of BACK HASH (HS)
61	8	SIDE 2: 0.5 steps inside 35 yd In	7.5 steps in front of BACK HASH (HS)
62	8	SIDE 2: On 35 yd In	11.0 steps behind FRONT HASH (HS)
63	8	SIDE 2: On 35 yd In	11.0 steps behind FRONT HASH (HS)
64	16	SIDE 2: 3.0 steps outside 35 yd I	n 8.0 steps in front of BACK HASH (HS)
65	18	SIDE 2: 3.0 steps outside 35 yd I	n 8.0 steps in front of BACK HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: G Label: 13	ID:5627498940511	00 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2		FRONT-BACK
1	0	SIDE 1: On 30 yd In		3.0 steps in front of BACK HASH (HS)
2	8	SIDE 1: On 30 yd In		3.0 steps in front of BACK HASH (HS)
3	8	SIDE 1: On 30 yd In		3.0 steps in front of BACK HASH (HS)
4	8	SIDE 1: On 30 yd In		3.0 steps in front of BACK HASH (HS)
5	8	SIDE 1: On 30 yd In		3.0 steps in front of BACK HASH (HS)
6	16	SIDE 1: 1.75 steps out	side 40 yd In	12.75 steps in front of BACK HASH (HS)
7	8	SIDE 1: 1.0 steps insid	le 35 yd In	12.0 steps behind FRONT HASH (HS)
8	40	SIDE 1: 1.0 steps insid	le 35 yd In	12.0 steps behind FRONT HASH (HS)
9	16	SIDE 1: 1.25 steps insi	ide 40 yd In	11.25 steps in front of BACK HASH (HS)
10	16	SIDE 1: 0.25 steps out	side 40 yd In	13.5 steps in front of BACK HASH (HS)
11	16	SIDE 1: 2.5 steps insid	le 35 yd In	9.5 steps behind FRONT HASH (HS)
12	8	SIDE 1: On 30 yd In		4.0 steps behind FRONT HASH (HS)
13	8	SIDE 1: On 35 yd In		3.0 steps in front of FRONT HASH (HS)
14	12	SIDE 1: 1.0 steps outs	ide 35 yd In	On FRONT HASH (HS)
15	12	SIDE 1: 1.0 steps outs	ide 35 yd In	On FRONT HASH (HS)
16	24	SIDE 1: On 45 yd In		4.0 steps in front of FRONT HASH (HS)
17	8	SIDE 1: On 45 yd In		4.0 steps in front of FRONT HASH (HS)
18	16	SIDE 1: On 45 yd In		4.0 steps in front of FRONT HASH (HS)
19	16	SIDE 1: On 40 yd In		2.0 steps in front of FRONT HASH (HS)
20	16	SIDE 1: On 40 yd In		7.0 steps in front of FRONT HASH (HS)

### Performer: Symbol: G Label: 13 ID:562749894050800 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

Set	Count	S SIDE I-SIDE Z	FRONT-BACK
20	0	SIDE 1: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
21	16	SIDE 1: On 30 yd In	On FRONT SIDELINE
22	8	SIDE 1: 4.0 steps inside 20 yd In	12.0 steps behind FRONT SIDELINE
23	8	SIDE 1: 4.0 steps inside 20 yd In	12.0 steps behind FRONT SIDELINE
24	8	SIDE 1: 4.0 steps inside 20 yd In	12.0 steps behind FRONT SIDELINE
25	12	SIDE 1: 4.0 steps inside 20 yd In	12.0 steps behind FRONT SIDELINE
26	10	SIDE 1: 4.0 steps inside 20 yd In	12.0 steps behind FRONT SIDELINE
27	8	SIDE 1: On 20 yd In	6.0 steps behind FRONT SIDELINE
28	12	SIDE 1: On 20 yd In	6.0 steps behind FRONT SIDELINE
29	4	SIDE 1: On 20 yd In	6.0 steps behind FRONT SIDELINE
30	4	SIDE 1: On 20 yd In	6.0 steps behind FRONT SIDELINE
31	4	SIDE 1: On 20 yd In	6.0 steps behind FRONT SIDELINE
32	4	SIDE 1: On 20 yd In	6.0 steps behind FRONT SIDELINE
33	4	SIDE 1: On 20 yd In	6.0 steps behind FRONT SIDELINE
34	14	SIDE 1: On 20 yd In	6.0 steps behind FRONT SIDELINE
35	12	SIDE 1: 4.0 steps inside 30 yd In	On FRONT SIDELINE

Performer: Symbol: G Label: 13 ID:562749894050800 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: 4.0 steps inside 30 yd In	On FRONT SIDELINE
36	8	SIDE 1: 4.0 steps inside 30 yd In	On FRONT SIDELINE
37	16	SIDE 1: 4.0 steps inside 30 yd In	On FRONT SIDELINE
38	16	SIDE 1: On 45 yd In	4.0 steps behind FRONT SIDELINE
39	16	SIDE 1: On 35 yd In	10.0 steps behind FRONT SIDELINE
40	20	SIDE 1: On 35 yd In	10.0 steps behind FRONT SIDELINE
41	16	SIDE 1: 4.0 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)
42	16	SIDE 1: 3.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
43	12	SIDE 1: 3.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
44	16	SIDE 1: 4.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
45	16	On 50 yd In	4.0 steps behind FRONT HASH (HS)
46	8	SIDE 2: 4.0 steps inside 45 yd In	8.0 steps behind FRONT HASH (HS)

Perfor	mer:	Symbol: G Label: 13 II	0:56274989405080	00 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	1	FRONT-BACK
46	0	SIDE 2: 4.0 steps inside 4	5 yd In	8.0 steps behind FRONT HASH (HS)
47	17	SIDE 1: 3.0 steps inside 3	5 yd In	1.0 steps behind BACK HASH (HS)
48	8	SIDE 1: 3.0 steps inside 3	5 yd In	1.0 steps behind BACK HASH (HS)
49	9	SIDE 1: On 35 yd In	4	4.0 steps in front of BACK HASH (HS)
50	8	SIDE 1: On 25 yd In	•	12.0 steps in front of BACK HASH (HS)
51	8	SIDE 1: 4.0 steps inside 2	0 yd In	6.75 steps behind FRONT HASH (HS)
52	20	SIDE 1: 4.0 steps inside 4	0 yd In	7.25 steps in front of BACK HASH (HS)
53	16	SIDE 1: 4.0 steps inside 4	0 yd In	7.25 steps in front of BACK HASH (HS)
54	8	SIDE 1: 4.0 steps inside 4	0 yd In	7.25 steps in front of BACK HASH (HS)
55	16	SIDE 1: 4.0 steps outside	45 yd In	7.5 steps in front of BACK HASH (HS)
56	16	SIDE 1: 4.0 steps inside 4	0 yd In	7.25 steps in front of BACK HASH (HS)
57	8	SIDE 1: 4.0 steps inside 4	0 yd In	4.25 steps in front of BACK HASH (HS)
58	8	SIDE 1: 4.0 steps inside 4	0 yd In	4.25 steps in front of BACK HASH (HS)
59	8	SIDE 1: 4.0 steps inside 4	0 yd In	4.25 steps in front of BACK HASH (HS)
60	8	SIDE 1: 4.0 steps inside 4	0 yd In	4.25 steps in front of BACK HASH (HS)
61	8	SIDE 1: 4.0 steps inside 4	0 yd In	4.25 steps in front of BACK HASH (HS)
62	8	SIDE 1: 3.75 steps inside	40 yd In	13.25 steps in front of BACK HASH (HS)
63	8	SIDE 1: 3.75 steps inside	40 yd ln	13.25 steps in front of BACK HASH (HS)
64	16	SIDE 1: 3.0 steps inside 4	0 yd In	3.0 steps in front of BACK HASH (HS)
65	18	SIDE 1: 3.0 steps inside 4	0 yd In	3.0 steps in front of BACK HASH (HS)

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: G Label: 6 ID:561795560063	899 Drill: 2024 GRAFTON PT1.3dj
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 2.0 steps inside 30 yd In	On FRONT HASH (HS)
2	8	SIDE 1: 2.0 steps inside 30 yd In	On FRONT HASH (HS)
3	8	SIDE 1: 2.0 steps inside 30 yd In	On FRONT HASH (HS)
4	8	SIDE 1: 4.0 steps inside 30 yd In	6.25 steps in front of FRONT HASH (HS)
5	8	SIDE 1: 2.5 steps inside 30 yd In	12.5 steps behind FRONT SIDELINE
6	16	SIDE 1: 2.75 steps inside 35 yd In	12.5 steps in front of FRONT HASH (HS)
7	8	SIDE 1: 2.75 steps inside 35 yd In	12.5 steps in front of FRONT HASH (HS)
8	40	SIDE 1: 2.75 steps inside 35 yd In	12.5 steps in front of FRONT HASH (HS)
9	16	SIDE 1: On 40 yd In	On FRONT SIDELINE
10	16	SIDE 1: 2.0 steps outside 45 yd In	5.0 steps behind FRONT SIDELINE
11	16	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT SIDELINE
12	8	SIDE 1: 4.0 steps outside 45 yd In	8.0 steps behind FRONT SIDELINE
13	8	SIDE 1: 4.0 steps inside 40 yd In	12.0 steps behind FRONT SIDELINE
14	12	SIDE 1: 2.0 steps outside 40 yd In	6.0 steps behind FRONT SIDELINE
15	12	SIDE 1: 2.0 steps outside 40 yd In	6.0 steps behind FRONT SIDELINE
16	24	SIDE 1: On 35 yd In	6.0 steps behind FRONT SIDELINE
17	8	SIDE 1: On 35 yd In	7.0 steps behind FRONT SIDELINE
18	16	SIDE 1: On 35 yd In	7.0 steps behind FRONT SIDELINE
19	16	SIDE 1: On 35 yd In	7.0 steps behind FRONT SIDELINE
20	16	SIDE 1: On 35 yd In	8.0 steps behind FRONT SIDELINE

#### Performer: Symbol: G Label: 6 ID:561795560063899 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK 20 0 SIDE 1: On 35 yd In 8.0 steps behind FRONT SIDELINE 21 16 SIDE 1: On 40 yd In On FRONT SIDELINE 8 SIDE 1: On 35 yd In 22 8.0 steps behind FRONT SIDELINE 23 8 SIDE 1: On 35 yd In 8.0 steps behind FRONT SIDELINE SIDE 1: On 35 yd In 8.0 steps behind FRONT SIDELINE 24 12 SIDE 1: On 35 yd In 25 8.0 steps behind FRONT SIDELINE 26 SIDE 1: On 35 yd In 8.0 steps behind FRONT SIDELINE 27 8 SIDE 1: On 30 yd In 6.0 steps behind FRONT SIDELINE 28 12 SIDE 1: On 30 yd In 6.0 steps behind FRONT SIDELINE 29 4 SIDE 1: On 30 yd In 6.0 steps behind FRONT SIDELINE 30 SIDE 1: On 30 yd In 6.0 steps behind FRONT SIDELINE 4 SIDE 1: On 30 yd In 31 6.0 steps behind FRONT SIDELINE 6.0 steps behind FRONT SIDELINE 32 4 SIDE 1: On 30 yd In 33 SIDE 1: On 30 yd In 6.0 steps behind FRONT SIDELINE 34 SIDE 1: On 30 yd In 6.0 steps behind FRONT SIDELINE 12 SIDE 1: On 40 yd In On FRONT SIDELINE

Performer: Symbol: G Label: 6 ID:561795560063899 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: On 40 yd In	On FRONT SIDELINE
36	8	SIDE 1: 2.0 steps outside 45 yd In	6.0 steps behind FRONT SIDELINE
37	16	SIDE 1: 1.0 steps outside 50 yd In	10.0 steps behind FRONT SIDELINE
38	16	SIDE 1: 3.0 steps inside 40 yd In	8.0 steps in front of FRONT HASH (HS)
39	16	SIDE 1: On 45 yd In	6.0 steps in front of FRONT HASH (HS)
40	20	SIDE 1: On 45 yd In	6.0 steps in front of FRONT HASH (HS)
41	16	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT SIDELINE
42	16	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT SIDELINE
43	12	SIDE 1: 4.0 steps inside 40 yd In	12.0 steps behind FRONT SIDELINE
44	16	SIDE 1: 4.0 steps inside 40 yd In	12.0 steps behind FRONT SIDELINE
45	16	SIDE 1: On 35 yd In	12.0 steps behind FRONT SIDELINE
46	8	SIDE 1: 3.0 steps inside 30 yd In	12.0 steps in front of FRONT HASH (HS)
Perfo	rmer.	Symbol: G   abel: 6   ID:56179556006	3899 Drill: 2024 Grafton Pt4

Perfo	rmer:	Symbol: G Label: 6	ID:56179556006389	99 Drill: 2024 Grafton Pt4
Set	Coun	ts SIDE 1-SIDE 2		FRONT-BACK
46	0	SIDE 1: 3.0 steps ins	side 30 yd In	12.0 steps in front of FRONT HASH (HS)
47	17	SIDE 1: On 45 yd In		On FRONT SIDELINE
48	8	SIDE 1: On 45 yd In		On FRONT SIDELINE
49	9	SIDE 1: On 45 yd In		On FRONT SIDELINE
50	8	SIDE 1: 1.0 steps ins	side 40 yd In	2.0 steps behind FRONT SIDELINE
51	8	SIDE 1: On 30 yd In		1.0 steps behind FRONT SIDELINE
52	20	SIDE 1: On 20 yd In		On FRONT HASH (HS)
53	16	SIDE 1: On 20 yd In		On FRONT HASH (HS)
54	8	SIDE 1: On 20 yd In		On FRONT HASH (HS)
55	16	SIDE 1: 0.5 steps ins	side 25 yd In	8.5 steps behind FRONT HASH (HS)
56	16	SIDE 1: On 20 yd In		On FRONT HASH (HS)
57	8	SIDE 1: On 20 yd In		5.75 steps in front of FRONT HASH (HS)
58	8	SIDE 1: On 20 yd In		5.75 steps in front of FRONT HASH (HS)
59	8	SIDE 1: On 20 yd In		5.75 steps in front of FRONT HASH (HS)
60	8	SIDE 1: On 20 yd In		5.75 steps in front of FRONT HASH (HS)
61	8	SIDE 1: On 20 yd In		5.75 steps in front of FRONT HASH (HS)
62	8	SIDE 1: On 20 yd In		8.0 steps in front of FRONT HASH (HS)
63	8	SIDE 1: On 20 yd In		8.0 steps in front of FRONT HASH (HS)
64	16	SIDE 1: On 15 yd In		12.0 steps behind FRONT SIDELINE
65	18	SIDE 1: On 15 yd In		12.0 steps behind FRONT SIDELINE

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: G Label: 10 ID:5617955600	62199 Drill: 2024 GRAFTON PT1.3dj
Set	Count	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 4.0 steps inside 45 yd In	1.0 steps in front of FRONT SIDELINE
2	8	SIDE 1: 4.0 steps inside 45 yd In	1.0 steps in front of FRONT SIDELINE
3	8	SIDE 1: 4.0 steps inside 45 yd In	1.0 steps in front of FRONT SIDELINE
4	8	SIDE 1: 4.0 steps inside 45 yd In	1.0 steps in front of FRONT SIDELINE
5	8	SIDE 1: 4.0 steps inside 45 yd In	1.0 steps in front of FRONT SIDELINE
6	16	SIDE 1: 1.75 steps inside 45 yd In	10.25 steps behind FRONT SIDELINE
7	8	SIDE 1: 1.75 steps inside 45 yd In	10.25 steps behind FRONT SIDELINE
8	40	SIDE 1: 1.75 steps inside 45 yd In	10.25 steps behind FRONT SIDELINE
9	16	On 50 yd In	On FRONT SIDELINE
10	16	SIDE 1: 2.0 steps outside 50 yd In	5.0 steps behind FRONT SIDELINE
11	16	SIDE 2: 4.0 steps outside 50 yd In	12.0 steps behind FRONT SIDELINE
12	8	SIDE 2: On 50 yd In	8.0 steps behind FRONT SIDELINE
13	8	SIDE 1: On 50 yd In	12.0 steps behind FRONT SIDELINE
14	12	SIDE 2: 2.0 steps outside 50 yd In	6.0 steps behind FRONT SIDELINE
15	12	SIDE 2: 2.0 steps outside 50 yd In	6.0 steps behind FRONT SIDELINE
16	24	SIDE 2: On 45 yd In	6.0 steps behind FRONT SIDELINE
17	8	SIDE 2: On 45 yd In	7.0 steps behind FRONT SIDELINE
18	16	SIDE 2: On 45 yd In	7.0 steps behind FRONT SIDELINE
19	16	SIDE 2: On 45 yd In	7.0 steps behind FRONT SIDELINE
20	16	SIDE 2: On 45 yd In	8.0 steps behind FRONT SIDELINE

### Performer: Symbol: G Label: 10 ID:561795560060600 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 2: On 45 yd In	8.0 steps behind FRONT SIDELINE
21	16	SIDE 2: On 40 yd In	On FRONT SIDELINE
22	8	SIDE 2: 4.0 steps outside 45 yd In	10.0 steps in front of FRONT HASH (HS)
23	8	SIDE 2: 4.0 steps outside 45 yd In	10.0 steps in front of FRONT HASH (HS)
24	8	SIDE 2: 4.0 steps outside 45 yd In	10.0 steps in front of FRONT HASH (HS)
25	12	SIDE 2: 4.0 steps outside 45 yd In	10.0 steps in front of FRONT HASH (HS)
26	10	SIDE 2: 4.0 steps outside 45 yd In	10.0 steps in front of FRONT HASH (HS)
27	8	On 50 yd In	6.0 steps behind FRONT SIDELINE
28	12	On 50 yd In	6.0 steps behind FRONT SIDELINE
29	4	On 50 yd In	6.0 steps behind FRONT SIDELINE
30	4	On 50 yd In	6.0 steps behind FRONT SIDELINE
31	4	On 50 yd In	6.0 steps behind FRONT SIDELINE
32	4	On 50 yd In	6.0 steps behind FRONT SIDELINE
33	4	On 50 yd In	6.0 steps behind FRONT SIDELINE
34	14	On 50 yd In	6.0 steps behind FRONT SIDELINE
35	12	SIDE 2: On 40 vd In	On FRONT SIDELINE

Performer: Symbol: G Label: 10 ID:561795560060600 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: On 40 yd In	On FRONT SIDELINE
36	8	SIDE 2: 2.0 steps inside 40 yd In	6.0 steps behind FRONT SIDELINE
37	16	SIDE 2: 2.0 steps outside 50 yd In	6.0 steps behind FRONT SIDELINE
38	16	SIDE 1: 2.0 steps outside 45 yd In	12.0 steps in front of FRONT HASH (HS)
39	16	SIDE 1: 4.0 steps inside 45 yd In	6.0 steps in front of FRONT HASH (HS)
40	20	SIDE 1: 4.0 steps inside 45 yd In	6.0 steps in front of FRONT HASH (HS)
41	16	SIDE 1: 2.0 steps outside 50 yd In	8.0 steps behind FRONT SIDELINE
42	16	SIDE 1: 2.0 steps outside 50 yd In	8.0 steps behind FRONT SIDELINE
43	12	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT SIDELINE
44	16	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT SIDELINE
45	16	SIDE 1: On 40 yd In	12.0 steps behind FRONT SIDELINE
46	8	SIDE 1: 3.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)

Performer:		Symbol: G Label: 10 ID:56179556006	0600 Drill: 2024 Grafton Pt4
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 3.0 steps inside 35 yd In	12.0 steps in front of FRONT HASH (HS)
47	17	SIDE 1: On 40 yd In	On FRONT SIDELINE
48	8	SIDE 1: On 40 yd In	On FRONT SIDELINE
49	9	SIDE 1: On 40 yd In	On FRONT SIDELINE
50	8	SIDE 1: 3.75 steps outside 35 yd In	2.25 steps behind FRONT SIDELINE
51	8	SIDE 1: 1.75 steps outside 25 yd In	6.75 steps behind FRONT SIDELINE
52	20	SIDE 1: 0.75 steps inside 25 yd In	8.25 steps behind FRONT HASH (HS)
53	16	SIDE 1: 0.75 steps inside 25 yd In	8.25 steps behind FRONT HASH (HS)
54	8	SIDE 1: 0.75 steps inside 25 yd In	8.25 steps behind FRONT HASH (HS)
55	16	SIDE 1: 0.25 steps outside 20 yd In	0.25 steps behind FRONT HASH (HS)
56	16	SIDE 1: 0.75 steps inside 25 yd In	8.25 steps behind FRONT HASH (HS)
57	8	SIDE 1: 0.75 steps inside 25 yd In	2.75 steps behind FRONT HASH (HS)
58	8	SIDE 1: 0.75 steps inside 25 yd In	2.75 steps behind FRONT HASH (HS)
59	8	SIDE 1: 0.75 steps inside 25 yd In	2.75 steps behind FRONT HASH (HS)
60	8	SIDE 1: 0.75 steps inside 25 yd In	2.75 steps behind FRONT HASH (HS)
61	8	SIDE 1: 0.75 steps inside 25 yd In	2.75 steps behind FRONT HASH (HS)
62	8	SIDE 1: 0.5 steps inside 25 yd In	1.0 steps behind FRONT HASH (HS)
63	8	SIDE 1: 0.5 steps inside 25 yd In	1.0 steps behind FRONT HASH (HS)
64	16	SIDE 1: On 25 yd In	8.0 steps in front of FRONT HASH (HS)
65	18	SIDE 1: On 25 yd In	8.0 steps in front of FRONT HASH (HS)

Performer:	in "2024 GRAFTON"

Perfo	rmer:	Symbol: G Label: 11	ID:56274989405080	00 Drill: 2024 GRAFTON PT	Ր1.3dj
Set	Coun	ts SIDE 1-SIDE 2		FRONT-BACK	
1	0	SIDE 2: 4.0 steps outs	side 50 yd In	1.0 steps in front of FRONT SI	DELINE
2	8	SIDE 2: 4.0 steps outs	side 50 yd In	1.0 steps in front of FRONT SII	DELINE
3	8	SIDE 2: 4.0 steps outs	side 50 yd In	1.0 steps in front of FRONT SII	DELINE
4	8	SIDE 2: 4.0 steps outs	side 50 yd In	1.0 steps in front of FRONT SII	DELINE
5	8	SIDE 2: 4.0 steps outs	side 50 yd In	1.0 steps in front of FRONT SII	DELINE
6	16	SIDE 1: 1.0 steps outs	side 50 yd In	6.0 steps behind FRONT SIDE	LINE
7	8	SIDE 1: 1.0 steps outs	side 50 yd In	6.0 steps behind FRONT SIDE	LINE
8	40	SIDE 1: 1.0 steps outs	side 50 yd In	6.0 steps behind FRONT SIDE	LINE
9	16	SIDE 2: On 45 yd In	•	On FRONT SIDELINE	
10	16	SIDE 2: 2.0 steps outs	side 50 yd In	5.0 steps behind FRONT SIDE	LINE
11	16	SIDE 2: On 45 yd In		12.0 steps behind FRONT SID	ELINE
12	8	SIDE 2: 2.0 steps insid	de 45 yd In	8.0 steps behind FRONT SIDE	LINE
13	8	SIDE 2: 2.0 steps insid	de 45 yd In	12.0 steps behind FRONT SID	ELINE
14	12	SIDE 2: 4.0 steps outs	side 45 yd In	6.0 steps behind FRONT SIDE	LINE
15	12	SIDE 2: 4.0 steps outs	side 45 yd In	6.0 steps behind FRONT SIDE	LINE
16	24	SIDE 2: On 35 yd In	(	6.0 steps behind FRONT SIDE	LINE
17	8	SIDE 2: On 35 yd In		7.0 steps behind FRONT SIDE	LINE
18	16	SIDE 2: On 35 yd In		7.0 steps behind FRONT SIDE	LINE
19	16	SIDE 2: On 35 yd In		7.0 steps behind FRONT SIDE	LINE
20	16	SIDE 2: On 35 yd In		8.0 steps behind FRONT SIDE	LINE

# Performer: Symbol: G Label: 11 ID:561795560061599 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK 20 0 SIDE 2: On 35 yd In 8.0 steps behind FRONT SIDELINE

20	0	SIDE 2: On 35 yd In	8.0 steps behind FRONT SIDELINE
21	16	SIDE 2: On 30 yd In	On FRONT SIDELINE
22	8	SIDE 2: 3.0 steps inside 30 yd In	7.5 steps behind FRONT SIDELINE
23	8	SIDE 2: 3.0 steps inside 30 yd In	7.5 steps behind FRONT SIDELINE
24	8	SIDE 2: 3.0 steps inside 30 yd In	7.5 steps behind FRONT SIDELINE
25	12	SIDE 2: 3.0 steps inside 30 yd In	7.5 steps behind FRONT SIDELINE
26	10	SIDE 2: 3.0 steps inside 30 yd In	7.5 steps behind FRONT SIDELINE
27	8	SIDE 2: On 30 yd In	6.0 steps behind FRONT SIDELINE
28	12	SIDE 2: On 30 yd In	6.0 steps behind FRONT SIDELINE
29	4	SIDE 2: On 30 yd In	6.0 steps behind FRONT SIDELINE
30	4	SIDE 2: On 30 yd In	6.0 steps behind FRONT SIDELINE
31	4	SIDE 2: On 30 yd In	6.0 steps behind FRONT SIDELINE
32	4	SIDE 2: On 30 yd In	6.0 steps behind FRONT SIDELINE
33	4	SIDE 2: On 30 yd In	6.0 steps behind FRONT SIDELINE
34	14	SIDE 2: On 30 yd In	6.0 steps behind FRONT SIDELINE
35	12	SIDE 2: On 30 vd In	On FRONT SIDELINE

Performer: Symbol: G Label: 11 ID:561795560061599 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: On 30 yd In	On FRONT SIDELINE
36	8	SIDE 2: 2.0 steps outside 35 yd In	6.0 steps behind FRONT SIDELINE
37	16	SIDE 2: 2.0 steps inside 40 yd In	6.0 steps behind FRONT SIDELINE
38	16	SIDE 2: 2.0 steps outside 50 yd In	12.0 steps in front of FRONT HASH (HS)
39	16	SIDE 2: 4.0 steps outside 45 yd In	6.0 steps in front of FRONT HASH (HS)
40	20	SIDE 2: 4.0 steps outside 45 yd In	6.0 steps in front of FRONT HASH (HS)
41	16	SIDE 2: 2.0 steps outside 50 yd In	12.0 steps in front of FRONT HASH (HS)
42	16	SIDE 2: 2.0 steps outside 50 yd In	12.0 steps in front of FRONT HASH (HS)
43	12	SIDE 2: 4.0 steps outside 50 yd In	12.0 steps behind FRONT SIDELINE
44	16	SIDE 2: 4.0 steps outside 50 yd In	12.0 steps behind FRONT SIDELINE
45	16	SIDE 1: On 45 yd In	12.0 steps behind FRONT SIDELINE
46	8	SIDE 1: 3.0 steps inside 40 yd In	12.0 steps in front of FRONT HASH (HS)

Perfo	rmer:	Symbol: G Label: 11	ID:5617955600615	599 Drill: 2024 Grafton Pt4
Set	Coun	ts SIDE 1-SIDE 2		FRONT-BACK
46	0	SIDE 1: 3.0 steps inside	40 yd In	12.0 steps in front of FRONT HASH (HS)
47	17	SIDE 1: On 35 yd In		On FRONT SIDELINE
48	8	SIDE 1: On 35 yd In		On FRONT SIDELINE
49	9	SIDE 1: On 35 yd In		On FRONT SIDELINE
50	8	SIDE 1: 0.75 steps outs	ide 25 yd In	2.25 steps behind FRONT SIDELINE
51	8	SIDE 1: 2.25 steps insid	le 20 yd In	10.5 steps in front of FRONT HASH (HS)
52	20	SIDE 1: 3.0 steps inside	30 yd In	13.0 steps in front of BACK HASH (HS)
53	16	SIDE 1: 3.0 steps inside	e 30 yd In	13.0 steps in front of BACK HASH (HS)
54	8	SIDE 1: 3.0 steps inside	e 30 yd In	13.0 steps in front of BACK HASH (HS)
55	16	SIDE 1: 3.0 steps inside	e 30 yd In	13.5 steps in front of BACK HASH (HS)
56	16	SIDE 1: 3.0 steps inside	30 yd In	13.0 steps in front of BACK HASH (HS)
57	8	SIDE 1: 3.0 steps inside	e 30 yd In	9.25 steps behind FRONT HASH (HS)
58	8	SIDE 1: 3.0 steps inside	e 30 yd In	9.25 steps behind FRONT HASH (HS)
59	8	SIDE 1: 3.0 steps inside	e 30 yd In	9.25 steps behind FRONT HASH (HS)
60	8	SIDE 1: 3.0 steps inside	e 30 yd In	9.25 steps behind FRONT HASH (HS)
61	8	SIDE 1: 3.0 steps inside	e 30 yd In	9.25 steps behind FRONT HASH (HS)
62	8	SIDE 1: 2.5 steps inside	e 30 yd In	8.25 steps behind FRONT HASH (HS)
63	8	SIDE 1: 2.5 steps inside	e 30 yd In	8.25 steps behind FRONT HASH (HS)
64	16	SIDE 1: On 30 yd In		4.0 steps behind FRONT HASH (HS)
65	18	SIDE 1: On 30 yd In		4.0 steps behind FRONT HASH (HS)

Performer:	in "2024 GRAFTON"
------------	-------------------

Perfo	rmer:	Symbol: G Label: 1 ID:5617955600627	'99 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
2	8	SIDE 1: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
3	8	SIDE 1: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
4	8	SIDE 1: 4.0 steps outside 40 yd In	11.5 steps behind FRONT SIDELINE
5	8	SIDE 1: 2.5 steps outside 45 yd In	12.5 steps behind FRONT SIDELINE
6	16	SIDE 1: 3.0 steps outside 45 yd In	13.25 steps in front of FRONT HASH (HS)
7	8	SIDE 1: 3.0 steps outside 45 yd In	13.25 steps in front of FRONT HASH (HS)
8	40	SIDE 1: 3.0 steps outside 45 yd In	13.25 steps in front of FRONT HASH (HS)
9	16	SIDE 1: On 45 yd In	On FRONT SIDELINE
10	16	SIDE 1: 2.0 steps inside 45 yd In	5.0 steps behind FRONT SIDELINE
11	16	On 50 yd In	12.0 steps behind FRONT SIDELINE
12	8	SIDE 1: 2.0 steps inside 45 yd In	8.0 steps behind FRONT SIDELINE
13	8	SIDE 1: 2.0 steps inside 45 yd In	12.0 steps behind FRONT SIDELINE
14	12	SIDE 1: On 45 yd In	6.0 steps behind FRONT SIDELINE
15	12	SIDE 1: On 45 yd In	6.0 steps behind FRONT SIDELINE
16	24	SIDE 1: On 45 yd In	6.0 steps behind FRONT SIDELINE
17	8	SIDE 1: On 45 yd In	7.0 steps behind FRONT SIDELINE
18	16	SIDE 1: On 45 yd In	7.0 steps behind FRONT SIDELINE
19	16	SIDE 1: On 45 yd In	7.0 steps behind FRONT SIDELINE
20	16	SIDE 1: On 45 yd In	8.0 steps behind FRONT SIDELINE

## Performer: Symbol: G Label: 1 ID:561795560064399 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

20	0	SIDE 1: On 45 yd In	8.0 steps behind FRONT SIDELINE
21	16	On 50 yd In	On FRONT SIDELINE
22	8	SIDE 1: 1.5 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
23	8	SIDE 1: 1.5 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
24	8	SIDE 1: 1.5 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
25	12	SIDE 1: 1.5 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
26	10	SIDE 1: 1.5 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
27	8	SIDE 1: On 45 yd In	2.0 steps in front of FRONT HASH (HS)
28	12	SIDE 1: On 45 yd In	2.0 steps in front of FRONT HASH (HS)
29	4	SIDE 1: On 45 yd In	2.0 steps in front of FRONT HASH (HS)
30	4	SIDE 1: On 45 yd In	2.0 steps in front of FRONT HASH (HS)
31	4	SIDE 1: On 45 yd In	2.0 steps in front of FRONT HASH (HS)
32	4	SIDE 1: On 45 yd In	2.0 steps in front of FRONT HASH (HS)
33	4	SIDE 1: On 45 yd In	2.0 steps in front of FRONT HASH (HS)
34	14	SIDE 1: On 45 yd In	2.0 steps in front of FRONT HASH (HS)
35	12	On 50 yd In	On FRONT SIDELINE

Performer: Symbol: G Label: 1 ID:561795560064399 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	On 50 yd In	On FRONT SIDELINE
36	8	SIDE 2: 2.0 steps outside 50 yd In	6.0 steps behind FRONT SIDELINE
37	16	SIDE 2: 3.0 steps outside 45 yd In	10.0 steps behind FRONT SIDELINE
38	16	SIDE 1: 1.0 steps outside 50 yd In	8.0 steps in front of FRONT HASH (HS)
39	16	SIDE 2: On 45 yd In	6.0 steps in front of FRONT HASH (HS)
40	20	SIDE 2: On 45 yd In	6.0 steps in front of FRONT HASH (HS)
41	16	SIDE 2: 4.0 steps outside 50 yd In	12.0 steps behind FRONT SIDELINE
42	16	SIDE 2: 4.0 steps outside 50 yd In	12.0 steps behind FRONT SIDELINE
43	12	SIDE 2: 4.0 steps outside 45 yd In	12.0 steps behind FRONT SIDELINE
44	16	SIDE 2: 4.0 steps outside 45 yd In	12.0 steps behind FRONT SIDELINE
45	16	On 50 yd In	12.0 steps behind FRONT SIDELINE
46	8	SIDE 1: 3.0 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)

Perfo		Symbol: G Label: 1 ID:561795560064	
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: 3.0 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
47	17	SIDE 1: On 30 yd In	On FRONT SIDELINE
48	8	SIDE 1: On 30 yd In	On FRONT SIDELINE
49	9	SIDE 1: On 30 yd In	On FRONT SIDELINE
50	8	SIDE 1: 2.5 steps inside 15 yd In	2.5 steps behind FRONT SIDELINE
51	8	SIDE 1: 2.0 steps inside 20 yd In	1.25 steps behind FRONT HASH (HS)
52	20	SIDE 1: 2.0 steps outside 40 yd In	8.5 steps in front of BACK HASH (HS)
53	16	SIDE 1: 2.0 steps outside 40 yd In	8.5 steps in front of BACK HASH (HS)
54	8	SIDE 1: 2.0 steps outside 40 yd In	8.5 steps in front of BACK HASH (HS)
55	16	SIDE 1: 2.0 steps inside 45 yd In	6.0 steps in front of BACK HASH (HS)
56	16	SIDE 1: 2.0 steps outside 40 yd In	8.5 steps in front of BACK HASH (HS)
57	8	SIDE 1: 1.75 steps outside 40 yd In	13.75 steps behind FRONT HASH (HS)
58	8	SIDE 1: 1.75 steps outside 40 yd In	13.75 steps behind FRONT HASH (HS)
59	8	SIDE 1: 1.75 steps outside 40 yd In	13.75 steps behind FRONT HASH (HS)
60	8	SIDE 1: 1.75 steps outside 40 yd In	13.75 steps behind FRONT HASH (HS)
61	8	SIDE 1: 1.75 steps outside 40 yd In	13.75 steps behind FRONT HASH (HS)
62	8	SIDE 1: 2.25 steps outside 40 yd In	13.25 steps behind FRONT HASH (HS)
63	8	SIDE 1: 2.25 steps outside 40 yd In	13.25 steps behind FRONT HASH (HS)
64	16	SIDE 1: 3.0 steps outside 40 yd In	12.0 steps behind FRONT HASH (HS)
65	18	SIDE 1: 3.0 steps outside 40 yd In	12.0 steps behind FRONT HASH (HS)

Performer: ii	n "2024 GRAFTON"
---------------	------------------

		Symbol: G Label: 9 ID:5617955600615	•
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
1	0	On 50 yd In	1.0 steps in front of FRONT SIDELINE
2	8	On 50 yd In	1.0 steps in front of FRONT SIDELINE
3	8	On 50 yd In	1.0 steps in front of FRONT SIDELINE
4	8	On 50 yd In	1.0 steps in front of FRONT SIDELINE
5	8	On 50 yd In	1.0 steps in front of FRONT SIDELINE
6	16	SIDE 1: 2.0 steps inside 45 yd In	4.0 steps behind FRONT SIDELINE
7	8	SIDE 1: 2.0 steps inside 45 yd In	4.0 steps behind FRONT SIDELINE
8	40	SIDE 1: 2.0 steps inside 45 yd In	4.0 steps behind FRONT SIDELINE
9	16	SIDE 2: 4.0 steps outside 50 yd In	On FRONT SIDELINE
10	16	On 50 yd In	9.0 steps behind FRONT SIDELINE
11	16	SIDE 2: 2.0 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
12	8	SIDE 2: 3.0 steps outside 50 yd In	12.0 steps behind FRONT SIDELINE
13	8	SIDE 2: 3.0 steps outside 50 yd In	8.0 steps behind FRONT SIDELINE
14	12	SIDE 2: 1.0 steps inside 45 yd In	6.0 steps behind FRONT SIDELINE
15	12	SIDE 2: 1.0 steps inside 45 yd In	6.0 steps behind FRONT SIDELINE
16	24	SIDE 2: On 40 yd In	6.0 steps behind FRONT SIDELINE
17	8	SIDE 2: On 40 yd In	3.0 steps behind FRONT SIDELINE
18	16	SIDE 2: On 40 yd In	3.0 steps behind FRONT SIDELINE
19	16	SIDE 2: On 40 yd In	3.0 steps behind FRONT SIDELINE
20	16	SIDE 2: On 40 yd In	8.0 steps behind FRONT SIDELINE

#### Counts SIDE 1-SIDE 2 FRONT-BACK 20 0 SIDE 2: On 40 yd In 8.0 steps behind FRONT SIDELINE 16 SIDE 2: On 35 yd In 21 On FRONT SIDELINE 22 8 SIDE 2: 4.0 steps outside 40 yd In 10.5 steps behind FRONT SIDELINE 23 8 SIDE 2: 4.0 steps outside 40 yd In 10.5 steps behind FRONT SIDELINE 8 SIDE 2: 4.0 steps outside 40 yd In 24 10.5 steps behind FRONT SIDELINE 25 12 SIDE 2: 4.0 steps outside 40 yd In 10.5 steps behind FRONT SIDELINE 26 10 SIDE 2: 4.0 steps outside 40 yd In 10.5 steps behind FRONT SIDELINE 27 8 SIDE 2: On 40 yd In 6.0 steps behind FRONT SIDELINE 12 SIDE 2: On 40 yd In 6.0 steps behind FRONT SIDELINE 28 29 4 SIDE 2: On 40 yd In 6.0 steps behind FRONT SIDELINE

On FRONT SIDELINE

Performer: Symbol: G Label: 9 ID:561795560062199 Drill: 2024 GRAFTON PT2

Performer: Symbol: G Label: 9 ID:561795560062199 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

4 SIDE 2: On 40 yd In

14 SIDE 2: On 40 yd In

12 SIDE 2: On 35 yd In

30

31

32

33

34

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: On 35 yd In	On FRONT SIDELINE
36	8	SIDE 2: 4.0 steps outside 40 yd In	6.0 steps behind FRONT SIDELINE
37	16	SIDE 2: On 45 yd In	6.0 steps behind FRONT SIDELINE
38	16	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps in front of FRONT HASH (HS)
39	16	SIDE 2: 4.0 steps outside 50 yd In	6.0 steps in front of FRONT HASH (HS)
40	20	SIDE 2: 4.0 steps outside 50 yd In	6.0 steps in front of FRONT HASH (HS)
41	16	SIDE 2: 2.0 steps outside 50 yd In	8.0 steps behind FRONT SIDELINE
42	16	SIDE 2: 2.0 steps outside 50 yd In	8.0 steps behind FRONT SIDELINE
43	12	SIDE 2: On 45 yd In	12.0 steps behind FRONT SIDELINE
44	16	SIDE 2: On 45 yd In	12.0 steps behind FRONT SIDELINE
45	16	SIDE 1: 4.0 steps inside 45 yd In	12.0 steps behind FRONT SIDELINE
46	8	SIDE 1: On 45 yd In	8.0 steps in front of FRONT HASH (HS)

Perfo	rmer:	Symbol: G Label: 9 ID:561795560062	2199 Drill: 2024 Grafton Pt4
Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: On 45 yd In	8.0 steps in front of FRONT HASH (HS)
47	17	SIDE 1: 4.0 steps inside 30 yd In	On FRONT SIDELINE
48	8	SIDE 1: 4.0 steps inside 30 yd In	On FRONT SIDELINE
49	9	SIDE 1: 4.0 steps inside 30 yd In	On FRONT SIDELINE
50	8	SIDE 1: 1.0 steps inside 20 yd In	2.5 steps behind FRONT SIDELINE
51	8	SIDE 1: 1.5 steps inside 20 yd In	4.75 steps in front of FRONT HASH (HS)
52	20	SIDE 1: 0.5 steps inside 35 yd In	10.5 steps in front of BACK HASH (HS)
53	16	SIDE 1: 0.5 steps inside 35 yd In	10.5 steps in front of BACK HASH (HS)
54	8	SIDE 1: 0.5 steps inside 35 yd In	10.5 steps in front of BACK HASH (HS)
55	16	SIDE 1: 2.5 steps outside 30 yd In	12.0 steps behind FRONT HASH (HS)
56	16	SIDE 1: 0.5 steps inside 35 yd In	10.5 steps in front of BACK HASH (HS)
57	8	SIDE 1: 0.5 steps inside 35 yd In	7.5 steps in front of BACK HASH (HS)
58	8	SIDE 1: 0.5 steps inside 35 yd In	7.5 steps in front of BACK HASH (HS)
59	8	SIDE 1: 0.5 steps inside 35 yd In	7.5 steps in front of BACK HASH (HS)
60	8	SIDE 1: 0.5 steps inside 35 yd In	7.5 steps in front of BACK HASH (HS)
61	8	SIDE 1: 0.5 steps inside 35 yd In	7.5 steps in front of BACK HASH (HS)
62	8	SIDE 1: On 35 yd In	11.0 steps behind FRONT HASH (HS)
63	8	SIDE 1: On 35 yd In	11.0 steps behind FRONT HASH (HS)
64	16	SIDE 1: 3.0 steps outside 35 yd In	8.0 steps in front of BACK HASH (HS)
65	18	SIDE 1: 3.0 steps outside 35 yd In	8.0 steps in front of BACK HASH (HS)

Performer: in "2	024 GRAFTON"
------------------	--------------

Perfo	rmer:	Symbol: G Label: 7 ID:5617955600643	399 Drill: 2024 GRAFTON PT1.3dj
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: 1.0 steps outside 30 yd In	10.0 steps in front of FRONT HASH (HS)
2	8	SIDE 1: 1.0 steps outside 30 yd In	10.0 steps in front of FRONT HASH (HS)
3	8	SIDE 1: 1.0 steps outside 30 yd In	10.0 steps in front of FRONT HASH (HS)
4	8	SIDE 1: 2.5 steps outside 35 yd In	13.25 steps in front of FRONT HASH (HS)
5	8	SIDE 1: 4.0 steps inside 35 yd In	8.0 steps behind FRONT SIDELINE
6	16	SIDE 1: 1.25 steps outside 40 yd In	10.5 steps behind FRONT SIDELINE
7	8	SIDE 1: 1.25 steps outside 40 yd In	10.5 steps behind FRONT SIDELINE
8	40	SIDE 1: 1.25 steps outside 40 yd In	10.5 steps behind FRONT SIDELINE
9	16	SIDE 1: 4.0 steps inside 40 yd In	On FRONT SIDELINE
10	16	SIDE 1: On 45 yd In	9.0 steps behind FRONT SIDELINE
11	16	SIDE 1: 2.0 steps outside 50 yd In	12.0 steps in front of FRONT HASH (HS)
12	8	SIDE 1: 1.0 steps outside 45 yd In	12.0 steps behind FRONT SIDELINE
13	8	SIDE 1: 1.0 steps outside 45 yd In	8.0 steps behind FRONT SIDELINE
14	12	SIDE 1: 3.0 steps inside 40 yd In	6.0 steps behind FRONT SIDELINE
15	12	SIDE 1: 3.0 steps inside 40 yd In	6.0 steps behind FRONT SIDELINE
16	24	SIDE 1: On 40 yd In	6.0 steps behind FRONT SIDELINE
17	8	SIDE 1: On 40 yd In	3.0 steps behind FRONT SIDELINE
18	16	SIDE 1: On 40 yd In	3.0 steps behind FRONT SIDELINE
19	16	SIDE 1: On 40 yd In	3.0 steps behind FRONT SIDELINE
20	16	SIDE 1: On 40 yd In	8.0 steps behind FRONT SIDELINE

#### Performer: Symbol: G Label: 7 ID:562810421044999 Drill: 2024 GRAFTON PT2 Counts SIDE 1-SIDE 2 FRONT-BACK 8.0 steps behind FRONT SIDELINE 20 0 SIDE 1: On 40 yd In 21 16 SIDE 1: On 45 yd In On FRONT SIDELINE 8 SIDE 1: On 40 yd In 22 5.5 steps in front of FRONT HASH (HS) 23 8 SIDE 1: On 40 yd In 5.5 steps in front of FRONT HASH (HS) 5.5 steps in front of FRONT HASH (HS) SIDE 1: On 40 yd In 24 25 12 SIDE 1: On 40 yd In 5.5 steps in front of FRONT HASH (HS) 26 SIDE 1: On 40 yd In 5.5 steps in front of FRONT HASH (HS) 27 8 SIDE 1: On 35 yd In 2.0 steps in front of FRONT HASH (HS) 28 12 SIDE 1: On 35 yd In 2.0 steps in front of FRONT HASH (HS) 29 4 SIDE 1: On 35 yd In 2.0 steps in front of FRONT HASH (HS) 30 SIDE 1: On 35 yd In 2.0 steps in front of FRONT HASH (HS) 4 SIDE 1: On 35 yd In 31 2.0 steps in front of FRONT HASH (HS) 2.0 steps in front of FRONT HASH (HS) 32 4 SIDE 1: On 35 yd In 33 SIDE 1: On 35 yd In 2.0 steps in front of FRONT HASH (HS) 34 SIDE 1: On 35 yd In 2.0 steps in front of FRONT HASH (HS) 12 SIDE 1: On 45 yd In On FRONT SIDELINE

Performer: Symbol: G Label: 7 ID:562810421044999 Drill: 2024 GRAFTON PT3

Printed: Sun. Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 1: On 45 yd In	On FRONT SIDELINE
36	8	SIDE 1: 4.0 steps inside 45 yd In	6.0 steps behind FRONT SIDELINE
37	16	SIDE 2: 3.0 steps inside 45 yd In	10.0 steps behind FRONT SIDELINE
38	16	SIDE 1: 1.0 steps inside 45 yd In	8.0 steps in front of FRONT HASH (HS)
39	16	On 50 yd In	6.0 steps in front of FRONT HASH (HS)
40	20	On 50 yd In	6.0 steps in front of FRONT HASH (HS)
41	16	On 50 yd In	12.0 steps behind FRONT SIDELINE
42	16	On 50 yd In	12.0 steps behind FRONT SIDELINE
43	12	On 50 yd In	12.0 steps behind FRONT SIDELINE
44	16	On 50 yd In	12.0 steps behind FRONT SIDELINE
45	16	SIDE 1: 4.0 steps inside 40 yd In	12.0 steps behind FRONT SIDELINE
46	8	SIDE 1: On 40 yd In	8.0 steps in front of FRONT HASH (HS)

Perfo	rmer:	Symbol: G Label: 7 ID:5628104210449	99 Drill: 2024 Grafton Pt4
Set	Coun	ts SIDE 1-SIDE 2	FRONT-BACK
46	0	SIDE 1: On 40 yd In	8.0 steps in front of FRONT HASH (HS)
47	17	SIDE 1: 4.0 steps inside 35 yd In	On FRONT SIDELINE
48	8	SIDE 1: 4.0 steps inside 35 yd In	On FRONT SIDELINE
49	9	SIDE 1: 4.0 steps inside 35 yd In	On FRONT SIDELINE
50	8	SIDE 1: 2.25 steps outside 30 yd In	2.25 steps behind FRONT SIDELINE
51	8	SIDE 1: 3.75 steps inside 20 yd In	12.0 steps behind FRONT SIDELINE
52	20	SIDE 1: 2.25 steps outside 30 yd In	11.75 steps behind FRONT HASH (HS)
53	16	SIDE 1: 2.25 steps outside 30 yd In	11.75 steps behind FRONT HASH (HS)
54	8	SIDE 1: 2.25 steps outside 30 yd In	11.75 steps behind FRONT HASH (HS)
55	16	SIDE 1: 0.25 steps inside 35 yd In	10.5 steps in front of BACK HASH (HS)
56	16	SIDE 1: 2.25 steps outside 30 yd In	11.75 steps behind FRONT HASH (HS)
57	8	SIDE 1: 2.25 steps outside 30 yd In	13.0 steps in front of BACK HASH (HS)
58	8	SIDE 1: 2.25 steps outside 30 yd In	13.0 steps in front of BACK HASH (HS)
59	8	SIDE 1: 2.25 steps outside 30 yd In	13.0 steps in front of BACK HASH (HS)
60	8	SIDE 1: 2.25 steps outside 30 yd In	13.0 steps in front of BACK HASH (HS)
61	8	SIDE 1: 2.25 steps outside 30 yd In	13.0 steps in front of BACK HASH (HS)
62	8	SIDE 1: 2.75 steps outside 30 yd In	5.0 steps behind FRONT HASH (HS)
63	8	SIDE 1: 2.75 steps outside 30 yd In	5.0 steps behind FRONT HASH (HS)
64	16	SIDE 1: On 25 yd In	12.0 steps behind FRONT HASH (HS)
65	18	SIDE 1: On 25 yd In	12.0 steps behind FRONT HASH (HS)

Performer:	in "2024 GRAFTON"

	ormer:	Symbol: G Label: 8 ID:561795560060	•
Set		s SIDE 1-SIDE 2	FRONT-BACK
1	0	SIDE 1: On 45 yd In	1.0 steps in front of FRONT SIDELINE
2	8	SIDE 1: On 45 yd In	1.0 steps in front of FRONT SIDELINE
3	8	SIDE 1: On 45 yd In	1.0 steps in front of FRONT SIDELINE
4	8	SIDE 1: On 45 yd In	1.0 steps in front of FRONT SIDELINE
5	8	SIDE 1: On 45 yd In	1.0 steps in front of FRONT SIDELINE
6	16	SIDE 1: 4.0 steps outside 45 yd In	6.75 steps behind FRONT SIDELINE
7	8	SIDE 1: 4.0 steps outside 45 yd In	6.75 steps behind FRONT SIDELINE
8	40	SIDE 1: 4.0 steps outside 45 yd In	6.75 steps behind FRONT SIDELINE
9	16	SIDE 1: 4.0 steps inside 45 yd In	On FRONT SIDELINE
10	16	SIDE 1: 4.0 steps inside 45 yd In	9.0 steps behind FRONT SIDELINE
11	16	SIDE 2: 2.0 steps outside 50 yd In	12.0 steps in front of FRONT HASH (HS)
12	8	SIDE 1: 3.0 steps outside 50 yd In	12.0 steps behind FRONT SIDELINE
13	8	SIDE 1: 3.0 steps outside 50 yd In	8.0 steps behind FRONT SIDELINE
14	12	SIDE 1: 3.0 steps outside 50 yd In	6.0 steps behind FRONT SIDELINE
15	12	SIDE 1: 3.0 steps outside 50 yd In	6.0 steps behind FRONT SIDELINE
16	24	On 50 yd In	6.0 steps behind FRONT SIDELINE
17	8	On 50 yd In	3.0 steps behind FRONT SIDELINE
18	16	On 50 yd In	3.0 steps behind FRONT SIDELINE
19	16	On 50 yd In	3.0 steps behind FRONT SIDELINE
20	16	On 50 yd In	8.0 steps behind FRONT SIDELINE

#### Performer: Symbol: G Label: 8 ID:561795560062799 Drill: 2024 GRAFTON PT2 Set Counts SIDE 1-SIDE 2 FRONT-BACK

Set	Counts	S SIDE 1-SIDE 2	FRUNT-BACK
20	0	On 50 yd In	8.0 steps behind FRONT SIDELINE
21	16	SIDE 2: On 45 yd In	On FRONT SIDELINE
22	8	SIDE 1: 2.0 steps outside 50 yd In	7.0 steps behind FRONT SIDELINE
23	8	SIDE 1: 2.0 steps outside 50 yd In	7.0 steps behind FRONT SIDELINE
24	8	SIDE 1: 2.0 steps outside 50 yd In	7.0 steps behind FRONT SIDELINE
25	12	SIDE 1: 2.0 steps outside 50 yd In	7.0 steps behind FRONT SIDELINE
26	10	SIDE 1: 2.0 steps outside 50 yd In	7.0 steps behind FRONT SIDELINE
27	8	SIDE 1: On 40 yd In	6.0 steps behind FRONT SIDELINE
28	12	SIDE 1: On 40 yd In	6.0 steps behind FRONT SIDELINE
29	4	SIDE 1: On 40 yd In	6.0 steps behind FRONT SIDELINE
30	4	SIDE 1: On 40 yd In	6.0 steps behind FRONT SIDELINE
31	4	SIDE 1: On 40 yd In	6.0 steps behind FRONT SIDELINE
32	4	SIDE 1: On 40 yd In	6.0 steps behind FRONT SIDELINE
33	4	SIDE 1: On 40 yd In	6.0 steps behind FRONT SIDELINE
34	14	SIDE 1: On 40 yd In	6.0 steps behind FRONT SIDELINE
35	12	SIDE 2: On 45 yd In	On FRONT SIDELINE

Performer: Symbol: G Label: 8 ID:561795560062799 Drill: 2024 GRAFTON PT3

Printed: Sun, Jul 7, 2024 at 12:18 PM

Performer: in "2024 GRAFTON"

Set	Count	s SIDE 1-SIDE 2	FRONT-BACK
35	0	SIDE 2: On 45 yd In	On FRONT SIDELINE
36	8	SIDE 2: On 45 yd In	6.0 steps behind FRONT SIDELINE
37	16	SIDE 1: 4.0 steps inside 45 yd In	6.0 steps behind FRONT SIDELINE
38	16	SIDE 1: On 40 yd In	12.0 steps in front of FRONT HASH (HS)
39	16	SIDE 1: 4.0 steps inside 40 yd In	6.0 steps in front of FRONT HASH (HS)
40	20	SIDE 1: 4.0 steps inside 40 yd In	6.0 steps in front of FRONT HASH (HS)
41	16	SIDE 1: 2.0 steps outside 50 yd In	12.0 steps in front of FRONT HASH (HS)
42	16	SIDE 1: 2.0 steps outside 50 yd In	12.0 steps in front of FRONT HASH (HS)
43	12	SIDE 1: On 45 yd In	12.0 steps behind FRONT SIDELINE
44	16	SIDE 1: On 45 yd In	12.0 steps behind FRONT SIDELINE
45	16	SIDE 1: 4.0 steps inside 35 yd In	12.0 steps behind FRONT SIDELINE
46	8	SIDE 1: On 35 yd In	8.0 steps in front of FRONT HASH (HS)

Perfo Set		Symbol: G Label: 8 ID:5617955600627 s SIDE 1-SIDE 2	799 Drill: 2024 Grafton Pt4 FRONT-BACK
46	0	SIDE 1: On 35 yd In	8.0 steps in front of FRONT HASH (HS)
47	17	SIDE 1: 4.0 steps outside 45 yd In	On FRONT SIDELINE
48	8	SIDE 1: 4.0 steps outside 45 yd In	On FRONT SIDELINE
49	9	SIDE 1: 4.0 steps outside 45 yd In	On FRONT SIDELINE
50	8	SIDE 1: 2.5 steps inside 35 yd In	2.0 steps behind FRONT SIDELINE
51	8	SIDE 1: 2.25 steps inside 25 yd In	2.5 steps behind FRONT SIDELINE
52	20	SIDE 1: 3.75 steps outside 25 yd In	4.5 steps behind FRONT HASH (HS)
53	16	SIDE 1: 3.75 steps outside 25 yd In	4.5 steps behind FRONT HASH (HS)
54	8	SIDE 1: 3.75 steps outside 25 yd In	4.5 steps behind FRONT HASH (HS)
55	16	SIDE 1: 3.5 steps outside 25 yd In	4.0 steps behind FRONT HASH (HS)
56	16	SIDE 1: 3.75 steps outside 25 yd In	4.5 steps behind FRONT HASH (HS)
57	8	SIDE 1: 3.75 steps outside 25 yd In	7.5 steps behind FRONT HASH (HS)
58	8	SIDE 1: 3.75 steps outside 25 yd In	7.5 steps behind FRONT HASH (HS)
59	8	SIDE 1: 3.75 steps outside 25 yd In	7.5 steps behind FRONT HASH (HS)
60	8	SIDE 1: 3.75 steps outside 25 yd In	7.5 steps behind FRONT HASH (HS)
61	8	SIDE 1: 3.75 steps outside 25 yd In	7.5 steps behind FRONT HASH (HS)
62	8	SIDE 1: 4.0 steps inside 20 yd In	3.25 steps in front of FRONT HASH (HS)
63	8	SIDE 1: 4.0 steps inside 20 yd In	3.25 steps in front of FRONT HASH (HS)
64	16	SIDE 1: 2.0 steps outside 20 yd In	2.0 steps in front of FRONT HASH (HS)
65	18	SIDE 1: 2.0 steps outside 20 yd In	2.0 steps in front of FRONT HASH (HS)